

1295, De Lanaudière Joliette, Qc J6E 3N9

Tél.: 450 756.0564 800 567.5247 Fax: 450 756.8859

info@eij.ca www.eij.ca

MATERIAL HANDLING & WAREHOUSE EQUIPMENT PROMOTION

MN981	0	 Polyetl on an Includ 	eal for tr mping w other nylene b all-weld es small he front wh	TRUCKS ansporting and aste, scrap and bulk materials ody is mounted ed steel chassis swivel caster(s) and large fixed eels at the rear
Model	Durability	Capao	ity	Promo
No.		cu.yds.	Ibs.	Price
MN980	Light Duty	5/8	500	349.00
MN981	Standard Duty	5/8	850	499.00
MN982	Standard Duty	1.1	1250	669.00
MN983	Heavy Duty	1.1	2000	819.00



157

31

Pricing in effect until June 29, 2018 or while quantities last. Taxes and freight extra. Prices are subject to change, and may vary without prior notice. Issue #SDM7050NA

STACK & HANG BINS

- Designed to hang from bin racks, panels, rails and carts • Bins reduce and control inventories, shorten assembly times and minimize parts handling
- Reinforced ribs, on both sides, prevent bins from spreading under loads

Unaffected by weak acids and alkalis

Model No.	Colour	O W"		ide Dir D"		Н"	Cap. Ibs.	Promo Price
CF832	Red	5 1/2	х	10 7/8	х	5	30	3.40
CF833	Yellow	5 1/2	х	10 7/8	х	5	30	3.40
CF831	Green	5 1/2	х	10 7/8	х	5	30	3.40
CF837	Red	11	х	10 7/8	х	5	50	3.95
CF838	Yellow	11	х	10 7/8	х	5	50	3.95
CF836	Green	11	х	10 7/8	х	5	50	3.95
DIVIDER FOR 10-7/8" D x 5" H BINS								
CB829		-		-		-	-	1.15



	24" ROLL-	ABOUT FAN
	• 3-speed,	1/5 HP, 120 V motor
-	circulation o • Can	fan for increased air and optimal mobility be tilted/positioned
1	to	maximize ventilation
	provides st	frame configuration able quiet operation 10 760/7770/7040
Λ		INDUSTRIAL PRODUCTS
	Model	Promo
Y	No.	Price
	EA476	265.00



KILETON

45 2115



oility	cu.yds.	lbs.	Price
Duty	5/8	500	349.00
d Duty	5/8	850	499.00
d Duty	1.1	1250	669.00
Duty	1.1	2000	819.00
HTS n casing High): 2		-	XE888
High): 2; (Lov included):		1	

45

14.99

DOIVETUVIENE

45

XE889

STORAGE

COLLAPSIBLE BULK CONTAINER

- Drop gates knock-down with ease
- Quickly collapsed, folded, and stacked for convenient transportation
- Lid sold separately
- Colour: Grey
- No. of Drop Gates: 2
- High-density polyethylene (HDPE)
- Weight capacity: 2000 lbs.
- Folded Height: 14.2"
- O.A. dim.: 47.2" L x 39.4" W x 39.4" H
- Weight: 121.3 lbs. (55 kg.)

EIIO

Model No.	Description	Promo Price
CF862	Container	395.00
CF863	Lid	45.00

COLLAPSIBLE WIRE CONTAINERS • Welded, square mesh wire allows **CF462** full visibility and excellent ventilation Foldable and constructed of durable 3-gauge wire • 4-way entry for easy use with lift trucks No. of Drop Gates: 1 NASHVILLE WIRE PRODUCTS Model **Dimensions** Drop Usable Promo W" x D" x H" Height" No Gate Price 1000-LBS. CAPACITY - MESH (1" x 1") 32 Side CF462 20 x 32 x 21 16 168.00 4000-LBS. CAPACITY - MESH (2" x 2")

CF468 40 x 48 x 42 48 Side 36 410.00	CF464 CF465 CF468	40	x	48	x	30		28 24 36	291.20 348.80 410.00
--	-------------------------	----	---	----	---	----	--	----------------	----------------------------



STACKING RACKS

- Open base frame
- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Rugged all-welded 2" sq. tubing steel construction
- Holds 4000 lbs per rack and can be stacked four high
- Posts and bases are sold separately
- Durable Kleton blue enamel finish





Model No.	Inside Dim. W" x D"	O.A. Dim. W" x D"	Wt. Ibs.	Promo Price
RL414	44 x 38	48 x 42	85	325.00
RL415	44 x 44	48 x 48	90	363.00

ACCESSORIES

Model No.	Description	0.A. Dim. W" x H"	Promo Price
	42" Upright Post-Pack of 4 48" Upright Post-Pack of 4	2 x 42 2 x 48	97.00/Pkg. 113.00/Pkg.



NESTABLE LIGHT WEIGHT PALLET W/LIP

- 5/8" raised edge surrounding the deck prevents loads from sliding off
- Single faced, one-piece high-density polyethylene construction
- Cleans easily with efficient drainage design
- 48" L x 40" W x 5 1/2" H
- Capacity: Static 20000 lbs.; Dynamic 2500 lbs.
- Wt. lbs.: 21

ORBIS

CB521	105.00
Model No.	Promo Price
	-

STORAGE SOLUTIONS

FL362

THIRD

FL366



No.	L" x W" x H	lbs.	Price
RL871	48 x 91/2 x 161	/2 23	199.00
RL872	60 x 91/2 x 161	/2 29	205.00
RL873	72 x 91/2 x 161	/2 31	230.00
RL874	96 x 91/2 x 161,	/2 39	275.00
-			

ALL-WELDED GEAR LOCKERS

- security with optimum ventilation
- ٠ one full width shelf, coat bar and lockable doors
- •
- •

FJ913



(Charlize FI721			Cost-effective	BASE IN e corrosion-pr e and mainte • H	oof plastic
	Model No.	Colour	Length"	Width"	Fit Lockers"	Promo Price
	FL664 FL662 FL663	Beige Dark Grey Light Grey	16.125 16.125 16.125	9.875 9.875 9.875	10 x 18 10 x 18 10 x 18	22.88 22.88 22.88
	FL665 FL660 FL658	Black Beige Dark Grey	16.125 13.125 13.125	9.875 11.875 11.875	10 x 18 12 x 15 12 x 15	22.88 22.88 22.88
	FL659 FL661 FI721	Light Grey Black Beige	13.125 13.125 16.125	11.875 11.875 11.875	12 x 15 12 x 15 12 x 18	22.88 22.88 22.88
	FL591 FI720 FI722	Dark Grey Light Grey Black	16.125 16.125 16.125 16.125	11.875 11.875 11.875 11.875	12 x 18 12 x 18 12 x 18 12 x 18	22.88 22.88 22.88
	FL668 FL666 FL667 FL669	Beige Dark Grey Light Grey Black	16.125 16.125 16.125 16.125	14.875 14.875 14.875 14.875	15 x 18 15 x 18 15 x 18 15 x 18 15 x 18	22.88 22.88 22.88 22.88 22.88

READY TO ASSEMBLE STEEL LOCKERS

- Ships knocked down, with nuts and bolts included
- 16-gauge frames, 24-gauge body and shelves
- Durable powder-coated grey paint finish •
- Number plates available separately •
- Single tier dim.: 12" W x 18" D x 72" H
- Double tier height: 33 1/4"

KLE	TON		X		-
Model No.	Bank of	Wt. Ibs.	Promo Price	8	1
BASIC ST	LE - SINGL	E TIER			1000
FL362	1	52	149.00		
FL363	2	96	259.00		
FL364	3	139	389.00		
BASIC ST	LE - DOUBI	E TIER			
FL366	1	54	169.00		
FL367	2	98	299.00	12 122	The second second
FL368	3	141	449.00	DUHUH	mini

WALL HUNG **STORAGE CABINET** All-welded 22-gauge cabinet and shelf • 36" W x 12" D x 30" H

evenly distributed • Includes:



i 📻	One tully adjustable shelt, recessed handle and cylinder lock • Charcoal
	Promo Price
	286.00


FJ866

No.

ALB

WALL HUNG LOCKER

- Four compartments measuring 12" W x 18" D x 12" H
- All-welded frame with panels and doors assembled with pop rivets
- Material: Steel
- O.A. dim.: 48" W x 18" D x 12" H



MOVING ESSENTIALS



SHIPPING ESSENTIALS



- Need special size bags for odd-shaped or extra-large products?
- Just cut the length you need, insert your product and seal the ends for a custom fit every time •
- Approx. roll weight: 50 lbs.



Alte-Rego Corporation

Model No.	Length'	Width"	Thickness mils	Promo Price
PF096	1832	6	4	165.00
PF098	1302	12	4	157.00
PF112	2604	12	2	157.00

- One handle included in each case
- Sold per case
- Colour: Clear



Sigma Stretch Film*

Model No.	Dimensions	Rolls /Case	Promo Price
PF728	5" x 700'	12	56.95 /Case
PF730	3" x 700'	18	49.95/Case

LINEBACKER® GENERAL PURPOSE **CABLE PROTECTORS**

- Most robust cable protection option
- High load bearing capacity for heavy equipment applications
- Ideal for: Manufacturing, Oil and gas, mining, military, • construction and heavy-duty applications
- All-weather polyurethane construction

CHECKERS[®]

Y PRODUCTS, INC.									
No. of Channels	Length"	Width"	Height"	Char Width"	nnel Height"	Max. Loa /Tire lbs. (tons)	d Capacity /Axle lbs. (tons)	Wt. Ibs.	Promo Price
1	36	11.5	1.625	1.25	1.25	11 700 (5.85 tons)	23 400 (11.7 tons)	13	219.00
2	36	22	4.13	3.25	3.25	10880 (5.44 tons)	21 760 (10.88 tons)	33	699.00
3	36	20	3.05	2.25	2.25	14210 (7.105 tons)	28 400 (14.21 tons)	28	549.00
4	36	20	2.31	1.85	1.35	20 150 (10.075 tons)	40 300 (20.15 tons)	26	459.00
5	36	17.25	1.9375	1.3	1.3	10 500 (5.25 tons)	21 000 (10.5 tons)	22	289.00
5	36	20	2.31	1.35	1.35	20150 (10.075 tons)	40 300 (20.15 tons)	25	369.00
OR TYPE: T-B	ONE								
4	36	23.9	3.9	3	3	10 100 (5.05 tons)	20 200 (10.1 tons)	-	529.00
	No. of Channels 1 2 3 4 5 5 0R TYPE: T-B	No. of Channels Length" 1 36 2 36 3 36 4 36 5 36 5 36 5 36 5 36 5 36 5 36 5 36	No. of Channels Length" Width" 1 36 11.5 2 36 22 3 36 20 4 36 20 5 36 17.25 5 36 20	No. of ChannelsLength"Width"Height"13611.51.625236224.13336203.05436202.3153617.251.9375536202.31OR TYPE: T-BONE	No. of Channels Length" Width" Height" Char Width" 1 36 11.5 1.625 1.25 2 36 22 4.13 3.25 3 36 20 3.05 2.25 4 36 20 2.31 1.85 5 36 17.25 1.9375 1.3 5 36 20 2.31 1.35	No. of ChannelsLength"Width"Height"Channel Width"Height"13611.51.6251.251.25236224.133.253.25336203.052.252.25436202.311.851.3553617.251.93751.31.3536202.311.351.35OR TYPE: T-BONE	No. of Channels Length" Width" Height" Width" Height" Max. Loar Width" Max. Loar Height" 1 36 11.5 1.625 1.25 1.25 11700 (5.85 tons) 2 36 22 4.13 3.25 3.25 10880 (5.44 tons) 3 36 20 3.05 2.25 2.25 14210 (7.105 tons) 4 36 20 2.31 1.85 1.35 20150 (10.075 tons) 5 36 17.25 1.9375 1.3 1.35 20150 (10.075 tons) 5 36 20 2.31 1.35 1.35 20150 (10.075 tons) 5 36 20 2.31 1.35 1.35 20150 (10.075 tons)	No. of Channels Length" Width" Height" Width" Height" Max. Load Capacity /Tire lbs. (tons) /Axle lbs. (tons) 1 36 11.5 1.625 1.25 1.25 11 700 (5.85 tons) 23 400 (11.7 tons) 2 36 22 4.13 3.25 3.25 10880 (5.44 tons) 21 760 (10.88 tons) 3 36 20 3.05 2.25 2.25 14210 (7.105 tons) 28 400 (14.21 tons) 4 36 20 2.31 1.85 1.35 20 150 (10.075 tons) 40 300 (20.15 tons) 5 36 17.25 1.9375 1.3 1.3 10 500 (5.25 tons) 21 000 (10.5 tons) 5 36 20 2.31 1.35 1.35 20 150 (10.075 tons) 40 300 (20.15 tons) 5 36 20 2.31 1.35 1.35 20 150 (10.075 tons) 40 300 (20.15 tons) 5 36 20 2.31 1.35 1.35 20 150 (10.075 tons) 40 300 (20.15 tons)	No. of Channels Length" Width" Height" Channel Width" Max. Load Capacity /Tire lbs. (tons) Wt. 1 36 11.5 1.625 1.25 1.25 11700 (5.85 tons) 23 400 (11.7 tons) 13 2 36 22 4.13 3.25 3.25 10880 (5.44 tons) 21 760 (10.88 tons) 33 3 36 20 3.05 2.25 2.25 14210 (7.105 tons) 28 400 (14.21 tons) 28 4 36 20 2.31 1.85 1.35 20 150 (10.075 tons) 40 300 (20.15 tons) 26 5 36 20 2.31 1.35 1.35 20 150 (10.075 tons) 40 300 (20.15 tons) 22 5 36 20 2.31 1.35 1.35 20 150 (10.075 tons) 40 300 (20.15 tons) 25

KH702

RACKING AISLE PROTECTORS

- Corner wraps are 12" high with an angle of 5" H x 3" W x 1/4" D with • holes for anchoring to the floor
- All-welded steel construction • painted in safety yellow
- Floor anchors not included

RN059

KLETON		
Model No.	Fits Racking Uprights	Promo Price
SINGLE WRAP - LEFT		
RN059	42" W	119.00
RN061	48" W	125.00
SINGLE WRAP - RIGHT		
RN060	42" W	119.00
RN062	48" W	125.00
DOUBLE WRAP		
RN063	42" W	179.00
RN064	48" W	199.00

RN065		angl t • All-welc pai	JARD RAILS " $H \times 3$ " $W \times 1/4$ " D e iron includes holes o anchor to the floor led steel construction nted in safety yellow anchors not included
K	Model	Overall	Promo
	No.	Length"	Price
	RN065	48	57.90
	RN066	60	67.90


INDUSTRIAL CORD COVERS

- Withstands car and light truck traffic up to 5000 lbs./axle
- Excellent in temperatures from -40°C to 150°C
- Black with yellow safety stripe

			-
Model No.	Length'	Dimensions W" x H"	Promo Price
1 CHANNEL			
КН907	5	3/4 x 1/2	44.90
КН908	10	3/4 x 1/2	86.90
КН909	5	1 x 3/4	48.90
КН910	10	1 x 3/4	94.90
KH913	5	1 1/2 × 1 1/2	235.00
2 CHANNELS			
КН911	5	7/8 x 3/4	147.00
KH912	10	7/8 x 3/4	285.00

KH687

KI046



LIFTING EQUIPMENT

CHAIN HOISTS

- Triple spur geared for easy lifting
- Load brake assures safety and load control
- High tensile alloy steel load chain

Model Capacity Promo Lift' lbs. No. Price LS534 10 1000 119.00 LS535 10 2000 129.00 LS536 195.00 10 3000 LS537 209.00 10 4000 299.00 LS538 10 6000 LS539 10 10000 449.00 LS540 20 1000 179.00 LS541 2000 189.00 20 LS542 20 3000 269.00 LS543 20 4000 289.00 LS544 379.00 20 6000 LS545 20 10000 539.00

LETON

LU506

PLATFORM LIFT STACKERS

- Lift and transport loads at ease
- The platform lifts approximately 1" per winch rotation or foot pump stroke
- All welded steel construction
- Rolls smoothly on 6" x 2" poly-on-poly rear wheels with 2" semi-steel front wheels
- Lifting Capacity: 500 lbs.
- Platform dim.: 20" W x 20" D
- Lowered Platform Height: 3-1/8"

Vertil

Model	Operation	Raised Platform	Promo
No.	Type	Height"	Price
LU506	Hand Winch	58	829.00
LU507	Foot Pump, Hydraulic	51 1/8	1229.00



Autorial and the second sec	////	////	
 Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance 6 1/4" (158.75 mm) wide forks Lowered pallet truck height: 3" Raised pallet truck height: 7 1/2" O.A. fork dim.: 48" L x 27" W Standard capacity: 5500 lbs. Lateral capacity: 3300 lbs. 2-year limited warranty Model Promo Price 			
No. Price		Heavy-duty polyu core steering whe	rethane tread bonded to cast iron eels provide superior performance • 6 1/4" (158.75 mm) wide forks • Lowered pallet truck height: 3" Raised pallet truck height: 7 1/2" • O.A. fork dim.: 48" L x 27" W • Standard capacity: 5500 lbs. • Lateral capacity: 3300 lbs.
MN062 585.00			
	KLETON	MN062	585.00

PLATFO • LV480: R rear whe • LV481: R rear whe a hand c • Platform 1" per w • Lifting Co • Operatio • Machine	L-OPERATED DRM LIFT ST colls smoothly on 6" seels with 2" semi-stee olls smoothly on 8" seels, four swivel cast- poperated floor lock lifts approximately inch rotation apacity: 400 lbs. on Type: Hand Wind Weight: 67 lbs. aaterial: Aluminum	ACKERS x 2" poly-on-poly- el front wheels x 2" poly-on-poly- ers, and		
Model No.	Dimensions W" x D"	Platform H Lowered"		Promo Price
LV480	20 x 20	3-1/8	58	929.00

6-1/8

2" NYLON SLINGS

24 x 20

- Used in conjunction with overhead cranes, hoists or winches
- Protect heavy, irregular sized loads from scratching or marring
- Should any surface area show signs of wear or cutting, the sling must be replaced immediately
- Double Ply

LV481

- Basket 90° Load Limit: 12400 lbs.
- Sling Design: Double Eye
- Sling Type: 3
- Vertical Load Limit: 6200 lbs.
- Chocker Load Load Limit: 4960 lbs.

1000	1000			
and the second	_	-	_	

Model No.	Length"	Promo Price
LU324	6	19.95
LU325	8	25.95
LU326	10	30.95
LU327	12	36.90

1339.00

60

WAREHOUSE TRUCKS



Promo

279.00

359.00

Promo

419.00

439.00

115.00

115.00

Price

Price

CARTS & TRUCKS

Suited for clean room environments, applications

with food handling, and pharmaceutical industry

• Corrosion resistant, non-wearing, temperature

MO517

Deck

W" x L"

24 x 36

24 x 48

Model

MO517

MO518

No.

• Completely formed from 201 grade

resistant, completely hygienic, and stainless steel roller bearings

stainless steel sheet and tube

Promo

1099.00


1119.00

Price

• Handle Height: 40" • Capacity: 2000 lbs. Caster Placement:

Corner Standard • 4" polyurethane wheel

L



- your plant or warehouse 5" bolted-on non-marking rubber
- casters, two rigid, two swivel Handle height: 30"
- Inside wall height: 24"

•

.

- Capacity: 1200 lbs. evenly distributed
- Durable Kleton blue enamel finish ٠

Dorable i	Celon bloe endmer	TILISII U	MB672
Model	Base Dim.	O.A. Dimensions	Promo
No.	L" x W"	L" x W" x H"	Price
MB672	36 x 24	39 x 24 x 31 1/2	399.00
ML186	48 x 24	51 x 24 x 31 1/2	429.00
ML187	60 x 24	63 x 24 x 31 1/2	499.00
ML188	48 x 30	51 x 30 x 31 1/2	519.00
MB680	60 x 30	63 x 30 x 31 1/2	559.00
ML189	72 x 30	75 x 30 x 31 1/2	659.00

MAINTENANCE ESSENTIALS



No.

NI694

Price

69.95

10

JANITORIAL ESSENTIALS



Promo

Price

7.95

- 950 ml
- Trigger Bottle

safeblend

No.

JC053

Model

CUT END WET MOPS

- High grade cotton yarn is durable and absorbent with excellent floor drying qualities, increasing worker productivity and safety
- · Good quality, fast drying poly head band
- Cotton industrial narrow band wet mops are .
- economical and great for general purpose cleaning Fan-Foot construction allows for
- maximum floor coverage



Model No.	Size oz.	Promo Price	
MOPS			
JB668	16	4.95	
JB669	20	5.70	
JB670	24	6.75	
JB671	32	8.95	
HANDLE			
JC509	Fiberglass 60"	18.95	

• Excellent st eliminate th	RIAL GARBAG rength and puncture res ne need for double bagg L ECOLOGO® 126		
Produits D'Entretien Maintenance Produ) di	1000	JD144
Model	Strength	Qty	Promo
No.		/Box	Price
JD144	Strong	200	42.65 /Box
JD145	X-Strong	150	47.50 /Box

Promo

Price

9.45

PINK LIQUID HAND SOAP

- Antibacterial
- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate-free
- 4-L bottle

Model

No.

NI343



MOP BUCKET & DOWN PRESS WRINGER

- Wringer and bucket setup reduces splashing • for a safer and cleaner work environment
- Removable casters
- Bucket capacity: 9.5 US gallons (38 quart)



Produits D'Entretien	8
Raintenance Product)

JC509

Model	Promo
No.	Price
JG952	97.95

JOBSITE STORAGE

 Site-Vault[™] security system Ez-Loader[®] 7-gauge skid bolsters allow fork lift from any side Lift-N-Stow[™] hinged shelf Heavily reinforced lid and body Propped lid allows for a flat working surface 60" L x 30" W x 39 1/2" H 	• Compact an • Heavily rein steel constru	nd portable nforced 16-gauge uction with staked d steel hinges 6" D x 12" H	P348		
 Usable: 32.7 Cu. Ft. Weight: 243 lbs. 	Model No.	Descri	ption		Promo Price
Textured powder paint finish	TEP348 TEP349	Welder Chest w/H			199.00 239.00
No. Price TEP159 999.00 JDBDX JDBX JDX JDX		TEP092	JOE • Site-\ • Ez-Loader® allow Grip-Rite™ re • Heavily re • Texture	SITE /ault [™] se 7-gauge fork lift fr inforced lif inforced l d powde	rom any side ting channel
	Model No.	Dimensions L" x W" x H"	Usable Cu. Ft.	Wt. Ibs.	Promo Price
TEP211 JOBOX	TEP092 TEP137 TEP157 TEP158	36 x 20 x 23 3/4 48 x 24 x 27 3/4 48 x 30 x 33 3/8 72 x 24 x 27 3/4	8.3 15.4 24.3 23.2	98 148 190 220	459.00 599.00 779.00 839.00

OBSITE SHELF CABINETS	OBSITE	SHELF	CABINETS
-----------------------	--------	-------	----------

● Site-Vault[™] security system

• Ez-Loader[®] anti-tip skid bolsters

- Heavy-duty doors with Grip-Rite[™] channel
- Hand or foot-operated latch release system • Heavy-duty high strength shelves

TEP168

H"

Wt.

lbs.

379

366

• Three 5/8" steel

locking pins per door Capacity: 47.5 Cu. Ft.

JOBOX

Promo

1649.00

1849.00

Price



Model

TEP168

TEP170

2 DOORS, 24" DEEP

No.

J

Dimensions

W"

60 1/8 x 24 1/4 x 60 3/4

60 1/8 x 24 1/4 x 60 3/4

Ľ"

2 DOORS. TALL CLOSET ON RIGHT SIDE

х

UNDERBED TRUCK BOX

lbs.

85

101

133

155

Price

379.00

449.00

489.00

560.00

• 3-point locking system locks the door at the top and on both sides for strength and durability and draws the high-strength door tight against the bulb-shaped weather stripping

TEP250

Cu. Ft.

6.8

9.3

15.4

19.2

- to seal out moisture and dust • Colour: Black • Overall dim.: 24" W x 18" D x 18" H • Material: Steel
 - Weight: 68 lbs.

JOBOX Promo Price 499.00



D"

20

24

24

36 x 19 1/2 x

Y

H"

22

x 23 1/2

x 27 1/2

x 27 1/2

W" x

42 x

48 x

60 x



No.

TEP226

TEP227

TEP211

TEP212

LADDERS



Model No.	Height'	Highest Standing Point"	Base Dim. W" x D"	Wt. Ibs.	Promo Price
VC247	8	68	26 x 54	24	249.00
VC248	10	92	29 x 66	30	319.00

INDUSTRIAL HEAVY-DUTY FIBREGLASS STEPLADDERS (6900 SERIES)

• CSA Grade 1A, ANSI type 1A, 300-lb. load rating

- Durable non-conductive C-channel side rails in high-visibility safety yellow
- Slip-resistant serrated aluminum steps
 Comes with a tough molded
 - copolymer utility top

FEATHERLITE INDUSTRIAL LADDERS

Model No.	Height'	Highest Standing Point"	Base Dim. W" x D"	Wt. Ibs.	Promo Price
MF609	6	45	21 x 39	20	139.00
MF611	8	67	24 x 51	26	179.00
MF613	12	112	29 x 74	48	319.00

STEP STOOL LADDERS

- CSA Grade 1A, ANSI type 1A, 300-lb. load rating
- Super tough copolymer top for strength and durability
- Slip resistant vinyl feet

FEATHERLITE

MF609



Model Spread Width" Nominal Base Promo Width" No. Height' Price VC239 2 15 1/2 17 1/2 44.95 VC240 3 17 24 52.95

HEAVY-DUTY ALUMINUM STEPLADDERS (3400 SERIES)

- CSA Grade 1A, ANSI type 1A, 300-lb. load rating
- High strength to weight ratio provides an economical alternative for general contract work
- 3" slip resistant serrated steps
- 10" x 10" hinged utility tray
- Heavy-duty slip resistant feet

FEATHERLITE



Model No.	Height'	Highest Standing Point"	Base Dim. W" x D"	Wt. Ibs.	Promo Price
VC244	8	68	24 x 54	22	199.00
VC245	10	91	26 x 66	28	289.00
VC315*	12	114	32 x 78	40	399.00
* Extern sui	da 2 1/2" a	انمت محما بمناء			

*Extra-wide 3 1/2" steps and rails

HEAVY-DUTY FIBREGLASS EXTENSION LADDERS (6200 SERIES)

- CSA Grade 1AA, ANSI type 1AA, 375-lb. load rating
- Durable non-conductive fibreglass side rails in high visibility safety yellow
- Riveted rung to rail design maintains continuous strength of fibres and allows for easy repair
- Slip-resistant serrated round rungs for safe climbing

FEATHERLITE INDUSTRIAL LADDERS

Nominal Height'	Max. Open Height'	Promo Price		
20	17	449.00		
24	21	499.00	1_1	MF406
	Height' 20	Height' Height' 20 17	Height' Height' Price 20 17 449.00	Height' Height' Price 20 17 449.00

HEAVY-DUTY FIBREGLASS WORKING PLATFORM • CSA Grade 1A, ANSI Type 1A, 300-lb. load rating • Base: 16 1/4" W × 46 7/8" D • Platform: 12" W × 37 1/4" D × 21" H • Weight: 13 lbs.

Model Promo No. Price

TRAFFIC SAFETY




TRAFFIC CONES W/COLLAR

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- High-density interlocking base
 offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta

Model No.	Description	Wt. Ibs.	Promo Price
SEF026*	18" w/6" Collar	3.15	12.35
SEF027**	28" w/4" Collar	6.75	16.45
SEF028*	28" w/4" & 6" Collars	6.75	19.95
*QC, ON, AB	**ON, AB		



ANTI-SKID TAPE



- OSHA 1910.24 and 1910.26
 - RoHS compliant
 - Length: 60'
 Black

SEF028



Model No.	Width"	Promo Price
SDN098	1	9.95
SDN099	2	19.95
SDN100	4	39.95
SDN101	6	59.95
SDN102	12	121.00

PREMIUM POLYESTER T-SHIRTS

- Fluorescent orange 100% polyester "bird's eye" mesh material
- Moisture wicking, lightweight, soft and breathable fabric
- 3" fluorescent yellow/silver dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Machine washable
 Meets CSA standard Z96-09, Class 2, Level 2 requirements



Model No.	Size	Promo Price
SEL243	Medium	17.95
SEL244	Large	17.95
SEL245	X-Large	17.95
SEL246	2X-Large	17.95





SAFETY

Not for

medical use

LIGHTWEIGHT POLYURETHANE **COATED GLOVES**

- Seamless nylon knit provides ultimate dexterity and reduces hand fatigue • Premium comfort and breathability
 - Superior dry grip
 - Excellent abrasion resistance
 - Knit wrist eliminates dirt and
 - debris from entering the glove

Model No.	Size	Promo Price	Model No	Size	Promo Price
WHITE			BLACK		
SAO161	6	0.85 /Pair	SAX694	6	0.85 /Pair
SAO162	7	0.85/Pair	SAX695	7	0.85/Pair
SAO163	8	0.85/Pair	SAX696	8	0.85/Pair
SAO164	9	0.85/Pair	SAX697	9	0.85/Pair
SAO165	10	0.85/Pair	SAX698	10	0.85/Pair
SAO166	11	0.85 /Pair	SAX699	11	0.85 /Pair

ZENTH

ZM500 MECHANICS GLOVES

- Reinforced full palm HPPE liner that meets EN388 cut level 5
- Terry towel thumb for wiping perspiration
- Hook and loop cuff permits an adjustable and secure fit

ZENTH

Model No.	Size	Promo Price
SDP433	Medium	26.25 /Pair
SDP434	Large	26.25/Pair
SDP435	X-Large	26.25 /Pair
SDP436	2X-Large	26.25 /Pair

SEI646

CHILL-ITS® 6700CT COOLING BANDANAS

- Advanced PVA towel material • keeps you cool without the bulk
- Activates quickly and easily when run under water for one minute •
- Tie closure for a personal fit
- Reusable, just re-soak

Model No.	Colour	Promo Price
SEC683	Hi-Vis Lime	4.99
SEC684	Blue	4.99
SEI645	Camouflage	4.99
SEI646	Red Western	4.99
SEI647	Navy Western	4.99
SEI648	Flames	4.99

DOTTED GLOVES

- PVC dots provide excellent grip and abrasion resistance
- Natural colour poly/cotton seamless string knit provides a cool comfortable fit
- Ambidextrous, both sides dotted version extends wear life
- Accepted for use in Canadian food processing facilities
- Coating: Single Sided
- Gauge: 7

Model No.	Size	Promo Price
SEE938	X-Small	0.50 /Pair
SEE939	Small	0.50/Pair
SEE940	Medium	0.50 /Pair
SEE941	Large	0.55 /Pair
SEE942	X-Large	0.55 /Pair

ZENTH

HEAVYWEIGHT BLACK NITRILE GLOVES

- Fully textured diamond pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Accepted for use in Canadian food processing facilities
- Latex and powder-free
- Thickness: 8 mils
- AQL 1.5 9.5" length
- 50 gloves per box

Model		Promo
No.	Size	Price
SDL990	X-Small	11.20/Box
SEK261	Small	11.20/Box
SEK262	Medium	11.20/Box
SEK263	Large	11.20/Box
SEK264	X-Large	11.85/Box
SEK265	2X-Large	12.45/Box

ZENTH

SQWINCHER® QWIK STIK LITE

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag

Model No.	Flavour	Promo Price
SAN505	Orange	39.95 /Bag
SAN506	Fruit Punch	39.95/Bag
SEI282	Strawberry Lemonade	39.95/Bag
SAP496	Mixed Berry	39.95/Bag

FANS

INDUSTRIAL-DUTY AIR CIRCULATING FANS Oscillating ٠

- Fully enclosed motor
- 2-speed, 120 V motor
- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm •
- Pedestal models features adjustable height and heavy-duty round base for added stability






EA647

MATRIX

INDUSTRIAL PRODUCTS					
Model		CFM		Promo	
No.	Description	HP	Max.	Min.	Price
EA643	24" Pedestal	1/4	11 800	7760	345.00
EA647	30" Pedestal	1/3	13 200	6700	365.00
EA645	24" Wall Mount	1/3	11 500	7680	275.00
EA649	30" Wall Mount	1/4	10780	7760	295.00



OSCILLATING PEDESTAL FANS

Diameter"

16

18

- 3-speed push button front control
- Adjustable height

MATRIX

Model

EA658

EA551

No.

• Rotating or fixed air direction

LIGHT INDUSTRIAL-DUTY **AIR CIRCULATING FANS**

- Oscillating
- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- Pedestal models feature adjustable height and heavy-duty base for added stability
- 6' SJT type power cord

MATE INDUSTRIAL PR	RIX. ODUCTS	EA284			*>
Model No.	Description	НР	CI High	FM Low	Promo Price
EA282	26" Pedestal	1/4	7525	4050	255.00
EA283	30" Pedestal	1/3	8778	6780	270.00
EA284	26" Wall Mount	1/4	7525	4050	199.00
EA654	30" Wall Mount	1/3	8775	6780	210.00

EA282





Pricing in effect until June 29, 2018 or while quantities last. Taxes and freight extra. Prices are subject to change, and may vary without prior notice. Issue #SDM7050NA

EA551

Promo

Price

29.95

44.95