

Équipements Industriels Joliette inc.

1295, De Lanaudière Joliette, Qc J6E 3N9

Tél.: 450 756.0564 800 567.5247 Fax: 450 756.8859

info@eij.ca www.eij.ca

SHOP ESSENTIALS PROMOTION!

UTILITY WORKSHOP VISE

- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects

• Hardened anvil striking surface used for forming and shaping

• Safety locking plate in base prevents the vise from slippage

Jaw Width: 6"

- Jaw Opening: 6 1/2"
- Throat Depth: 3 2/5"
- Mount Type: Swivel



auroratools°

Model	Promo
No.	Price
TYL097	149.00

WELDING HELMETS

• Lightweight design with ratchet headgear

Comes complete with shade 10 lens

NT645: Meets ANSI Z87.1-1989, section 10 and 11

NT687: Meets ANSI/ISEA Z87.1-2015



Model No.	Description	Window Dimensions"	Promo Price
NT645	Flip Front	2 x 4 1/4	13.95
NT687	Fixed Front	4 1/2 x 5 1/4	19.95



HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal models features adjustable height and heavy-duty round base for added stability
 - Pedestal models can be used in oscillating or non-oscillating mode
 - 9.8' SJT power cord
 - Diameter: 30"

MATRIX*

			INDUSTRIAL PRODUCTS
Model No.	Description	CFM	Promo Price
EA666	Pedestal	13200	450.00
EA667	Wall mount	13400	375.00

WELDSAFE® NO. 447 ANTI-FATIGUE MATS

- · Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" thick
- 4-year warranty





Model No.	MFG No.	Dimensions W' x L'	Promo Price
NG181	447.916X2X3BK	2 x 3	75.95
NG182	447.916X3X5BK	3 x 5	169.00

LED FLASHLIGHTS

- High strength aluminum casing
- Shatterproof lens
- XE888: Run Time Hrs. (High): 2
- XE889: Run Time Hrs. (High): 2; (Low): 3
- Batteries required (not included):
 Three AAA (XE888), Four AAA (XE889)
- Colour: Black




auroratools°

-					
Model		Lum	ens	Beam	Promo
No.	LED	Low	High	Distance (m)	Price
XE888	28	-	98	35	10.79
XE889	45	31	157	45	14.99

OUTDOOR VINYL EXTENSION CORDS











auroratools°


XC485

SINGLE TAP

SII TOLL			8.0	ui vi u	
Model No.	Length'	AWG	Amps	Watts	Promo Price
HEAVY-D	UTY ORANGE				
XC482	25	14/3	15	1875	15.99
XC483	50	14/3	15	1875	29.99
XC484	100	14/3	13	1625	58.99
EXTRA H	EAVY-DUTY YE	LLOW			
XC485	25	12/3	15	1875	23.99
XC486	50	12/3	15	1875	45.99
XC487	100	12/3	15	1875	89.99

TRIPLE TAP

Model No.	Length'	AWG	Amps	Watts	Promo Price
HEAVY-D	UTY RED				
XC488	25	14/3	15	1875	18.99
XC489	50	14/3	15	1875	34.99
XC490	100	14/3	13	1625	64.99
EXTRA HI	AVY-DUTY RE	D			
XC491	25	12/3	15	1875	27.99
XC492	50	12/3	15	1625	49.99
XC493	100	12/3	15	1625	99.99



Model No.	Description	Lumens	Promo Price
XC949	Portable Light	8000	19.99
XC950	Twin Lights	16000	54.99

TROUBLE LIGHT

- Lightweight, rugged, impact resistant housing
- 25' grounded cord
- On/Off switch in handle
- 75 watts, bulb not included
- Includes: Hanging hook and electrical outlet

auroratools°

Model	Promo
No.	Price
XC660	23.99

WIND-UP EXTENSION CORD

- 10 A, 1250 W
- 4 grounded outlets
- 25' cord length
- Gauge (AWG): 16/3
- Built-in resettable circuit breaker



auroratools°

Model	Promo
No.	Price
XE671	29.99

SURGE SUPPRESSOR

• Lighted on/off switch with built-in circuit breaker

Protects against damage cuased by power spikes

• Ideal for multiple electronic devices

• No. of outlets: 6

Cord length: 3'

• Rated jules: 200

Max. Amps: 15 A

• Wattage: 1875 W

• Voltage: 125 V

Model Promo Price XE670 6.99

8-OUTLET WORKSHOP POWER BOX

- 15 A, 125 V, 1875 W
- Five standard outlets
- Three wide-spaced outlets for transformer-sized plugs
- 6' 14/3 power cord
- Lighted On/Off switch with built-in circuit breaker protects against overloads



PRIME

Model	MFG	Promo
No.	No.	Price
XC040	PB801130	29.99

AC VOLTAGE DETECTOR

- For use on 50/60 Hz circuits
- Built-in flashlight with on/off button
- · Flashing red LED indicator
- Double-molded plastic housing
- · All outer surfaces are non-conductive for safety
- Cat. IV 600V safety rating
- UL listed
- Power Supply: 2 x 1.5 V "AAA" batteries
- 6.25" x 1"



Model	MFG	Promo
No.	No.	Price
IA976	R5100	22.95

ELECTRICAL TAPE

• Electrical tape for splicing and insulating wires

• For use between -7°C and 80°C

- CSA approved
- 3/4" x 60' (19 mm x 18 m)
- Thickness: 7 mils
- Material: Vinyl Plastic
- Colour: Black



Model	Promo
No.	Price
XE890	0.69



SCOTCH® SUPER 33+ ELECTRICAL TAPE

- Premium grade vinyl tape for primary insulation up to 600 V
- Conformable in temperatures from 0°F to 220°F (-18°C to 105°C)
 - 3/4" x 66' (19 mm x 20.1 m)
 - 7-mil thick
 - UL and CSA approved

MFG No.	Promo Price
SUPER33-3/4X66	6.55

OUTLET CIRCUIT TESTER

- Tests whether the outlet is properly wired
- Can perform the entire array of tests by simply plugging the device into the outlet
- One light shows a voltage difference between hot and neutral slots, another shows a voltage difference between the hot slot and the ground hole, and a third shows a voltage difference between the neutral slot and the ground hole
- Easy to read light pattern chart
- Meets LVD:EN 61010-1:2010, EMC:EN61326-1: 2006, EN61000-3-2:2006+ A2:2009, EN61000-3-3:2008
- Display Type: Indicator Light
- Voltage Range: 110 125 VAC



Model	MFG	Promo
No.	No.	Price
IB741	R5200	8.25

7-PC. SCREWDRIVER SET

- Includes: Square tip: #1, #2 Phillips: #1, #2 Flat: 1/8", 1/4", 5/16"
- Industrial quality and strength
- Treated blade tip for a lifetime of performance
- Meets ANSI standards



auroratools°

Model	Promo
No.	Price
TJZ827	20.95

4-PC. CURVED JAW LOCKING PLIERS W/WIRE CUTTER SET

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Meets ANSI standards
- Includes:
 - TJZ090, 4" L
 - TJZ091, 5" L
 - TJZ092, 7" L
 - TJZ093, 10" L



auroratools°

Model	Promo
No.	Price
TLZ791	33.50

PIPE WRENCHES

- Drop-forged alloy steel jaws
- Durable ductile steel body provides the ultimate in performance
- Precision-milled sure gripping teeth
- Spring action ensures sure grip and quick release



Model No.	Length"	Pipe Capacity"	Promo Price
TJZ106	8	1	8.95
TJZ107	10	1 1/2	11.95
TJZ108	12	2	13.95
TJZ109	14	2	17.95
TJZ110	18	2 1/2	22.95

HEX KEY SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit



TNB731

auroratools*

Model No.	Key Sizes	
SAE - SHORT	ARM (13 KEYS)	
TNB731	1/20", 1/16", 5/64", 3/32", 7/64", 1/8",	7.65
	9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	
METRIC - SHO	ORT ARM (9 KEYS)	
TNB732	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm,	5.95
	4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	

COMBINATION WRENCH SETS

- Chrome vanadium steel for strength and durability
 - Precision broached jaws for sure gripping
 - 12-point box end for snug fit
 - Thin walled construction for
 - access in cramped quarters • Meets ANSI standards



Model No.	Description	Promo Price
TLV055	14 SAE Combination Wrenches:	78.95
	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",	
	13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4"	

TLV056 14 Metric Combination Wrenches: 78.95 10 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 22 mm, 24 mm, 27 mm, 30 mm, 32 mm

C-CLAMPS

TLV055

- Manufactured from SG iron
- Large swiveling pad adapts to the correct angle
- Textured powder coat finish on frame and black oxide on spindle




auroratools*

Clamping Capacity"	Throat Depth"	Min. Proof Test lbs.	Promo Price
2	1 5/8	800	10.95
3	1 11/16	1000	13.95
12	4	2500	49.75
	Capacity" 2 3	Capacity" Depth" 2 1 5/8 3 1 11/16	Capacity" Depth" Test lbs. 2 1 5/8 800 3 1 11/16 1000

3-PIECE BASIC PLIER SET

- Precision milled jaws
- Black nickel finish resists rust
- Meets ANSI standards
- Set includes: TJZ078 Slip joint, 6" L TJZ083 Diagonal cutting, 6" L TJZ086 Long nose cut, 6" L



auroratools°

Model	Promo
No.	Price
TLZ795	19.99






Model No.	Colour	Wt. oz.	Promo Price
TJZ043	Black	16	6.35
TJZ044	Black	32	7.65
TJZ045	White	16	7.85
TJZ046	White	32	9.95

HEAVY-DUTY BENCH VISES W/SWIVEL BASE

- 80000 PSI Industrial grade ductile iron
- Built-in pipe jaws hold round objects
- Hardened anvil striking surface used for forming and shaping





uuivi	uluulu		***	
Model No.	Jaw Width"	Jaw Opening"	Throat Depth"	Promo Price
TYL098	4	4 1/2	2 1/2	89.50
TYL099	5	5 1/2	3	129.00
TYL100	6	6 1/2	3 4/10	159.00
TYL101	8	8 3/10	3 8/10	249.00

8-PIECE LOCKING PLIER SET

 Tempered chrome vanadium steel jaws • Hardened tension bar with toggle mechanism provides secure locking action

- Smooth screw adjustment for easy and rapid setting
 - Meets ANSI standards
 - Set Includes:


TJZ090 Curved jaw w/wire cutter, 4" L TJZ091 Curved jaw w/wire cutter, 5" L TJZ092 Curved jaw w/wire cutter, 7" L TJZ093 Curved jaw w/wire cutter, 10" L TJZ094 Long nose w/wire cutter, 4" L TJZ095 Long nose w/wire cutter, 6" L TJZ096 C-clamps w/swivel pads, 6" L

TJZ097 C-clamps w/swivel pads, 11" L



Model	Promo
No.	Price
TLZ792	79.95

700 SERIES MEASURING TAPES



• Blade Width: 1"

• Stud Markings: 16/19.2"



TLZ076

Model	MFG	Blade	Graduations	Promo
No.	No.	Length		Price
TLZ169	L725MAG	25'	in/ft.	13.95
TLZ076	L748MAG	26'/8 m	in/cm	13.95

HACKSAW FRAME

- Adjustable crank handle for tension up to 30000 PSI
- Blade can be positioned for 45° or 90° cutting
- Spare blades can be stored inside frame
- End of frame can be used as a jab saw



Nicholson®

Model	MFG	Promo
No.	No.	Price
TJ557	80956	26.95

1/4" PNEUMATIC **DIE GRINDERS THZ679** • Twin bearing spindle • 1/4"-18 NPT air inlet • 3/8" hose size

auroratools*

Model No.	Description	RPM	НР	Promo Price
THZ678	Mini	25000	0.35	59.95
THZ679	Angle	18000	0.45	72.50

THZ678

5" PNEUMATIC ANGLE GRINDER

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size

auroratools°

Model	Promo
No.	Price
THZ674	149.00

1/2" HEAVY-DUTY AIR IMPACT WRENCH

- Pin-clutch hammer mechanism
- 7000 RPM
- 5/8" bolt capacity
- 320 ft-lbs. max. torque
- 3/8" hose size

auroratools°

Model	Promo
No.	Price
THZ673	128.00

HEAVY-DUTY AIR RATCHET WRENCHES

- 175 RPM; 0.45 HP
- 5-75 ft-lbs. of torque
- 3/8" hose size
- Variable speed reversible



Model No.	Drive"	Promo Price
THZ671	3/8	79.90
THZ680	1/2	89.90

AIR REVERSIBLE DRILLS

- Keyless chuck
- 1/4"-18 NPT air inlet
- 3/8" hose size



Model No.	Chuck"	RPM	Promo Price
THZ675	3/8	1800	94.50
THZ676	1/2	450	119.00

AIR BLOW GUNS

- Impact and weather resistant nylon body
- Variable speed trigger
- Maximum working pressure: 235 PSI
- Operating temperature: -10°C to 70°C
- Standard(s) Met: OSHA STD 1-13.1

HEAVY-DUTY SAFETY BLOW GUN (TYB520) • Comes with snub nose rubber tip

HEAVY-DUTY BLOW GUN (TYB519)

• Basic application



HEAVY-DUTY SAFETY BLOW GUN W/STAINLESS STEEL NOZZLE & SILENCER (TYB522)

• Comes with 5 1/2" stainless steel nozzle and silencer

Model No.	Description	Promo Price
TYB519*	Blow Gun	17.95
TYB520	Safety Blow Gun	21.95
TYB521	Safety Blow Gun w/SS Nozzle	21.95
TYB522	Safety Blow Gun w/SS Nozzle & Silencer	26.95

* Does not meet the requirements for OSHA

UTILITY CARTS

- Heavy-duty steel construction
- Full extension ball bearing slides on all drawers
- High quality 4" swivel casters
- Drawer capacity: 100 lbs.
- Unit capacity: 550 lbs.
- High gloss powder coat scratch resistant black paint



aurora tools°

Model No.	No. of Drawers	Dimensions W" x D" x H"	Wt. lbs.	Promo Price
TEP502	2	30 x 16 1/2 x 36	106	575.00
TEP483	4	33 x 18 x 39	132	455.00

MECHANIC'S TOOL CARTS

- Utility cart offers ball-bearing slides, Posi-Latch drawer latching system and tubular keyed lock
- Colour: Black






Model No.	No. of Drawers	O.A. Dimensions W" x D" x H"	Promo Price
NO.	Drawers	W X D X N	Price
TEP465	3	33 3/4 × 19 3/4 × 34 1/4	265.00
TEP464	5	34 1/4 × 19 1/4 × 32 1/4	315.00

OPEN TOP 14" SOFT SIDE TOOL BOX

- Plastic reinforced internal pocket for utility knife or other tools
- Sturdy metal handle bar with molded foam grip for easy carrying
 - Wide open space below handle for easy access to tool carrier's main compartment



- Colour: Beige & Grey
 - Material: Polyester
 - 14" L x 11" W x 11" H



Model	MFG	Promo
No.	No.	Price
TJZ969	SW-1578	64.99

ATB100 TOOL BOXES

- Durable steel constructionHeavy-plated latches
- Inner trays in regular hand boxes
 - High gloss powder coat paint finish



auroratools°

TEP338

Model No.	O. A. W" x	Dime		ons H"	Unit Capacity (lbs.)	Promo Price
PORTABLE TOOL BO	x w/m	ETAL TO	OL	TRAY		
TEP516	16 x	6	х	6 1/2	50	27.95
TEP336	21 x	8 3/4	х	9	50	49.95
TEP337	26 x	8 3/4	х	9	50	62.95
HIP ROOF BOX W/N	METAL TO	OOL TR	AY			
TEP338	20 x	7	х	8	50	39.95
CANTILEVER TOOL B	OX					
TEP339	21 x	8 3/4	х	12	20	69.95
3-DRAWER CHEST						
TEP340	21 x	8 3/4	х	12	50	72.95

HIGH CAPACITY DROP-FRONT CHEST

 Site-VaultTM security system with 12-gauge steel lock console with two locking points, full length console and fully welded padlock housing make the lid virtually impossible to bend or pry

• O.A. dim.: 60" W x 31" D x 45" H

- Colour: Red
- Capacity: 41.5 Cubic Feet
- Weight: 340 lbs.



Model	MFG	Promo
No.	No.	Price
TEP341	1-657990	1699.00

LARGE TAPE HOLDER

- Designed to fit up to 30' tapes
- Material: Leather
- Colour: Beige
- No. of Pockets: 1
- 6 3/4" L x 4 1/2" H



Model No.	MFG No.	Promo Price
TBN166	HM-1214	7.99

HIGH SPEED STRINGER BEAD KNOT WIRE WHEEL BRUSHES

- An economic alternative to the high-value Osborn® brand
 - Geared toward light industrial and DIY users
 - Selected from the fastest movers in the Osborn® line to provide a complete selection of quick-turning products
 - Standard arbor sizes or shanks
 - Max. RPM: 12000
 - Arbor Hole: 5/8-11"
 - Fill Dia.: 0.02"







Model No.	MFG No.	Brush Dia."	Туре	Face Width"	Promo Price
NU105	99083	5	Steel	3/16	14.29
NU107	99084	6	Steel	1/4	11.49
NU108	99086	6 1/2	Steel	3/16	11.79
NU106	99089	6	Stainless	1/4	33.39

PREMIUM 2 IN 1 **GRINDING WHEELS**

- Type 27
- Manufacturer Series: Premium 3 star 2 in 1 wheel
- Offers comfort, high stock removal and long life
- Fast removal and operator comfort
- Used in various applications
- Box of 10



Model No.	MFG No.	D" :	x	Size T"		Α"	Max RPM	Promo Price
NU410	5293	4 1/2	х	9/32	х	7/8	13 300	3.25/Ea.
NU411	5313	5	х	9/32	х	7/8	12250	3.59/Ea.
NU412	5330	6	х	9/32	х	7/8	10200	4.55/Ea.

HAND PADS

· Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal

May be used with water or chemical solvents

6" x 9"



aurora tools°

Model No.	Description	Finish	Qty /Box	Promo Price
NU023	Green Industrial	Scouring	20	0.65/Ea.
NU024	Maroon General Purpose	Medium	20	0.65/Ea.
NU025	Grey Ultra Fine	Ultra-Fine	20	0.79/Ea.
NU022	Tan Heavy-Duty	Coarse	10	1.35/Ea.

LONG LIFE C-TRIM **FLAP DISCS**

- Arbor Hole Size: 7/8"
 - Abrasive Material: Zirconia Alumina
 - Box of 10



Model No.	MFG No.	Grit	Diameter"	RPM	Promo Price
NU780	34239191	40	4 1/2	13 300	5.15/Ea.
NU781	34239192	60	4 1/2	13300	5.15/Ea.
NU584	34239193	80	4 1/2	13300	5.15/Ea.
NU784	34239195	40	5	12 250	6.25/Ea.
NU785	34239196	60	5	12250	6.25/Ea.
NU582	34239197	80	5	12250	6.25/Ea.

tyrolit

3M™ SILVER CUT-OFF WHEELS

· Ceramic cut-off wheel that is designed to cut quickly through all types of metals

- Optimized for use on carbon steel and stainless steel
- 3M[™] Precision-Shaped Ceramic Grain cuts fast and cool
- No plowing
- Thickness: 0.045"
- Arbor Size: 7/8"



Model No.	MFG No.	Diameter"	Max. RPM	Promo Price
TYPE 1				
NV203	AB87465	4 1/2	13300	2.45
NV204	AB87467	5	12250	2.79
NV205	AB87469	6	10200	4.19
TYPE 27				
NV207	AB87466	4 1/2	13300	2.45
NV208	AB87468	5	12250	2.79
NV209	AB87470	6	10200	4.19

JOBBER LENGTH HIGH SPEED STEEL DRILL SET

• 29-piece set • 1/16" to 1/2" by 64ths

• Industrial duty, fractional sets

• Right hand 135° split point eliminates walking

• General purpose used on steels, cast iron, and most non-ferrous metals

> • 2-tone black oxide and bronze finish provides ideal chip flow and resistance to abrasion

Includes steel case

CLARKSON 5 OSBORN

Model	MFG	Promo
No.	No.	Price
WJ188	DR06228	89.99

UTILITY GRADE DUCT TAPE

• Width: 50 mm (2")

- Colour: Silver
- Ideal for a wide variety of projects and applications
- Water resistant
- Easy to tear



Length	Thickness Mils	Promo Price
45 m (150')	6	3.59
55 m (180')	9	5.39
	45 m (150')	Length Mils 45 m (150') 6

LUBRICANT & INHIBITOR

- Accepted for use in Canadian food processing facilities
- Net volume: 11 oz.

LPS 1® LUBRICANT

- Dry, thin lubricating film
- Resists oil, dust and dirt build-up
- Loosens rusted or frozen parts
- Provides short term, light, corrosion resistant barrier

LPS 2® HEAVY-DUTY LUBRICANT

Wet film

Model

- Provides excellent lubrication and protection
- Ideal for releasing molded, rusted or frozen parts

LPS 3® HEAVY-DUTY INHIBITOR

- Provides non-sling lubrication
- Self-healing, waxy film
- Stops rust and corrosion
- Provides anti-seize coating
- Non-flammable propellant

MFG

No.

• Protects up to two years



HDX HEAVY-DUTY DEGREASER

- Low adour
- No CFC's
- Quick penetration
 - No rinsing
- Net Volume: 19 oz.
- Container Size: 20 oz.
- Container Type : Aerosol can

Model	MFG	Promo
No.	No.	Price
A A 8 4 O	C01020	10.30

THERMAPLEX® MULTI-PURPOSE **BEARING GREASE**

- Excellent load carrying properties
- Prolongs bearing life
- Ideal for lubricating all types of bearings
- Blue coloured paste
- Temperature range: -22°F (-30°C) to 350°F (177°C)
- Dropping point: 429°F (220°C)
- NLGI Grade: No. 2
- Format: 400 g
- Container Type: Cartridge





Model	MFG	Promo
No.	No.	Price
AA847	C70614	7.39

No. Description Price **AA819** C30116 LPS 1[®] Lubricant 13.39 **AA820** C30216 LPS 2® Lubricant 13.09 **808AA** C30316 LPS 3® Inhibitor 17.39

CD885 STAINLESS STEEL CLEANER

- Water-based emulsion
- Effectively cleans most water and oil-based stains on stainless steel and other metal surfaces
- Resists finger-prints, water marks and rusting
- USDA compliant, NSF Certified
- For kitchen equipment, drinking fountains, elevator doors and furniture
- Net Volume: 17 oz

Model

AA202

No.

- Container Size: 20 oz
- Container Type: Aerosol can

No.







Promo

QD™ CONTACT CLEANER

- Very fast evaporation rate
- Suitable for cleaning sensitive electronics and electrical equipment
 - Accepted for use in Canadian food processing facilities
 - Size: 312 q
 - Volume: 473 ml
 - Plastic safe: Yes
 - Flashpoint: Less than -18°C



Model	MFG	Promo
No.	No.	price
MLN874	72130	16.29

VICTOR® 1-101 STYLE CUTTING TIPS

- · For general cutting
- Acetylene-oxygen
- Machine preheat for hand and machine cutting
- Fits 2460, CA 1060, ST, SST and 1400C machine torches



Model No.	Size	Promo Price
TTU333	00	8.99
TTU334	0	8.99
TTU335	1	8.99
TTU336	2	8.99
TTU337	3	8.99
TTU338	4	8.99
TTU339	5	8.99

HARRIS® 6290 STYLE CUTTING TIPS

- For general hand cutting
- Acetylene-oxygen
- Medium preheat
- Fits Harris® 42-3, 62-3, 72, 72A, 73, 73A and 85 style torches



Size	Promo Price
00	8.99
0	8.99
1	8.99
2	8.99
3	8.99
4	8.99
	00 0 1 2 3

AIR FLUX CHIPPER & CHISELS

- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Hose diameter: 3/8" (9.5 mm)
- Average air consumption: 9 CFM
- Air Inlet: 1/4" 18 NPT
- Vibration Less Than: 10.2 m/s²



auroratools°

Model No.	Description	Size (mm)	Promo Price
TLZ133	Chipper w/35 mm Flat Chisel	-	149.99
TLZ134	Flat Chisel	20	20.99
TLZ135	Flat Chisel	35	20.99
TLZ136	Moil Pointed Chisel	-	20.99

WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300
- Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF (F)



auroratools°

Model	Hose		D	imensi	ons	;	Promo
No.	Length'	W"	x	D"	x	Н"	Price
TLZ487	25	8	х	14 3/4	х	13 5/8	119.00
TLZ488	50	8 5/8	Х	20 1/2	Х	20 1/2	169.00

FOLD-A-JACK® HI JACKS

 1" square tube base construction with quick-action lock washer for quick height positioning

- V head will handle pipes from 1/8" to 24" diameter
- Steel roller head will handle pipes from 1 1/4" to 24" diameter
 - Capacity: 2500 lbs.

TLZ134

- Jack independently load tested for quality assurance
 - CE rated

32-1161

SUMPER

Model	MFG	Description	Promo
No.	No.		Price
432-1161	781300	V Head	135.00
432-1162	781301	Steel Roller Head	185.00

MATADOR® WELDER'S PLIER

• Ideal for installing tips, nozzles and bushings, cutting and hammering

Universal use for all wire feed guns

Vanadium-steel construction is tough, durable
 Satin finish reduces rust



Model No.	MFG No.	Promo Price
899-1700	4705008	29.99

432-1162

AIR CARBON ARC **GOUGING ELECTRODES**

 Consistent copper coating DCCC • Used for gouging out defective welds and cutting non-ferrous metals

• Length: 12"

Sold per package



Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	17.99/Pkg.
NT633	3/16	50	10.99/Pkg.
NT634	1/4	50	12.99/Pkg.
NT635	5/16	50	15.99/Pkg.
NT636	3/8	50	21.99/Pkg.
NT637	1/2	50	38.99/Pkg.

COMMON WIRE SOLDERS

TTU891

- With some exceptions, the tin/lead solders can be used to solder copper and most copper alloys, lead, nickel alloys and steel
 - Heat sources include soldering guns, irons and torch applications
- Acid Core: For soldering materials with poor solderability, stainless steel application
 - Rosin Core: For electrical application
 - Tin/Antimony 95/5: Useful for applications where moderately elevated temperatures is a factor


weldcote * metals

Model No.	Description	Solidus	Liquidus	Promo Price
40% TIN/	60% LEAD SOLID			
TTU888	1/16" x 1# Spool	362°F	460°F	32.50/Spool
TTU890	1/8" x 1# Spool	183°C	238°C	29.50/Spool
50% TIN/	50% LEAD SOLID			
TTU891	1/16" x 1# Spool	362°F	420°F	37.50/Spool
TTU893	1/8" x 1# Spool	183°C	215°C	34.50/Spool
50% TIN/	50% LEAD ACID CORE			
TTU894	1/16" x 1# Spool	362°F	420°F	37.50/Spool
TTU896	1/8" x 1# Spool	183°C	215°C	34.50/Spool
50% TIN/	50% LEAD ROSIN CO	RE		_
TTU898	3/32" x 1# Spool	362°F	420°F	37.50/Spool
TTU900	1/8" x 1# Spool	183°C	215°C	34.50/Spool
95% TIN/5% ANTIMONY SOLID				
TTU902	1/16" x 1# Spool	450°F	464°F	62.50/Spool
TTU904	1/8" x 1# Spool	232°C	240°C	58.50/Spool

FLUX PASTE NO. 5

• Format: 1 lb







AIR CARBON ARC GOUGING TORCH

- · For gouging, cutting, beveling, piercing and flushing metal
 - Can be used to cut virtually all metals
 - Rated to 800 Amps



Model	Promo
No.	Price
NT667	139.00

MAGNETIC WELDING SQUARES

• Provides fast set-up and accurate holding of steel sheet stock, plate and tubing for welding

• Holds work pieces at 45°, 90°, 135° and 180° angles

COMPACT

• 3/4" W x 3 3/4" L x 3 3/4" H

MID-SIZE

3/4" W x 3 3/4" L x 4 3/8" H

INSIDE 90°, OUTSIDE 45/90°

• 5/8" W x 5 1/2" L x 2 7/8" H

TGY627



TGY625

Model Strength Promo No. **Description** lbs. Price **TGY625** Compact 60 12.50 **TGY627** Mid-Size 75 24.90 Inside 90°, Outside 45/90° **TLV266** 40 29.90

STEPPED WEDGE & GAUGE


- Provides an accurate gap and allows for a higher quality fit-up
- Can be used for vertical and horizontal applications
- Versatile wedge can also be used as a gauge, pry and hammer
- Wedge can be clipped to any tool belt
- Material: Stainless steel



Model No.	MFG No.	Length"	Width"	Promo Price
TTV306	2130	4	3/4	29.90
TTV308	2132	6	1 1/2	36.90
TTV309	2133	8	1 3/4	44.90

WELDER'S COWHIDE TIG GLOVES

• Premium quality grain cowhide leather construction



 Welted seams and straight thumb for expert control

 4" gauntlet cuff provides superior protection

 Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance

• Lining: Unlined

WELDERS' BEANIE

• Breathable, flame resistant, 100% cotton fabric

Added protection under welding helmet

• Black and white, 2-colour design

• One size fits all



Model	Promo
No.	Price
SEE845	0.86





Model No.	Size	Promo price
SDL992	Medium	8.60/Pair
SDL993	Large	8.80/Pair
SDL994	X-Large	9.20/Pair

FLAME RETARDANT JACKETS

• Flame-retardant treated cotton sateen

 Will retain its flame-retardant properties for up to 50 normal washings

 Specially-designed underarm sport cut and hemmed collar

 9-oz. jackets with inside pocket and five snaps





Model No.	Size	Chest Measurements"	Promo Price
TTU998	Medium	40-42	35.50
TTU999	Large	44-46	35.50
TTV001	X-Large	48-50	35.50
TTV002	2X-Large	52-54	38.95
TTV003	3X-Large	56-58	42.50

WELDING KNEE PADS

- Closure Type: Hook and Loop
- Pad Type: Foam
- Cap Material: Leather





Model	MFG	Promo
No.	No.	Price
SM777	6991-01Q	56.95

LAVA BROWN LEATHER BIB APRONS

 Designed to allow even weight distribution on the user to reduce fatigue

• Heat and flame-resistant leather is made from durable side split cowhide



Model		Promo
No.	Length"	Price
TTU393	36	43.50
TTU394	42	47.95
TTU395	48	55.95

PRO™ WELDERS HARNESSES

 Heat and flame resistant webbing made from modacrylic over Kevlar® and polyester

- Lightweight design
- Char temperature: 700°F
- 420-lb. user weight capacity (including tools and equipment)
 - Medium/Large

PROTECTA

 Certified to CSA standard Z259.10



SEJ400

				Fall Protection
Model No.	Leg Connections	D-Rings	CSA Class	Promo Price
SEJ400	Pass-Thru	Back	Α	144.00
SEJ409	Tongue Buckle	Back	Α	133.00
SEJ415	Tongue Buckle	Back, Front, Shoulder	A,D,E	147.00

ANTI-SKID TAPES

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant
- Length: 60'
- Width: 2"





Model No.	Colour	Promo Price
SDN088	Red/White	26.30
SDN089	Black/Yellow	26.30
SDN090	Yellow	27.00
SDN091	Red	27.00

NATURAL RUBBER LATEX COATED GLOVES

- 13-gauge seamless knitted polyester shell provides a comfortable fit
- Resists abrasion, cuts and punctures
 - Crinkle finish coating provides superior wet and dry grip
 - Knit wrist prevents debris from entering the glove
 - Lining: Unlined



Model No.	Size	Promo Price
SFM541	Small (7)	1.10/Pair
SFM542	Medium (8)	1.10/Pair
SFM543	Large (9)	1.10/Pair
SFM544	X-Large (10)	1.10/Pair

FAUCET-MOUNT EYEWASH STATION

- Cost effective solution for applications with an existing faucet
- Includes a safety sign and inspection tag
- Mounts to standard or gooseneck type faucets
- One-step activation
- Twin spray heads include a flow control and pop-off dust covers
- Standard(s) Met: ANSI Z358.1



Bradley

Model	MFG	Promo
No.	No.	Price
SAK621	S19-200B	89.95

N95 FLAT FOLD RESPIRATORS

• 3-panel respirator

SFM541

- Soft, comfortable nose clip
- Lightweight, collapse-resistant design





				_
Model No.	MFG No.	Description	Qty /Box	Promo Price
SEJ983	9210+	Without Valve	20	27.10/Box
SR616	9211+	With Valve	10	22.95/Box

DRUMS-UP™ TRAYS

- Catches liquid before it reaches the floor, reducing the risk of slip and fall injuries
 - Ideal for use as a drum pumping station
- Drain hole makes emptying easy





				_
Model No.	MFG No.	Dimensions Dia." x H"	Sump Capacity US Gallons	Promo Price
DA104	8091-YE	37 1/2 x 7 1/2	20	106.00
SD361	8200-YE	22 3/4 x 7 1/2	7 1/2	79.00



TYPE I SAFETY CANS W/FUNNEL

- Stainless steel flame arrester
 Large ID zone
 - Leakproof, self-closing lid controls vapours and spills
- FM approved, UL/ULC listed



Model No.	Dimensions Out. Dia." x Height"	Capacity US Gallons	Promo Price
SEA240	9 1/2 x 11	1	52.50
SEA204	9 1/2 × 13 3/4	2	53.30
SEA208	11 3/4 × 11 1/2	2.5	61.50
SEA213	11 3/4 × 16 7/8	5	63.50

5-POINT TEAR-AWAY TRAFFIC SAFETY VESTS

- Fluorescent orange sports mesh knit fabric provides daytime visibility
- 2" yellow reflective stripes provide 360° nighttime visibility
- Meets CSA standard Z96-09, Class 2, Level 2 requirements





Model No.	Size	Promo Price
SEF097	Medium	14.95
SEF098	Large	14.95
SEF099	X-Large	14.95
SEF100	2X-Large	14.95





TRAFFIC HARNESSES

- 1 1/2" lime-yellow/silver reflective stripes
 - Elasticized material permits optimal fit
 - Four strap adjusters and front clip for maximum adjustability





		,
Model No.	Size	Promo Price
SEF117	Medium	9.95
SEF118	Large	9.95
SEF119	X-Large	9.95
SEF120	2X-Large	9.95
SEF121	3X-Large	9.95



TRAFFIC CONES

- 1-piece lightweight PVC construction offers flexibility and durability
 - Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
 - Orange



Model No.	Height"	Promo Price
SEH138	18	9.50
SDP595	28	12.95
3DF 373		!

TRAFFIC CONES W/COLLAR

- 100% PVC construction offers excellent flexibility and durability
- Temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- High-density interlocking base offers maximum stability
- Meets Minister of Transport regulations for Quebec, Ontario and Alberta





Model No.	Description	Wt. lbs.	Promo Price
SEF026*	18" w/6" Collar	3.15	12.35
SEF027**	28" w/4" Collar	6.75	16.45
SEF028*	28" w/4" & 6" Collars	6.75	19.95

*QC, ON, AB **ON, AB

SEK400

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Black with bright yellow reflective stripes for maximum visibility
- Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)
- 11" W x 2" H



Model No.	Length	Spikes Required	Wt. Ibs.	Promo Price
SEH142	4'	5	35	73.50
SEH143	6'	4	55	103.00
REBAR SPIKE				
SEH144	14"	-	-	4.10

BARRICADE TAPE

- Warns against hazards by restricting entry to dangerous areas
 - Ideal for both indoor and temporary outdoor use
 - Made of polyethylene
 - 3" x 1000'
 - Grade: Heavy-Duty Thickness: 2 mils



Model No.	Message	Colour	Promo Price
SEK400	Caution	Black on Yellow	11.90
SEK401	« Attention »	Black on Yellow	11.90
SEK402	Danger	Black on Red	11.90

SEK402

CHILL-ITS® 6710CT **COOLING TRIANGLE HATS**



- Activates quickly and easily when run under water for 1 minute
- Evaporative cooling process keeps you cool all day
- Lightweight and low profile for use with hard hats and helmets
- Reusable, just re-soak



_
Promo
Price
10.95
10.95
10.95
10.05

No.	No.	Colour	Price
SEC685	12586	Lime	10.95
SEC686	12587	Blue	10.95
SEI649	12582	Green Camo	10.95
SEI650	12583	Red Western	10.95
SEI651	12584	Blue Western	10.95
SEI652	12588	Flames	10.95

CHILL-ITS® 6665 **COOLING VESTS**

- V-neck with zipper closure
- Water-repellent liner
- · Lime yellow





Model No.	MFG No.	Size	Promo Price
SAP936	12533	Medium	49.95
SAP937	12534	Large	49.95
SAP938	12535	X-Large	49.95
SAP939	12536	2X-Large	49.95

SQWINCHER ZERO® QWIK STIK™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag



Model No.	MFG No.	Flavour	Promo Price
SAN505	11060100-OR	Orange	39.95/Bag
SAN506	11060102-FP	Fruit Punch	39.95/Bag
SEI282	11060453-SL	Strawberry Lemonade	39.95/Bag
SAP496	11060101-MB	Mixed Berry	39.95/Bag

CHILL-ITS® 6710 **COOLING TRIANGLE HATS**



- Non-toxic, super-absorbent acrylic polymers expand and absorb just enough water to provide a cooling sensation for up to four hours
 - · Soak in cold water 2-5 minutes to activate
 - Reusable, just re-soak
 - Tie closure for personal fit

Model No.	MFG No.	Colour	Promo Price
SAP942	12326	Navy Western	5.25
SAP941	12325	Red Western	5.25
SEC860	12327	Blue	5.25

SQWINCHER® LIQUID CONCENTRATE

- Specially formulated no-stir formula
- Screw-on cap allows you to reseal and store the bottle
- 64-oz. bottle size yields 5 gallons





•			
Model No.	MFG No.	Flavour	Promo Price
SAF862	11025	Grape	23.85
SAP552	11027	Mixed Berry	23.85
SR933	11020	Lemonade	23.85
SR934	11021	Orange	23.85
SR935	11022	Fruit Punch	23.85
SR936	11023	Lemon-Lime	23.85
SR937	11024	Tropical Cooler	23.85

SQWINCHER® SQWEEZE FREEZER POPS

• Freeze the Sqweeze and enjoy the refreshing taste of flavoured ice while replenishing your electrolytes

· Contains an assortment of orange, grape, lemon-lime, cherry and mixed berry flavours

• 150 assorted 3-oz. individual packages per box





Model	MFG	Promo
No.	No.	Price
SAM804	11130	96.00/Box



20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 1/5 HP, 120 V/60 Hz motor
 - All-metal construction
 - Adjustable pedestal height
 - 6' SJT type power cord
 - CFM: 5950/4550/3850
 - Tilting head



- · Adjustable tilting fan head
- Sliding switch at front of base
- Rotating or fixed air direction
- Diameter: 20"
- No. of Speeds: 3



Model	Promo
No.	Price
EA660	135.00

MATRIX Model Promo **Price** No. **EA289** 169.00

LIGHT INDUSTRIAL-DUTY **AIR CIRCULATING FANS**

- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Can be used in oscillating or non-oscillating mode
- Adjustable height and heavy-duty base for added stability
- 6' SJT type power cord



EA282



FLOOR FANS

- 3-speed, 120 V/60 Hz, 1/4 HP motor
 - All-metal construction
 - 3-prong plug with ground industrial wire
 - Rotates up for vertical airflow
 - Chrome finish



Model			CFM Promo		Promo
No.	Diameter"	HP	High	Low	Price
EA282	26	1/4	7525	4050	255.00
EA283	30	1/3	8778	6780	270.00



MATRIX Model **CFM** Promo Diameter" No. High Med Low **Price EA528** 16 1950 1560 85.50 2370 **EA290** 18 4725 3850 2975 99.00



- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
 - Can be tilted/positioned to maximize ventilation
 - Cart and frame configuration provides stable quiet operation
 - CFM: 10 760/7770/7040

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- HP: 3/4
- Max. CFM: 20945
- · Fully enclosed motor
- All-metal construction
- 12' power cord
- Diameter: 42"
- No. of Speeds: 2









Model	Promo
No.	Price
EA662	685.00