

Équipements Industriels Joliette inc.

1295, De Lanaudière Joliette, Qc J6E 3N9

Tél.: 450 756.0564 800 567.5247 Fax: 450 756.8859

info@eij.ca www.eij.ca

SHOP ESSENTIALS PROMOTION!

ZX-2 PREMIUM COATED GLOVES

- Black foam nitrile palm coating for maximum grip in dry, wet and oily conditions
- Purple flat nitrile 3/4 coating to prevent liquids from permeating through the glove shell
- Grey seamless nylon/spandex 18-gauge shell for maximum dexterity
- Knit wrist prevents dirt and debris from entering the glove

Model No.	Size	Promo Price
SDP444	Small (7)	5.25/Pair
SDP445	Medium (8)	5.25/Pair
SDP446	Large (9)	5.25/Pair
SDP447	X-Large (10)	5.25/Pair
SDP448	2X-Large (11)	5.25/Pair



LED WORK LIGHTS LED bulb included Certified for sale in Canada by an accredited certification body Housing Material: Aluminum XG816 Model Promo No. Description Lumens Wattage Price

Model No.	Description	Lumens	W attage	Promo Price
XG816	Portable	2500	20	51.95
XG817	Twin-Head	4800	40	124.95

FLAT FREE WHEEL HAND TRUCKS

- Constructed of 1" 16-gauge steel tube
- Nose plate 8-gauge steel
- Nose Plate: 14" W x 9" D
- Overall width: 22"
- Wheel dim.: 10" x 3-1/2"
- Powder coated
- Capacity: 600 lbs.

MN390 MN391 MN389

KLETON

Model No.	Handle	Height"	Wt. lbs.	Promo Price
MN389	Dual	46	20	99.90
MN390	Continuous	48	22	99.90
MN391	P-Handle	51	22	99.90

ATB100 TOOL BOXES

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish
- Unit capacity: 50 lbs.



auroratools°

Model No.			Dimen: D"			Promo Price
PORTABLE TOOL BOX W	/MET/	۱L T	OOL TR	AY		
TEP336	21	х	8-3/4	х	9	54.90
TEP337	26	х	8-3/4	х	9	69.90
HIP ROOF BOX W/META	L TOC)L T	RAY			
TEP338	20	х	7	х	8	42.90

Pricing in effect until April 19, 2019 or while quantities last. Taxes and freight extra.

Prices are subject to change, and may vary without prior notice. Issue #SDW219012NA

DEEP DOOR COMBINATION BIN CABINET

- 4" deep hinged doors
- All-welded heavy-duty 16-gauge, combination bin/shelf cabinet
- Bins supplied: 84 x (4-1/8" W x 5-3/8" D x 3" H);
 12 x (5-1/2" W x 10-7/8" D x 5" H)
- O.A. dim.: 38" W x 24" D x 72" H
- No. of Shelves: 2
- Material: Steel
- Shelf capacity: 500 lbs. evenly distributed
- Weight: 359 lbs.
- Colour: Grey
- Bin Colour: Yellow





Model	Promo
No.	Price
CF373	1680.00

SURE-GRIP® EX FLAMMABLE SAFETY CABINETS

- Portable size keeps work areas flexible
- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- No. of Shelves: 1
- No. of Doors: 1
- Door Type: Manual
- Standard(s) Met: NFPA, OSHA
- Material: Steel
- Colour: Yellow





Justrite.

Model No.	MFG No.	Capacity gallons	O.A. W"				ns H"	Promo Price
COUNTERT	OP							_
SAQ034	890400	4	17	х	17	х	22	499.00
COMPACT								
SAQ036*	891200	12	23-1/4	х	18	х	35	704.00

*FM approved



EXTRA-WIDE STORAGE CABINET

- All-welded
 - 22-gauge shelves
 48" W x 24" D x 72" H
 - Shelf capacity: 175 lbs. evenly distributed
 - Includes: Four fully adjustable shelves, locking handle and cylinder lock
 - Colour: Charcoal

Model	Promo
No.	Price
FJ860	835.00

DOCUMENT STORAGE BOXES

 Weather resistant, no metal parts to corrode - keeps papers clean and dry in dusty, harsh environments

• High density polyethylene is durable, rustproof and easy to clean

 Mounts on cabinets, machinery, equipment or walls for fast, easy access to information at point of use

 Lock holes on medium and large units accept padlocks or zip ties



W Justrite.

Model	MFG		Ext. Dimensions	Promo
No.	No.	Opening	W" x D" x H	l" Price
SAN581*	23303	Medium Top	10-1/4 x 2-1/4 x 12-	-1/2 75.80
SAN582	23304	Medium Front	11 x 2-1/8 x 14-	1/2 80.80
SAN584	23306	Large Front	13-1/8 x 3-9/16 x 15-	3/4 109.00
SAN583	23305	Tube, Twist-On	3.75" Dia. x 12.5"	H 56.90

^{*}No gasketed closure

SURE-GRIP® EX FLAMMABLE STORAGE CABINETS

- High-performance, self-latching doors close easily and securely for maximum protection under fire conditions
- Fail-safe closing mechanism ensures three-point stainless steel bullet latching system works every time
- U-Loc[™] handle comes with a cylinder lock and key set or accepts an optional padlock
- No. of Shelves: 2
- No. of Doors: 2
- Standard(s) Met: FM, NFPA, OSHA
- Colour: Yellow



♦ Justrite.

Model No.	MFG No.	Capacity gallons	O.A. Dimensions W" x D" x H"	Promo Price
SAQ023	894520	45	43 x 18 x 65	1398.00
SAQ027	899020	90	43 x 34 x 65	2022.00

WALL HUNG STORAGE CABINET

- All-welded
- 22-gauge cabinet and shelf
- 36" W x 12" D x 30" H
- Shelf capacity: 150 lbs. evenly distributed
- Includes:
 One fully adjustable shelf, recessed handle and cylinder lock
- Charcoal

Model	Promo
No.	Price
FJ866	293.00




ALB

CHAIN HOISTS

- Triple spur geared for easy lifting
- Load brake assures safety and load control
- High tensile alloy steel load chain
- Lift: 10'

Model No.	Capacity lbs.	Wt. Ibs.	Promo Price
LS534	1000	24	125.00
LS535	2000	29	139.00
LS536	3000	44	199.00
LS537	4000	48	219.00
LS538	6000	59	299.00
LS539	10 000	100	439.00





HYDRAULIC PALLET TRUCKS
ML966, ML967, ML968, ML969, ML970, ML971: Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
ML972: Heavy-duty nylon wheels provide easy mobility Forkwidth 4 1/4"

- Fork width: 6-1/4'
- Raised height: 7-3/4"
- Lowered height: 3-1/4"
- Capacity: 5500 lbs. 1-year limited warranty



Model No.	Fork Length"	Frame Width"	Promo Price
ML966	36	20-1/2	369.00
ML967	42	20-1/2	369.00
ML968	48	20-1/2	369.00
ML969	36	27	369.00
ML970	42	27	369.00
ML971	48	27	369.00
ML972	48	27	369.00



LEVER HOISTS

- Lightweight steel construction
- Short steel handle rotates 360° to allow operation in any position
- Load brake assures safety and load control
 - High tensile alloy steel load chain
 - Latched swivel hooks for added security
 - Enclosed chain guide ensures dirt and dust do not affect operation
 - Lift: 5'



Model No.	Capacity lbs.	Wt. lbs.	Promo Price
LS546	1500	15	199.00
LS547	2000	18	215.00
LS548	3000	24	229.00
LS549	6000	42	369.00
LS550	12 000	62	569.00

FORK EXTENSIONS

- Fork extension not to exceed 50% more than existing fork length
- Sold per pair





-			IVILO	40
• A	HUTTON		-	
				_

Model No.	Accommodates Fork Width"	O.A. Dimensions L" x W"	Promo Price
ML346	4	72 x 5	309.00/Pair
ML347	5	72 x 6	359.00/Pair
ML348	4	96 x 5	419.00/Pair
ML282	Wall Bracke	t 6" W x 8" H	64.90

SCISSOR LIFT TABLES

- Heavy-duty construction with captured scissor rollers for maximum stability
- Superior hydraulic systems feature an integrated pump-cylinder for maximum reliability
- Ergonomic push handle with convenient lowering control
- Quality powder-coated finish provides exceptional durability and corrosion resistance
- MJ518 and MJ519 include collapsible handle
- Platform height dimensions include the wheels



Model No.	Platform Lowered"	Height Raised"	Platfor Width"	m Dim. Length"	Handle Height"	Pedal Strokes To Max.	Load Cap. lbs.	Promo Price
MJ518	8-5/8	29	17-3/4	27-1/2	37-3/8	28	330	529.00
MJ519	11-1/4	34-5/8	19-3/4	32	39	27	660	669.00
MJ520*	14	51-1/4	19-3/4	35-3/4	38-3/8	53	770	839.00
MJ522	11-1/4	36	31-7/8	63	39	55	1100	1069.00
MJ523	16-1/2	35-3/8	20-1/8	39-3/8	39-3/8	45	1650	839.00
MJ524	15	39	20-1/8	40	38-5/8	82	2200	899.00
MJ525	15	53-1/2	29-1/2	80-1/8	39-3/8	200	2200	1789.00
MJ526*	17-1/2	59-1/8	24	48	40	97	1545	1549.00

^{*}Double scissors

BROOM HEAD, HANDLE & BRACE

BROOM HEAD

- Industrial Medium sweep
- Bristle Material: Tampico

THREADED WOOD HANDLE

Metal tip









STEEL BRACE

• Strong flat-bar steel keeps the handle firmly in place and reduces handle breakage




Model No.	MFG No.	Description	Size"	Promo Price
JC196	6336	Broom Head	36	19.85
JB719	52510	Handle	60	6.25
JB783	2533	Broom Brace	-	3.95

JB783

JC196

FAST WIPES® HAND CLEANING TOWELS





• For use at the job site or wherever water is not available

- No. of Wipes: 130
- Alcohol Content: 1-5%



Model	MFG	Promo
No.	No.	Price
JA342	6298-04	26.95

INDUSTRIAL PUSH SWEE

- Cleans a 27" wid
- Adjustable main
- 8" Dia. x 19" L m

No.

305

- 12" diameter sid
- 1.4 cu.ft. hopper

shop-vac Model No.

NC099

EPER de path n and side brooms nain broom de broom r		
G	Promo Price	
-0000	655.00	

COUNTER BRUSHES

- Horsehair and synthetic fibres block out moisture
- Great for sweeping fine dust and dirt particles from smooth industrial surfaces
- Soft polypropylene bristles and blocks are ideal for collecting the finest debris



Model	MFG	Promo
No.	No.	Price
JB694	84	6.75

SWEEPING COMPOUND

- 100% biodegradable
- Ideal to clean and reduce airborne dust during sweeping
- 22 kg





Model	MFG	Promo
No.	No.	Price
JD521	52509	19.95

ROUND BRUTE® CONTAINERS

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- Built-in handles, double ribbed base and molded base grip for two-handed lifting
- UV stabilizer added for maximum life in outdoor setting

• Colour: Grey



Model	MFG				Promo
No.	No.	Description	Dia."	Height"	Price
CONTAIN	NER				
NA716	FG265500GRAY	55 US gal.	26-1/2	33	125.00
LIDS					
NA715	FG265400GRAY	Flat	26-3/4	2	38.95
NA717	FG265788GRAY	Dome	27-1/4	14-1/2	142.00
DOLLY					
NA714	FG265000BLA	10-55 US gal.	24-3/8	7-1/8	145.00

WD-40[®] SMART STRAW

- Loosens rusted parts
- Displaces moisture
- Non-conductor, dries out electrical and electronic equipment
- Operating temperature: -50°F to 300°F
- Flip Smart Straw up for stream, down for spray
- Format: 325 g



	and I
	WD-40
	SMART STRAW
L	TREME DANGER EXTREMENT OF THE PROPERTY OF THE

DRY LUBE PTFE SPRAY	DRY	LUBE	PTFE	SPRAY
---------------------	-----	------	------	--------------

- Lubricates and provides superior long-lasting corrosion protection with no oily residue
- Reduces friction and wear on blades and bits, door and window tracks, slides, conveyor belts, rollers, hinges, power tools and equipment
- Won't attract dirt, dust or oil
- Format: 284 g

OD Contact

Nettoyant

Contact OD





Model	MFG	Promo	Model	MFG	Promo
No.	No.	Price	No.	No.	Price
AF166	02432	8.79	AF175	02209	7.89

SUPER CITRUS™ DEGREASER

- · Removes grease, oil and lubricants with no water wash-off
- Net Size: 435 g • Volume: 591 ml
- Appearance: Water-White Liquid
- Container Type: Aerosol Can





Model No.	MFG No.	Promo Price
AE967	73170	14.99

QD™ CONTACT CLEANER

- Very fast evaporation rate
- Suitable for cleaning sensitive electronics and electrical equipment
 - Accepted for use in Canadian food processing facilities
 - Size: 312 q
 - Volume: 473 ml
 - Plastic safe: Yes
 - Flashpoint: Less than -18°C



Promo price
17.49

SUPERCLEAN® CLEANER & DEGREASER

- Formulated to dissolve grease and cut grime
- Biodegradable and phosphate-free







Model No.	Format	Container Type	Promo Price
AG361	946 ml	Bottle	8.19
AG362	3.78 L	Jug	23.99
AG363	20 L	Pail	114.99

GORILLA DUCT TAPE

- Heavy-duty, double-thick duct tape
- Made to adhere to rough and uneven surfaces
- Withstands moisture, UV rays and temperature extremes
- Easy to tear by hand
- Width: 48 mm (1-7/8"); Length: 11 m (36')
- Thickness: 17 mils






Model	MFG	Promo
No.	No.	Price
NKA501	60124	6.39

AIRWAVE™ N95 RESPIRATORS

- Smart Strap particulate respirator plus nuisance organic vapors
- Exclusive easy-breathing wave design
- Less resistance, better breathability
- Cool inside, without a valve
- Certification(s): NIOSH, NIOSH N95
- Size: Medium/Large
- Style: Cup
- Straps: Adjustable
- 8 respirators per box



Model	MFG	Promo
No.	No.	Price
SEK887	4800	43.95/Box

JACKSON SAFETY* 170-SB HEADGEAR

- Enables attachment of all Jackson Safety* faceshields
- Spark deflector
- Ratchet suspension
- Faceshields sold separately





(8) Kimberly-Clark
PROFESSIONAL*

No.		x H'	"x T"	Material	Binding	Price
FACESHIELD	S - CLE	AR TII	NT			
138-1035*	15-1/2	x 9	x 0.04	Acetate	Aluminum Bound	6.60
138-1070*	15-1/2	x 8	x 0.06	Polycarbonate	Unbound	6.49
HEADGEAR						44.50
138-1613	-	-	-	-	-	11.70

^{*}Meets ANSI standard Z87.1

SOLUS PROTECTIVE EYEWEAR

 The Scotchgard[™] anti-fog lens will resist fogging under most conditions, offering an unobstructed view of tasks, free from debris, withstanding up to 25 washes without losing performance • Polycarbonate lenses absorb

SFM407



 Contemporary styling Certified to CSA standard Z94.3

Model **MFG** Lens Promo No. Tint Price No. SFM405 **S1101SGAF** Clear 9.60 SFM406 S1102SGAF Grey/Smoke 9.60 SFM407 **S1103SGAF** Amber 9.60

SPARKPLUGS® PLUGSTATION® **EARPLUG DISPENSER**

- Easy access hearing protection
 - Can be mounted on walls outside key work areas
 - Mounting bracket with hardware included
 - NRR of 33 dB

MOLDE

Model No.	MFG No.	Style	Pairs /Dispenser	Promo Price
SDL453	6880	Corded	150	44.95
SE924	6644	Uncorded	250	35.95
SE925	6645	Uncorded	500	68.95

OPTIME™ 105 SERIES **EARMUFFS**

• Dual cup ultra high attenuating hearing protector for extremely high noise environments

SE924

- Easily replaceable ear cushions
- CSA Class AL

Black with red trim







TOR

Model No.	MFG No.	Description	NRR dB	Promo Price
SC161	H10A	Headband	30	28.85
SC162	H10B	Neckband	29	31.25
SC163	H10P3E	Cap Mount	27	32.95

ENCOMPASS™ GOGGLES

• Unique body design

Spherical lens with exceptional optics


AGR™ nosepiece

Fits comfortably over any size prescription glasses

- Indirect ventilation
- Lens Tint: Clear
- Standard(s) Met: CSA Z94.3
- Band Type: Neoprene



SAK587



POLYURETHANE-COATED GLOVES

- Stretchable seamless HPPE liner
- Breathable polyurethane palm coating
- Superior cut, abrasion and tear resistance
- Elastic knit wrist
- Provides a superior grip
- Cut resistance: ANSI/ISEA 105 Level 4/EN 388 Level 5





Model No.	Size	Promo Price
SFU948	X-Small (6)	4.35/Pair
SEF166	Small (7)	4.35/Pair
SEF167	Medium (8)	4.35/Pair
SEF168	Large (9)	4.35/Pair
SEF169	X-Large (10)	4.35/Pair
SEF170	2X-Large (11)	4.35/Pair

HPPE LINED SPLIT COWHIDE GLOVES

• Seamless fitted HPPE liner

• Superior cut, abrasion and tear resistance

- Sewn with Twaron® thread for higher seam strength and resistance
 - Rubberized safety cuff
 - Full leather-tipped fingers and knuckle strap
 - Gauge: 10
 - Cut Resistance: ASTM ANSI LEVEL A6/EN 388 Level 3



Model No.	Size	Promo Price
SDN114	Large (9)	10.45/Pair
SDN162	X-Large (10)	10.45/Pair

MEN'S UTILITY GLOVES

- All purpose glove with unlimited household and shop uses
- Easy entry, elastic cuff designed with TPR (Thermal Plastic Rubber) hook and loop closure provides a secure fit
- Two-way form fitting Spandex top increases ventilation, comfort and fit
- Reinforced Dura-Fit[™] synthetic leather thumb, index and middle fingertips provide strength and protection



Model No.	MFG No.	Size	Promo Price
SAN720	H15-05-008	Small	17.95/Pair
SAN721	H15-05-009	Medium	17.95/Pair
SAN722	H15-05-010	Large	17.95/Pair
SAN723	H15-05-011	X-Large	17.95/Pair
SAN724	H15-05-012	2X-Large	17.95/Pair

ON-SITE® GRAVITY-FED EYEWASH STATION

- Hinged eyewash tray activates in one guick motion
- Ideal for locations where a plumbed water source is not available
- Transparent tank allows solution level to be checked easily
- High-visibility yellow, moulded pedestal and tank
- Standard(s) Met: ANSI Z358.1
- Capacity: 7 gallons





Model	MFG	Promo
No.	No.	Price
SAK609	S19-921	319.00

THERMOSTATIC MIXING VALVE

- Designed to mix hot and cold water
- Modular brass design with internal check stops
- Wax based thermostat technology for fast response time
- Oversized valve seals resist failures caused by foreign matter
- Gallons Per Minute: 10
- Ideal for Eyewash or Eye/Face Wash
- CSA certified to ASSE 1071 and ANSI Z358.1



Model	MFG	Promo
No.	No.	Price
SEI814	9201.EW	569.00

COMBINATION SHOWER & EYE/FACE STATION

- Hydrodynamic shower design produces equal flow distribution
- Revolutionary inverted flow sweeps contaminants away from the vulnerable nasal cavity
- Provides a zero vertical velocity stream for enhanced comfort, stability and effectiveness
- Plastic shower head
- 11" diameter stainless steel bowl
- Certified by CSA to meet the ANSI standard Z358.1



Model No.	MFG No.	Promo Price
SEB258	8300-8309	1059.00

HAND PADS

- · Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal
- May be used with water or chemical solvents
- 6" x 9"



auroratools°

Model No.	Description	Finish	Qty /Box	Promo Price
NU023	Green Industrial	Scouring	20	0.65/Ea.
NU024	Maroon General Purpose	Medium	20	0.65/Ea.
NU025	Grey Ultra Fine	Ultra-Fine	20	0.79/Ea.
NU022	Tan Heavy-Duty	Coarse	10	1.35/Ea.

CUBITRON™ II FIBRE DISCS

• Designed for carbon steel metalworking applications such as weld grinding, beveling, flame-cut edge clean-up and deburring

Made with revolutionary 3M™ Precision Shaped Grain Technology

Ideal for use with right angle grinders


Use wet or dry Arbor: 7/8"

Abrasive Material: Ceramic Grain

Attachment Type: TR Colour: Brown

Coat Type: Closed Coat





80

5

2-IN-1 CUT-OFF WHEELS

- Basic fast-cut
- Used in various applications

AB27636

- For use on steel and stainless steel
- Thickness: 1/16"
- Arbor Size: 7/8"
- Type 1

NU156



12000

2.79

1YROLIT

Model No.	MFG No.	Diameter"	Max. RPM	Promo Price
NU421	222899	4-1/2	13 300	1.99
NU422	222900	5	12250	2.09

HIGH SPEED STRINGER BEAD **KNOT WIRE WHEEL BRUSHES**

- An economic alternative to the high-value Osborn® brand
 - Geared toward light industrial and DIY users
 - Selected from the fastest movers in the Osborn® line to provide a complete selection of quick-turning products
 - Standard arbor sizes or shanks
 - Max. RPM: 12000
 - Arbor Hole: 5/8-11"
 - Fill Dia.: 0.02"



osborn

Model No.	MFG No.	Brush Dia."	Туре	Face Width"	Promo Price
NU105	99083	5	Steel	3/16	15.99
NU107	99084	6	Steel	1/4	12.09
NU108	99086	6-1/2	Steel	3/16	12.49
NU106	99089	6	Stainless	1/4	35.99

CUBITRON™ II DEPRESSED CENTER GRINDING WHEELS

- Used for heavy weld removal and many other grinding applications
 - Produce very high cut rates on a wide variety of metals
 - · Cool cutting for higher quality and faster cut





Model No.	MFG No.	Size D" x T" x A"	Max. RPM	Promo Price
NU208	78466-Q	4-1/2 x 1/4 x 7/8	13 300	7.99
NU205	78467-Q	5 x 1/4 x 7/8	12250	8.99
NU209	64314-Q	6 x 1/4 x 7/8	10200	10.99



JOBBER LENGTH HIGH **SPEED STEEL DRILL SET**

29-piece set

• 1/16" to 1/2" by 64ths

• Industrial duty, fractional sets • Right hand 135° split

point eliminates walking

• General purpose used on steels, cast iron, and most non-ferrous metals

• 2-tone black oxide and bronze finish provides ideal chip flow and resistance to abrasion

• Includes steel case

CLARKSON 5 OSBORN

MFG No.	Promo Price
DR06228	89.99
	No.



LIQUID MEASURES

- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Translucent high density polyethylene construction
- Cap on flexible spout and polypropylene lid renders measure spill proof
 - Spout Diameter: 3/4"
 - Spout length: 7-1/2"

FUNNELS

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Curved funnel ends make the funnel splash and spill proof
- Wire mesh screen keeps contaminants out



TYB517

auroratools*

Model			Promo
No.	Capacity	Diameter	Price
TYB517	1.7 L	8"	7.95
TYB518	3 L	9.5"	10.90

auroratools°

Model No.	Capacity Quart	Promo Price
TYB513	1	5.99
TYB514	2	7.19
TYB515	3	9.99
TYB516	5	12.90

BENCH CANS

- 24-gauge premium coated steel
- Spring-loaded, perforated plated steel dasher plate
- Simply press down and agitate, then release to return to drain position
- Effective flame arrester
- Powder coat paint finish adds durability
- Dasher Dia.: 7.5"
- Approved Regulation: FM



♦ Justrite

Model No.	MFG No.	Compositor	Exterior		Promo
INO.	NO.	Capacity	Height	Dia.	Price
AB491	10295	2 L	3-1/4"	9-3/8"	81.90
AB492	10375	1 gal.	4-1/2"	9-3/8"	80.90

SAFETY DRUM FUNNEL

- Suitable for handling flammables
- Large 10-3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor
- Hinged cover with fusible link reduces spread of vapours
- FM approved
- Overall Length: 6"
- Weight: 11 lbs.
- NPS/NPT: 2"



W Justrite.

SM432

Model	MFG	Promo
No.	No.	Price
DA102	08207	239.00

DIP TANKS

- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F to snap the cover shut in case of fire
- Constructed of 24-gauge coated steel, durable powder coat paint finish for long use
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals
- Approved Regulation: FM,UL



Justrite.

Model No.	MFG No.	Capacity	Exterio Height	r Dim. Dia.	Promo Price
SD561	27601	1 gal.	5-1/2"	9-3/8"	99.90
SD562	27602	2 gal.	10"	9-3/8"	104.90
SD564	27605	5 gal.	13"	13-3/4"	132.90

WASH TANKS

- Steel wash tank w/basket
- Integral parts basket facilitates washing quantities of small parts quickly
 - Can and basket are made of sturdy 24-gauge coated steel
 - Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F and snaps the cover shut in case of fire
 - Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals
 - Approved Regulation: FM, TUV



Model No.	MFG No.	Capacity	Exterior Dim. Height Dia.	Promo Price
WN972	27712	2 gal.	11-1/4" 11-3/8"	269.90
SM432	27716	6 gal.	14-1/4" 15-5/8"	289.90

C-CLAMPS

- Manufactured from SG iron
 - Large swiveling pad adapts to the correct angle
- Textured powder coat finish on frame and black oxide on spindle



auroratools°

Model No.	Clamping Capacity"	Throat Depth"	Min. Proof Test lbs.	Promo Price
TYB504	4	2-11/32	1200	19.25
TYB505	6	3	1400	24.25
TYB506	8	3-1/8	1700	32.25
TYB507	10	3-1/2	2200	42.25

BOLT CUTTERS

- Chrome molybdenum steel jaws
- Centre cutting blades
- Adjusting screws allow for easy and perfect alignment of jaws
- Strong tubular handle with slip-proof rubber grips



Model No.	Length"	Max. Jaw Opening"	Promo Price
TJZ111	14	1/4	23.95
TJZ112	18	5/16	36.95
TJZ113	24	3/8	44.95
TJZ114	36	9/16	69.95

MULTI-PURPOSE BENCH SWIVEL VISE

- Heavy-duty casting for demanding applications
- Rotating head for gripping at any angle
- Permanent pipe jaws hold round objects
- Jaw width: 5"
- Jaw opening: 5-1/2"
- Throat depth: 3-1/10"



aurora tools°

Model	Promo
No.	Price
TYL102	228.00

STANDARD-DUTY BAR CLAMPS

- Widely used in welding and fabricating shops



AUTOLOCK MEASURING TAPES

- High visibility with rubber comfort grip
- Automatic blade lock
- Recessed lock release
- TLZ075 comes with magnetic end hook



Lufkin®

	MFG No.	Blade	Graduations	Promo Price
TJZ389	AL725	1" x 25'	in/ft.	11.95
TJZ388	AL748CME	1" x 26'/8 m	in/cm	11.95
TLZ075	AL725MAG	1" x 25'	in/ft.	16.95

7-PC. MACHINIST FILE SET

- General purpose file kit for machine shop
- Roll-up holder protects files
- Includes:

10"/250 mm flat bastard file 10"/250 mm flat smooth file 10"/250 mm half-round bastard file 10"/250 mm mill bastard file 10"/250 mm round bastard file 10"/250 mm square bastard file 7"/175 mm slim taper file



Nicholson®

- 11-011-01	0011	
Model No.	MFG No.	Promo Price
TBG943	22024NN	92.50

HEAVY-DUTY HACKSAW FRAME

- Strong aluminum die-cast handle provides comfort and control
 - Guarded grip design protects knuckles from grazing
 - O.A. dim.: 17-5/16" L x 5-1/8" H
 - Depth of Bow: 4" H • Blade: 12"
 - Tensile strength: 8000 PSI

Model	Promo
No.	Price
TYW991	12.95

OFFSET HAND SEAMER

1/4" incremental depth marks on jaw

• Compound action jaw for easy metal bending and flattening made of finest quality steel for better edges and long life

• Rust resistant blades

auroratools°

Cushion handle for all-weather comfort

Overall Length: 8-3/4"

• Jaw Depth: 1/4 - 1-1/4"

Jaw Width: 3-1/4"



Model	MFG	Promo
No.	No.	Price
VQ296	WS4N	49.95

MICROMETER TORQUE WRENCHES

- Pliable, elastomer handle grip for superior comfort and oil resistance
- Accurate in clockwise direction +/- 3% in upper 80% of the range
- Micrometer twist lock ring provides secure locking mechanism
- Sealed tear-drop head provides access and strength and keeps out contaminants



GEARWRENCH

Model No.	MFG No.	Drive Size"	Torque Range	Promo Price
TLV412	85061	3/8	25 - 250 in-lbs.	129.00
TLV413	85062	3/8	10 - 100 ft-lbs.	149.00
TLV414	85066	1/2	30 - 250 ft-lbs.	169.00

RUBBER MALLETS

- Hardwood handle
- Non-marking rubber head



unioin			
Model No.	Colour	Wt. oz.	Promo Price
TJZ043	Black	16	6.35
TJZ044	Black	32	7.65
TJZ045	White	16	7.85
TJZ046	White	32	9.95

INDUSTRIAL USE STRAIGHT PATTERN SNIP

- Used for straight cuts and wide curves (on light gauge stock)
- Blades individually hand edged for maximum cutting efficiency
- Flat face guides tool along straight line
- Rust resistant blades
- Cut Length: 4"

• O.A. length: 14-1/2"



Model	MFG	Promo
No.	No.	Price
TBH849	W7N	69.95

CABLE CUTTER

- High-leverage jaws with shear-cut blades
- Cuts up to: 4/0 aluminum cable (not ACSR), 2/0 soft copper cable
- Plastic covered, non-slip grips
- Overall length: 9-1/2"



H.K. Porter

Model	MFG	Promo
No.	No.	Price
TBG092	0890CSJ	39.95

HOSE REELS

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI



aurora tools°

Model No.	Hose I.D."	Hose Outlet" (M) NPT	Hose Length'	Promo Price
TLZ482	1/4	1/4	35	159.00
TLZ483	3/8	1/4	25	169.00
TLZ484	3/8	1/4	35	199.00
TLZ485	3/8	1/4	50	269.00
TLZ486	1/2	1/2	50	279.00

WELDING HOSE REELS

- Heavy-duty, reinforced steel stampings for increased strength
- 1/4" oxygen and acetylene twin hose
- Leakproof double O-ring seals
- Kinkless, oil resistant high quality grade R hose
- Drive type: Spring
- Max. PSI: 300
- Oxygen/acetylene inlet and outlet: 9/16" x 18 UNF (F)




auroratools°

Model No.	Hose Length'	Dimensions W" x D" x H"	Promo Price
TLZ487	25	8 x 14-3/4 x 13-5/8	125.00
TLZ488	50	8 5/8 x 20-1/2 x 20-1/2	169.00

RITE IN THE RAIN® BOUND NOTEBOOK

 Notebook will resist sweat, rain, mud, snow, oil, grease and the wear-and-tear of daily use



- Field-Flex cover material allows for utmost notebook flexibility
- Paper tough enough to withstand the harshest and wettest conditions yet can be torn like heavy paper
- Number of Pages: 128
- Binding Type: Perfect
- 7-1/4" L x 4-5/8" W



Model No.	MFG No.	Cover Colour	Paper Colour	Promo Price
NKF441	374	Yellow	White	19.45
OQ413	974	Green	Green	19.45
OQ414	974T	Beige	Tan	19.45
OQ415	774	Black	Grey	19.45

TN318

HOSE REELS

- Hose Length: 50'
- Working Pressure: 300 PSI
 - Reel Height: 20.25"
 - Reel Width: 19.75"
 - Reel Depth: 7"
 - Reel Inlet (F) NPT: 1/2"
 - Drive Type: Spring

REELCRAFT

Model No.	MFG No.	Hose I.D."	NPT (M)"	Promo Price
TN318	7650 OLP	3/8	1/4	509.00
TN319	7850 OLP	1/2	3/8	529.00



Model No.	MFG No.	Description	Ink Colour	Promo Price
NKF443	97	Black Metal Pen	Black	21.50
OQ434	93K	Black Plastic Pen	Black	17.70
OQ371	97B	Black Metal Pen	Blue	21.50
OQ435	93B	Black Plastic Pen	Blue	17.70
NKF445*	YE99	Yellow Mechanical Pencil	-	15.50

^{*}Point size of 1.1 mm

RITE IN THE RAIN® POCKET NOTEBOOK KITS

- Notebook cover made from Cordura® fabric holds 4 writing tools and features zippered closure
- Yellow and Black Notebook Kits include All-Weather Black Pen & Black Notebook Pouch
- Green and Beige Notebook Kits include All-Weather Black Pen & Tan Notebook Pouch
- Number of Pages: 100
- Binding Type: Spiral
- 6" L x 4" W



00402

Model No.	MFG No.	Cover Colour	Paper Colour	Promo Price
OQ365	146B-KIT	Yellow	White	48.50
OQ400	946-KIT	Green	Green	48.50
OQ401	946T-KIT	Beige	Tan	48.50
OQ402	746B-KIT	Black	Grey	48.50

auroratools°



NYLON COIL AIR HOSES W/FITTINGS

- Light and easy to handle
- High impact and abrasion resistance
 - Excellent elastic memory, can be stretched repeatedly yet return to original shape for convenient storage
 - High visibility yellow

Model No.	NPT (M)"	Length'	Hose I.D."	Max. Working Pressure PSI	Promo Price
TLZ150	1/4	25	1/4	200	8.95
TLZ151	1/4	50	1/4	200	13.95
TLZ152	3/8	25	3/8	300	15.95
TLZ153	3/8	50	3/8	300	24.95

3" AIR CUT-OFF TOOL

- 21000 RPM; 0.45 HP
- 3 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size

Model	Promo
No.	Price
THZ677	54.95



aurora tools°

TLZ142

DUAL-ACTION ORBITAL SANDERS

- 1/4"-18 NPT air inlet, 9 CFM
 - 10000 RPM; 0.35 HP
 - 3/8" hose size
- Low vibration for swirl-free finishes
 - Non-vacuum model

auroratools°

Model No.	Dia."	Promo Price
TLZ142	5	169.00
TLZ143	6	169.00

AIR FLUX CHIPPER & SCALER

- Lightweight compact design permits increased operator efficiency
- Paddle style trigger offers better speed control and precision
- Low noise, low vibration
- Durability and longer life
- Stroke: 1-1/2" (38 mm)
- Hose diameter: 3/8" (9.5 mm)
- Average air consumption: 9 CFM
- Air Inlet: 1/4" 18 NPT
- Vibration Less Than: 10.2 m/s²



Model No.	Description	Includes	Promo Price
TLZ133	Chipper	35 mm Flat Chisel	149.00
TLZ131	Scaler	19 Needles	159.00

1/4" PNEUMATIC DIE GRINDERS

• Twin bearing spindle

• 1/4"-18 NPT air inlet

3/8" hose size



auroratools°



Model No.	Description	RPM	НР	Promo Price
THZ678	Mini	25000	0.35	59.95
THZ679	Angle	18000	0.45	72.50

MODULAR FILTER, REGULATOR & LUBRICATOR

- Components are attached in series using spacers and piping adapters, which make the individual components easily removable and mountable without disturbing the pipe line
- · Comes complete with wall mounting bracket
- Regulators are used to maintain a steady outlet pressure, unaffected by variations or fluctuations in the inlet pressure
- Operating Pressure: 7-145 PSI



Model No.	Connection Size	Max. Air Flow	Bowl Capacity	Filter Bowl Capacity	Lubricator Bowl Capacity	Promo Price
POLYCARBO	NATE BOWL W/STEE	EL BOWL GUARD				
TYY181	1/4" NPT	18 SCFM @ 105 PSI	0.68 fl. oz.	0.30 oz.	0.68 oz.	99.95
TYY182	3/8" NPT	71 SCFM @ 105 PSI	1.93 fl. oz.	1.08 oz.	1.93 oz.	134.95
TYY183	1/2" NPT	123 SCFM @ 105 PSI	5 .17 fl. oz.	1.50 oz.	5.17 oz.	193.95
METAL BOW	/L					
TYY184	3/4" NPT	123 SCFM @ 105 PSI	6.8 fl. oz.	5.60 oz.	6.80 oz.	459.00
TYY185	1" NPT	175 SCFM @ 105 PSI	6.8 fl. oz.	5.60 oz.	6.80 oz.	459.00

VICTOR® 1-101 STYLE **CUTTING TIPS**

- · For general cutting
- Acetylene-oxygen
- Machine preheat for hand and machine cutting
- Fits 2460, CA 1060, ST, SST and 1400C machine torches





HARRIS® 6290 STYLE **CUTTING TIPS**

- For general hand cutting
 - Acetylene-oxygen
 - Medium preheat
- Fits Harris® 42-3, 62-3, 72, 72A, 73, 73A and 85 style torches



Model No.	Size	Promo Price
TTU333	00	8.99
TTU334	0	8.99
TTU335	1	8.99
TTU336	2	8.99
TTU337	3	8.99
TTU338	4	8.99
TTU339	5	8.99





Size	Promo Price
00	8.99
0	8.99
1	8.99
2	8.99
3	8.99
4	8.99
	00 0 1 2 3

SPIRAL TIP CLEANERS

- Quality aluminum case
- Cleaning data on back of case
- Includes hardened steel file





Model No.	Description	No. of Cleaners	Promo Price
NT641	Standard Set	12	1.99
TTV223	King Set	13	2.19

UNIVERSAL SINGLE FLINT LIGHTERS

- Ideal for lighting any flammable gas
- Square hood wrapped around the frame
- Under the hood is the round file which spins, always assuring a fresh spark

• Replaceable flints









Model No.	MFG No.	Description	Promo Price
322-1540	3001	Spark Lighter	3.89
322-1560	3001X	Single Flint Renewal, 5/Holder	1.69

JACKSON SAFETY* GROUND CLAMPS

- Clamps have forged copper alloy conductors
- High clamping pressure and long "finger-grip" levered handles for easy jaw opening
- Extra large contact areas for greater conductivity
- Run at a cooler temperature at higher AMPS for better arc starting





Model No.	MFG No.	Amperage Rating	Cable Capacity	Jaw Capacity"	Promo Price
140-1780	14731	300	1/0 - 2/0	1.625	22.99
140-1785	14732	500	3/0 - 4/0	2	27.9

WELD FILLET GAUGE

- Covers eleven sizes from 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" and 1"
- Die blanked to eliminate sharp edges - adds to accuracy





Model	MFG	Promo
No.	No.	Price
704-5015	MWFG	24.99

CHIPPING HAMMER

- Cone and chisel head
- Spring steel handle



ER70S6 CARBON STEEL WELDING WIRE

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO₂ gas shielding
- Can also be applied with ArCO₂
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6





59.90/Spool

56.90/Spool

No.

NT626

NT627

NT628

Model No.	Wire Diameter"	Spool Wt.	Spools per Master Box	Promo Price
NT549	0.023	2 lbs./0.9 kg	18	5.99/Spool
NT553	0.023	11 lbs./5 kg	4	25.90/Spool
NT554	0.030	11 lbs./5 kg	4	17.50/Spool
NT555	0.035	11 lbs./5 kg	4	16.90/Spool
NT557	0.030	33 lbs./15 kg	1	47.90/Spool

44 lbs./20 kg

44 lbs./20 kg

SPARK IGNITING MICRO TORCH

Precision light soldering, polyfoam cutting and heating

0.035

0.045

- Ideal for electronic repair
- Refillable, uses butane fuel
- Burns for 80 hours

NT560

NT561

Includes electrical soldering tip



BERNZNMATIC

Model	MFG	Description	Promo
No.	No.		Price
TTU299	330194	Torch	47.99
TTU636	329853	5.5-oz. Disposable Butane Cylinder	5.19

MULTI-PURPOSE MIG PLIERS

- 8-way pliers
- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Nickel-plated finish






Model No.	Description	Promo Price
NP537	Pliers	9.95
NT666	Holster	3.99

MAGNETIC HOLDERS

- Multi-purpose holders for assembly and positioning
- · Adheres to any metal object
- Ideal for welding, soldering, assembly and pipe installation







CHEM-SHARP TUNGSTEN ELECTRODE SHARPENER

- · Chemically mills a perfect point on pure, thoriated or titanium type tungsten
 - Repoint time is approximately one minute at the work station
 - Extends tungsten life four times longer than that of ground tungsten
 - Over 500 sharpenings per jar

881-1300



Model No.	MFG No.	Description	Promo Price
881-1300	600-6	5 net oz. Jar	11.39
881-1305	601-6	Tungsten Holder	19.49
881-1310	602-4	Kit w/1 Jar and Holder	30.49



COMFOFLEX™ WELDERS' GLOVES

- Premium quality
- Heat and flame resistant shoulder split cowhide leather
- Kevlar® stitched welted seams
- 13-1/2" long with reinforced thumb
 - Large



Model	Promo
No.	Price
610-0328	9.95/Pair

S.A.E./METRIC SOCKET SET
 Ratchet features a quick-release button

41-PC. 1/4" & 3/8" DRIVE

• Laser-marked, 6-point sockets

• Includes: 35 chrome vanadium steel standard sockets and six accessories



Model No.	Promo Price
TLV360	69.95

LAVA BROWN LEATHER JACKETS

- Designed to allow complete body movement and freedom
- Heat and flame resistant leather is made from durable side split cowhide
- · Double-lock stitched seams
- Roll-up collar stops shooting spatter
- Includes: Full-sized pocket and multiple-snap adjustment cuffs






Model No.	Size	Chest Measurements"	Promo Price
TTU398	Medium	40-42	117.00
TTU399	Large	44-46	117.00
TTU400	X-Large	48-50	117.00
TTU401	2X-Large	52-54	128.00
TTU402	3X-Large	56-58	138.00
TTU403	5X-Large	64-66	160.00

4-PC. WELDING CLAMP SETIncludes: TJZ096 C-Clamp with swivel pad - 6"

TJZ097 C-Clamp with swivel pad - 11"
TJZ098 Locking welding clamp - 9"
TJZ099 Locking sheet metal tool - 8"



LAVASHIELD™ WELDING BLANKETS

- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra durability and easy handling
- Black 24-oz. fibreglass coated with neoprene on both sides
- Temperature resistant: 1000°F (538°C)





Model No.	Dimensions'	Promo Price
NT896	6 x 6	72.00
NT821	6 x 8	94.00

SPEEDGLAS™ 9002NC ADF WELDING HELMET

- Precision optics, which provide a view that appears lighter, brighter and more realistic, giving you better control of the weld puddle
- Lighter weight, better for longer wearing, just 17 oz.
- Slim fit, better for tight spots
- ADF Shade Range: Variable 8-12
- ADF Viewing Area (hxw): 2.13 x 4.09"
- Battery Life: 2000 hours
- Battery Type: ADF: CR2032
- Colour: Black/Silver



Model	MFG	Promo
No.	No.	Price
SGF164	04-0100-20NC-CA	328.00