



Équipements Industriels Joliette inc.

1295, De Lanaudière
Joliette, Qc J6E 3N9

Tél.: 450 756.0564

800 567.5247

Fax : 450 756.8859

info@eij.ca

www.eij.ca

SHOP ESSENTIALS PROMOTION!

HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"
- Fully enclosed motor



Model No.	Description	CFM	Promo Price
EA666	Pedestal	13200	475.00
EA667	Wall mount	13400	395.00

WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- NT645: Meets ANSI Z87.1-1989, section 10 and 11
- NT687: Meets ANSI/ISEA Z87.1-2015



Model No.	Description	Window Dimensions"	Promo Price
NT645	Flip Front	2 x 4-1/4	14.20
NT687	Fixed Front	4-1/2 x 5-1/4	20.20

LED PENLIGHT

- High-quality Cree LED beam is very bright
 - Penlight is extremely durable while lightweight to alleviate wrist fatigue
- Aluminum body is corrosion and rust-resistant
 - Push button to switch on and off
 - Lumens (High): 80
 - Run Time Hrs. (High): 4
 - Colour: Black
 - Beam Distance (High): 50 m
- Batteries Required: 2 x AAA (included)
 - Length: 5"
 - Dia.: 0.5"



aurora tools®

Model No.	Promo Price
XH073	14.50

ECONOMY GRADE DUCT TAPE 3939

- High tack, easy tear
- Ideal for many duct and moisture sealing, holding, protecting and bundling applications
- Polyethylene coated cloth backing
 - Rubber adhesive
 - Colour: Silver
 - Thickness: 9 mils
 - Width: 48 mm (2")
 - Length: 55 m (180')



Model No.	MFG No.	Promo Price
PC419	3939-2X60	6.95

Pricing in effect until June 28, 2019 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW219042NA

INDUSTRIAL QUICK-MARK™ INVERTED MARKING PAINT

- Bold, bright and visible markings in one pass
- Adheres to gravel, concrete, grass and soil
- Advanced UV-resistant, fast drying formula that will not fade in extreme sun and will penetrate and adhere to hot, cold or wet surfaces
- VOC compliant
- Net size: 17 oz.



NC325



Model No.	MFG No.	Colour	Swatch	Promo Price
WATER-BASED				
NC331	A03901	Brilliant White		4.17
NC332	A03801	Utility Yellow		4.17
NC334	A03610	Fluo. Safety Red		4.17
NC336	A03620	Fluo. Caution Blue		4.17
NC338	A03650	Fluo. Red/Orange		4.17
NC333	A03700	Fluo. Orange		4.17
NC335	A03612	Fluo. Pink		4.17
NC337	A03630	Fluo. Safety Green		4.17

SOLVENT-BASED				
NC324	A03900	Utility White		4.83
NC325	A03821	High Visibility Yellow		4.83
NC328	A03611	Red		4.83
NC329	A03631	Green		4.83
NC327	A03731	Bright Orange		4.83
NC326	S03621	Blue		4.83
NC321	A03702	Fluo. Orange		4.83
NC322	A03613	Fluo. Safety Red		4.83
NC323	A03614	Fluo. Neon Green		4.83
NE260	A03615	Fluo. Purple		4.93
NE262	A03622	Fluo. Hot Pink		4.93
NC320	AT3701	Fluo. Red/Orange		4.83

Note: Colours may not be exactly as shown

LINE-UP® STRIPING PAINT

- **Water-based:** Non-burning formula, safe on all grass fields
- **Solvent-based:** For striping asphalt concrete, curbs or other smooth to hard surfaces
 - Container Size: 20-oz.
- VOC compliant, free of lead hazards
 - Net size: 18 oz.



NE335



Model No.	MFG No.	Colour	Swatch	Promo Price
SOLVENT-BASED				
NE335	K08300	Highway White		8.35
NE336	K08301	Highway Yellow		8.35
NE337	K08302	Handicap Blue		8.35
NE338	K08303	Firelane Red		8.35
NE339	K08304	Cover Up Black		8.35

WATER-BASED				
NE333	K08305	Athletic White		6.39
NE334	K08306	Athletic Yellow		6.39

Note: Colours may not be exactly as shown

MARKING WANDS

- Constructed of durable, rugged plastic and lightweight steel
- Comfortable pistol grip for easy handling and marking
- Apply a uniform 1" to 1-1/2" width of paint

Cans not included



NC309



NC310



Model No.	MFG No.	Description	Promo Price
NC309	K07095	Hand Held Wand	31.99
NC310	K07096	34" Long Wand	35.99

CONSTRUCTION MARKING PAINT

- Water-based
- Sprays at any angle: upright, horizontal, inverted
- Surface coverage: 400 linear feet at 1"
- Size Can (Net): 20 oz. (15 oz.)

KP459



RUST-OLEUM

Model No.	MFG No.	Colour	Swatch	Promo Price
KP459	264693	Clear		4.55
KP452	264692	White		4.55
KP453	264696	Safety Red		4.55
KP455	264694	Caution Blue		4.55
KP456	264695	High Visibility Yellow		4.55
KP457	264699	Fluorescent Red Orange		4.55
KP458	264700	Fluorescent Green		4.55
KP454	264702	Fluorescent Pink		4.55
KP460	264697	Fluorescent Orange		4.55

Note: Colours may not be exactly as shown

LINE-UP® STRIPING MACHINES

- 18-gauge, all-steel construction
- Provides a smooth ride on hard surfaces
- 2" to 4" wide stripes
 - 12-can storage

Cans not included



NE341



NI441

STRIPPING WAND

- For use on line touch up and stenciling

Model No.	MFG No.	Description	Wheels"	Promo Price
NE340	K08340	For Pavement	7	199.99
NE341	K08350	For Athletic Field	10	199.99
NI441	K08360000	34" Striping Wand	-	47.30

AP100 SERIES PAINT BRUSHES

- 100% black polyester bristles
- Solid plastic handle
- Tin-plated ferrule
- Well-suited for latex-based paints



aurora tools®

Model No.	Width"	Promo Price
KP307	1	0.68
KP308	2	1.05

AP200 SERIES PAINT BRUSHES

- Pure white bristles
- Solid plain wood handle
- Tin-plated ferrule
- Well-suited for oil-based paints



aurora tools®

Model No.	Width"	Promo Price
KP306	0.5	0.30
KP297	1	0.38
KP298	2	0.56
KP299	3	0.98

AP300 SERIES PAINT BRUSHES

- Suited for oil-based paints
- Natural bristles
- Plastic handle
- Tin-plated ferrule



aurora tools®

Model No.	Width"	Promo Price
KP300	1	0.71
KP301	2	1.09
KP302	3	1.88
KP303	4	2.66

PAINTERS MASKING TAPE

- High quality painting tape adheres to multiple surfaces
- Reliable adhesion resists paint bleed-through
- Removes cleanly in one piece
- Length: 55 m (180')
- Colour: Green



aurora tools®

Model No.	Width	Promo Price
PF690	25 mm (1")	2.99
PF691	50 mm (2")	5.99

ROLLER FRAMES

- Wire gauge construction
- Plastic handle



Rubberset®

Model No.	MFG No.	Description	Promo Price
WIDTH: 190 mm (7-1/2")			
NA185	70547075	Light Duty 4-Wire Gauge	3.30
WIDTH: 240 mm (9-1/2")			
NA187	70549095	Light Duty 5-Wire Gauge	3.25
NA206	70819995	Heavy Duty 5-Wire Gauge	4.41
NA207	70829595	Super Pro 5-Wire Gauge	7.77

SLEEVES

- For latex or oil paint



Rubberset®

Model No.	MFG No.	Description	Size mm	in	NAP (mm)	Promo Price
MULTI-USE SLEEVES, POLYESTER FIBRE						
NA193	70602095	Smooth	240	9-1/2	6	3.14
NA194	70602195	Semi-Smooth	240	9-1/2	10	3.55
ONE COAT SLEEVES, PHENOLIC CORE						
ND342	70600875	Very Smooth	190	7-1/2	6	3.38
ND899	70600975	Smooth	190	7-1/2	10	3.47
NI554	70601075	Semi-Smooth	190	7-1/2	13	3.72
ND900	70601095	Very Smooth	240	9-1/2	6	4.30
ND901	70601195	Smooth	240	9-1/2	10	4.38
ND902	70600395	Semi-Smooth	240	9-1/2	13	4.38

WAREHOUSE MEDIUM SWEEP BROOMS

- Bristle Material: Tampico

JB719



JC213



Model No.	MFG No.	Block Length"	Promo Price
JC213	56018	18	11.95
JC214	56024	24	13.95
60" WOOD HANDLE			
JB719	52510	-	6.25

INDUSTRIAL CORN BROOM

- Made from 100% corn with a cane centre and 3 string/1 steel band construction
- Built for heavy-duty industrial sweeping applications, indoors and out
- Strong 1-1/8" handle is designed to provide a durable yet comfortable grip
- Biodegrades when disposed of in landfill



Model No.	MFG No.	Promo Price
JC660	761	14.95

STEEL CHANNEL SQUEEGEE

- 30" moss rubber
- Twin moss rubber squeegees get down into cracks and crevices
- Steel channel has a splash guard that prevents large quantities of water from coming over the channel leaving behind a dry surface
- Red moss rubber squeegees are oil and solvent resistant and perfect for the automotive industry
- Tapered handles JB718 sold separately
- Blade Style: Straight
- Colour: Black



JC877

JB718



Model No.	MFG No.	Description	Length"	Dia."	Promo Price
JC877	47130	Squeegee	30	-	23.95
JB718	52506	Handle	54	1-1/8	5.75

LEMON SCENTED CLEANER & DEGREASER

- Biodegradable, non-butyl
- Concentrated, heavy-duty, multi-purpose cleaner
- Cleans, deodorizes and is safe to use on all washable surfaces
- 4-L bottle



Model No.	Promo Price
JA147	12.49

HAND CLEANER

- Fresh, natural orange citrus scent
- Pumice scrubbing particles for extra deep cleaning
- Easy removal of dirt, grease, paint, ink and most industrial soils
- Conveniently used with or without water
- No harsh solvents
- Accepted for use in Canadian food processing facilities
- 3.6-L bottle



Model No.	Promo Price
JG223	15.95

GOJO® SCRUBBING TOWELS

- Cleans the dirtiest hands without water
- Clean oils, grease, lubricants, asphalt, dirt, inks, paints polyurethane, urethanes, sealants, epoxies, adhesives and caulks
- Dual textured wipes
- Scrubbing side removes stubborn soils while the smooth side provides quick dirt absorption tough on grime
- Contains skin conditioners
- Length: 12"
- Width: 10-1/2"
- Alcohol Content: 1-5%
- Container Type: Canister
- Fragrance: Scented
- No. of Wipes: 72



Model No.	MFG No.	Promo Price
JB624	6396-06	14.95

INDUSTRIAL GARBAGE BAGS

- Bags are "Best in Class" on attributes such as energy use, amount of recycled material, post consumer waste retrieved and re-used
- Quality of these "green bags" is as good as "non-green bags"
- Excellent strength and puncture resistance eliminate the need for double bagging
- UL ECOLOGO® 126 certified bags are less harmful for the environment
- Open Top
- 35" W x 50" L



JD142

Model No.	Colour	Strength	Qty /Pkg.	Promo Price
JD141	Black	Strong	200	44.95/Pkg.
JD142	Black	X-Strong	150	49.50/Pkg.
JD158	Clear	X-Strong	150	64.95/Pkg.



JB906

HEAVY-DUTY BUTT CANS

- Rugged heavy-duty fire safe galvanised steel base and neck tube finished in a tough powder-coated red paint
 - Polyethylene topper with molded-in graphics for cigarette butt disposal
- Self-extinguishing design offers maximum convenience and reduces the risk of fire
 - Diameter: 11-1/2"
- Type: Lobby, Outdoor



Model No.	MFG No.	Capacity	Height	Promo Price
JB906	26810R	2.5 US gal.	34"	104.00
JB907	26811R	5 US gal.	38-1/2"	118.00

ROUND BRUTE® CONTAINERS

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- Built-in handles, double ribbed base and molded base grip for two-handed lifting
- Internal venting channels allow for easy removal of garbage bags
- Capacity: 20 US gal.
- Diameter: 19.5"
- Height: 22.875"
- Weight: 7 lbs.



NA691



Model No.	MFG No.	Colour	Promo Price
NA691	FG262000GRAY	Grey	34.95
NG250	FG262000BLUE	Blue	34.95

WYPALL* X80 WIPERS

- Heavy-duty wiper for machinery parts and metal shavings
 - Clean rough surfaces and prep surfaces with solvents
 - Hydroknit® fast absorbing material absorbs more water and oil pound for pound than rental shop towels
 - Length: 13-2/5"
 - Width: 12-1/2"
 - Colour: Blue
- Dispenser: JC247, JC108
- Sheets/Case: 475
- Description: Jumbo Roll



Model No.	MFG No.	Promo Price
JA181	41043	75.95

LIGHTWEIGHT INDUSTRIAL-DUTY WET/DRY VACUUM

- Single stage motor, wet/dry vacuum features blower port, Lock-On® hose system, quiet running motor, tool basket and tank drain
- Comes with a 4-wheel dolly
- Includes: 1-1/4" 8-piece accessory package and filter kit
- Material: Polypropylene
- Tank Capacity: 8 US Gal. (37.8 Litres)
- Peak HP: 6.5
- Motor Stage: 1-Stage
- Air Flow: 185 CFM
- Electrical 120 V 60 Hz: 9.7 A
- Sealed Pressure: 66"
- Cord Length: 18'
- Weight: 19 lbs.



shop-vac

Model No.	MFG No.	Promo Price
NG332	9252810	215.00

BRUTE® ROLL OUT CONTAINER

- Attached hinged lid fits tightly; swings back and locks
- Constructed of durable polyethylene, will not chip, crack or peel
- Molded-in catch bar, compatible with semi-automated lift systems
- Heavy-duty 8" wheels
- 29" L x 23.5" W x 36.75" H
- Capacity: 50 US gallons
- Colour: Blue



Model No.	MFG No.	Promo Price
NI824	FG9W2700BLUE	175.00

BRASS GAUGES

- Lexan™ cover lens
- 1/4" NPT inlet
- Reads air and gas pressure



Model No.	Description	Promo Price
NT616	2" x 100 PSI	8.25
NT617	2" x 200 PSI	8.25
NT618	2" x 30 PSI - Red Line	8.25
NT619	2" x 400 PSI	8.25
NT620	2" x 4000 PSI	9.75
NT622	2-1/2" x 200 PSI	9.75
NT623	2-1/2" x 30 PSI - Red Line	9.75
NT624	2-1/2" x 400 PSI	9.75
NT625	2-1/2" x 4000 PSI	9.75

AUTO-IGNITE HAND TORCH

- Durable cast iron construction
- High output swirl flame
- Precise flame adjustment
- CGA600 inlet connection
- Use with propane or MAPP®



Model No.	MFG No.	Promo Price
333-9120750400	8Q-44TPSP	139.00



STEELWORKER® CLASSIC WELDING & CUTTING OUTFIT W/TOOL BAG

- Torch features solid forged head, brazed triangular tube design, ease-on cutting valve and protected torch union
 - Welds up to 1/2" and cuts up to 5" with larger tips
- Includes: Torch handle (85), mixer (D-85), cutting attachment (72-3), cutting tip (6290-1AC), welding tip (23A90-5), single stage 0-100 PSIG oxygen regulator, single stage 0-15 PSIG fuel gas regulator, 20' x 3/16" hose, goggles and striker



Model No.	MFG No.	Promo Price
TTU521	4403224	495.00

HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- Includes: 10' neoprene hose, striker and on/off valve



WESTERN
ENTERPRISES

Model No.	MFG No.	Promo Price
312-4904	WB-101	99.95

AIR-ACETYLENE FEATHER FLAME® TORCH KIT

- Feather brush flame
- Interchangeable BA-3 screw-in tip
 - Includes: Heavy-duty torch, UL listed brass regulator for B cylinder, handle, lighter, wrench, tip and 12' hose



Model No.	MFG No.	Promo Price
330-1663	KA-1H	195.00

LIGHT/MEDIUM DUTY TOTE-A-TORCH OUTFIT

- For use in general repair, maintenance and HVAC applications
- Can weld up to 3/16" and cut up to 1/2"
 - Rear entry regulators provide better balance
 - Acetylene regulator has an MC CGA200 inlet connection; oxygen regulator has standard CGA540 connection
- Includes: Torch handle with check valve, Cutting attachment, Oxygen/acetylene regulators with 2" double-scale gauges, Cutting tip, Welding nozzle, 12.5' twin hose, Goggles, Striker, Tank wrench, Cylinders, Polypropylene carrier



Model No.	MFG No.	Promo Price
TTT892	72-PTC	695.00

QUICK-CONNECT SETS

312-4276



- For welding, cutting, brazing and plasma applications
- Durable solid brass construction
 - Pressure up to 125 PSI
 - B-size, 9/16"-18 UNF thread with reverse flow check valves



WESTERN
ENTERPRISES

312-4280



312-4284



Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	59.95
312-4280	QDB20	Hose-to-Hose	63.50
312-4284	QDB30	Regulator-to-Hose	63.50

FLASHBACK ARRESTORS

- Color-coded for gas service to provide added safety - oxygen (green), fuel gas (red)
- Internal check valves designed to prevent reverse flow and accidental mixing of oxygen and fuel gases
- Maximum operating pressures are 15 PSIG for acetylene, 22 PSIG for other fuel gases and 125 PSIG for oxygen
- Rated capacity of 40 SCFH with a 5 PSIG pressure drop
- 10" maximum cutting capacity
- UL listed and 100% tested



WESTERN
ENTERPRISES



312-3377



312-3376

Model No.	MFG No.	Connection Type	Components	Promo Price
312-3376	FA-10	Torch	FA-100P, FA-200P	59.00
312-3377	FA-30	Regulator Adaptor	FA-130P, FA-230P	64.95

WELD FILLET GAUGE

- Covers eleven sizes from 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8" and 1"
- Die blanked to eliminate sharp edges - adds to accuracy



Model No.	MFG No.	Promo Price
704-5015	MWFG	24.95

LAVASHIELD™ WELDING BLANKETS

- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra durability and easy handling
- Black 24-oz. fibreglass coated with neoprene on both sides
- Temperature resistant: 1000°F (538°C)




Model No.	Dimensions'	Promo Price
NT896	6 x 6	75.00
NT821	6 x 8	99.00

722-1030



PROPANE REGULATOR & HOSES

- High pressure industrial/commercial regulator
 - Vapour service with portable torches or construction heaters
- Rated for approximately 2000000 BTU
 - Includes fittings: 0 - 60 PSIG
 - 10' and 20', 1/4" diameter propane hoses, sold separately



TTV219

Model No.	Description	Promo Price
TTV219	Regulator	39.25
722-1010	10' Hose	25.75
722-1030	20' Hose	45.75

TULINE TWIN WELDING HOSE ASSEMBLIES

- Premium quality US made hose with B size brass fittings
 - Nominal I.D.: 1/4"

PB090



HBD/Thermoid, Inc.

Model No.	MFG No.	Length'	Promo Price
GRADE R			
PB090	00521484225	25	39.95
PB091	00521484250	50	65.95
PB092	00521484290	100	125.00
GRADE T			
PB069	00521584225	25	64.75
PB070	00521584250	50	117.00
PB071	00521584290	100	215.00

GAS CYLINDER CARTS

- Choice of carts for a wide range of cylinder sizes and terrains



Model No.	Base W" x D"	Wheels	Capacity	Wt. lbs.	Promo Price
ML413	25 x 13	16" Dia. Pneumatic	224 cu. ft. Oxygen, 300 cu.ft Acetylene Cylinders	55	349.00
ML414	12 x 10	10" Dia. Semi-Pneumatic	300 cu. ft. 9" Dia. Cylinder	22	159.00
ML415	25 x 13	14" Dia. x 3" Rubber	244 cu. ft. Oxygen, 300 cu. ft. Acetylene Cylinders	55	309.00
ML416	12 x 16	10" Dia. Semi-Pneumatic	144 cu. ft. or 244 cu. ft. Oxygen, 130 cu. ft. Acetylene Cylinders	27	159.00
ML417	19 x 10	10" Dia. Semi-Pneumatic	144 cu. ft. or 244 cu. ft. Oxygen, 130 cu. ft. Acetylene Cylinders	30	169.00

GAS CYLINDER CABINETS

- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- English and French warning labels included

Constructed to meet or exceed strict CSA International B149.2-00 Propane Storage and Handling Code. Cylinders must be stored vertically at all times.



SEB837



SAF847



Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Promo Price
FOR 35-LB. LIQUID PROPANE CYLINDERS			
SEB837**	30 x 17 x 37	2	401.00
SEB838**	17 x 17 x 69	2	479.00
SAF836	44 x 30 x 37	6	819.00
SAF847	44 x 30 x 74	12	999.00
FOR 9" DIAMETER GAS CYLINDER BOTTLES			
SAF837	44 x 30 x 74	10	980.00
SAF848*	88 x 30 x 74	20	1649.00

* Consists of two units of the SAF837

** All-welded, fully assembled

MINI-MIG WELDING CART

- Designed to carry a variety of Mini-MIG, Inverters and Plasma machines
- Cylinder capacity: 9-1/2"
- Cart Material: Steel
- Capacity: 1000 lbs.
- Wheel Material: Rubber
- 18" W x 36" D x 17" H



Model No.	Promo Price
ML419	209.00



UNIVERSAL MODULAR CYLINDER BRACKETS

- Units link together to customize the amount of cylinders needed
- Attaches to any wall securely and easily
 - Accommodates 3" to 10" diameter cylinders
 - Yellow polyethylene
- OSHA 29 CFR.1910 approved
 - 15.3" W x 3.3" D x 6.3" H

Model No.	MFG No.	Promo Price
SED115	7216-YE	24.90

DUAL-CYLINDER DOLLY

- Accommodates cylinders up to 12" in diameter, including a class 300 SCF industrial gas cylinder and a no. 5 acetylene cylinder
- Tough 16-1/2" diameter pneumatic wheels gives maneuverability on rough terrain
- 36" built-in tray holds tools, valves and torches
- Cart Material: Plastic
- Capacity: 500 lbs. evenly distributed
- Wheel Material: Rubber
- Base Dimensions: 23" W x 12"L
- Dimensions: 36-4/5" L x 23-1/2" W x 45"H



Model No.	MFG No.	Promo Price
SAP856	7302-BK	659.00



PRODUCTS CAN BE CUSTOMIZED TO MEET YOUR SPECIFIC NEEDS

OUTSIDE DOUBLE PALM & THUMB WELDER'S GLOVES

- Top split cowhide leather construction
- Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Grade: Standard Quality
- Thumb Style: Wing

SAO129



SAO128



Model No.	Description	Size	Cut Pattern	Promo Price
SAO128	Gloves	Large	Gunn	5.85/Pair
SAP352	Gloves	X-Large	Gunn	6.15/Pair
SAO129	One-Finger Mitt	Large	Clute	5.95/Pair



GOLDEN BROWN LEATHER JACKETS

- Made of heat and abrasion-resistant select split cowhide
 - Sewn with Kevlar® thread for added seam strength
- Roll-up collar with hook & loop closure and welted shoulder seams
- Reinforced double-leather snap panel



Model No.	Size	Chest Measurements"	Promo Price
TTU384	Medium	40-42	78.00
TTU385	Large	44-46	78.00
TTU386	X-Large	48-50	78.00
TTU387	2X-Large	52-54	84.75
TTU388	3X-Large	56-58	92.25

LAVASHIELD™ WELDING BLANKETS

- 18-oz. sahara brown silica fabric
- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra durability and easy handling
- Temperature resistant: 2192°F (1200°C)



Model No.	Dimensions'	Promo Price
NT824	3 x 3	46.30
NT825	6 x 6	169.00

WELDERS' PIPELINER GLOVES

- Premium split cowhide leather exterior construction
 - Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
 - Excellent abrasion resistance
 - Unlined
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



SAV008



Model No.	Size	Promo Price
SAV008	Large	10.49/Pair
SEB930	X-Large	11.39/Pair

HEADGEAR PADS & SWEATBANDS

- Field tested to improve helmet grip with maximum perspiration absorption
- Headgear pads are flame retardant for added safety
- Made of an absorbent air cushioned layer lined with 10% fleece cotton
- Sold per package of 2

620-3200V



620-3100V



SAM548

Model No.	Description	Promo Price
620-3200V	Suspender Pads for Use with Hard Hats	3.25/Pkg.
620-3100V	Non-Suspender Pads for Use with Welding Helmets	3.25/Pkg.
SAM548	Sweatbands	3.25/Pkg.

LAVA BROWN LEATHER SPATS

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue



TTU390



Model No.	Length	Promo Price
TTU390	6"	21.75/Pair
TTU391	14"	50.25/Pair

HEAVY-DUTY "C-STYLE" GROUND CLAMP


- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector
- Amperage Rating: 600



Model No.	Promo Price
NT665	39.95

HEAVY-DUTY GROUND CLAMPS

- Manufactured from nickel-plated steel with forged brass conductors
 - Braided copper strap to carry current to upper jaw
- Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
 - Allen-type wrench included




NT668



Model No.	Amps	Promo Price
NT668	300	13.65
NT669	500	15.70

SAFETUBE® ROD CANISTERS

- Protects electrodes from dirt, grease and moisture
- Pressure fitted O-ring provides a watertight seal
- Withstands electrodes heated to 250°F
- Requires only a quarter turn to remove cap



382-4010

TTV109



Model No.	MFG No.	Capacity	Promo Price
382-4010	1205441	Up to 10 lbs. of 14" Electrodes	11.95
382-4040	1205455	Up to 15 lbs. of 18" Electrodes	16.95
TTV109	1205488	Up to 15 lbs. of 36" TIG Rods	27.75

AIR CARBON ARC GOUGING TORCH


- For gouging, cutting, beveling, piercing and flushing metal
 - Can be used to cut virtually all metals
- Rated to 800 Amps



Model No.	Promo Price
NT667	129.00

AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
 - Length: 12"
- Sold per package



Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	21.50/Pkg.
NT633	3/16	50	12.95/Pkg.
NT634	1/4	50	16.25/Pkg.
NT635	5/16	50	19.60/Pkg.
NT636	3/8	50	28.95/Pkg.
NT637	1/2	50	53.75/Pkg.

MULTI-PURPOSE MIG PLIERS


- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Nickel-plated finish

NT666

NP537



TYX128



Model No.	Description	Promo Price
NP537	8-way pliers	9.95
TYX128	Premium welding pliers	15.25
NT666	Holster	3.99

PYTHONRAP™ CABLE COVER

- Nylon cover
- Full-length zipper
- 22' L x 4" W



Model No.	Promo Price
NT887	29.95



CABLE PROTECTOR

- Lightweight durable leather with Kevlar® sewn seams for flexibility and strength
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
 - Metal snaps every 3"
 - 22' L x 4" W

Model No.	Promo Price
NP520	49.95

TUNGSTEN ELECTRODES

- 7" standard length
- Sold per package of 10

2% THORIATED

- Generally ground to a point, used on DCEN

• 1.5% LANTHANATED

- Lowest erosion rate
- Best DC arc starts and stability

2% CERIATED

- Operate successfully with AC or DC current
 - Non-radioactive

PURE

- Generally used on AC with high frequency

2% LANTHANATED

- Good arc starts and stability, low erosion rate, medium to high current range
 - Non-radioactive



Model No.	MFG No.	Diameter"	Colour	Promo Price
2% THORIATED, EWTH-2				
NP544	T1167GT2	1/16	Red	14.25/Pkg.
NP545	T3327GT2	3/32	Red	32.50/Pkg.
1.5% LANTHANATED, EWLA-1.5				
714-1200	T1167GL	1/16	Gold	14.25/Pkg.
714-1205	T3327GL	3/32	Gold	32.50/Pkg.
2% CERIATED, EWCE-2				
NP549	T1167GC2	1/16	Grey	13.75/Pkg.
NP550	T3327GC2	3/32	Grey	32.50/Pkg.
PURE, EWP				
NP540	T1167G	1/16	Green	13.80/Pkg.
NP542	T3327G	3/32	Green	31.60/Pkg.
2% LANTHANATED, EWLA-2				
TTV119	T1167GL2	1/16	Blue	14.50/Pkg.
TTV120	T3327GL2	3/32	Blue	32.50/Pkg.

SOAPSTONES & HOLDERS

- All-metal construction holders
- Positive lock adjustment
- Each holder comes with one soapstone
- 144 white soapstones per box

NT638



NT639

Model No.	Description	Promo Price
NT639	Flat Soapstone Holder	2.79/Ea.
NT225	Flat Soapstone - 144 Pieces	25.25/Box
NT638	Round Soapstone Holder	2.95/Ea.
NT226	Round Soapstone - 144 Pieces	22.75/Box

SOLAR® FLUX

- Formulated to shield the back of the weld joint from oxygen, dissipate heat and unwanted oxides and to clean the surface of metal
- Type B for welding stainless steel and alloy steels
- 1-lb. can



Model No.	MFG No.	Promo Price
868-1000	SOLARFLUXB	89.50

CONTOUR® CENTERING HEADS

#6 STANDARD MODEL

- Used on pipe 1/2" to 4" diameter or larger
 - Fitted with an adjustable dial bubble protractor (DSL), manually operated centering pin



430-2050


#7 JUMBO MODEL

- For pipe 1" diameter and up
 - Includes DSL
- Spring-loaded hardened centering pin eliminates the need for a hammer

Model No.	MFG No.	Type	Head Type	Head Width"	Promo Price
430-2050	14775	Standard	Y	4	69.00
430-2070	14776	Jumbo	Y	8	110.00

CONTOUR® #28 MAGNETIC BURNING GUIDE

- Cast of strong, durable material to withstand heat and spatter
- Base has three 30-lb pull cast-in magnets for use in any position
- 24" blade on a raised plane is standard



Model No.	MFG No.	Promo Price
430-2190	14791	69.00



SQWINCHER ZERO® QWIK STIK™

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag



Model No.	MFG No.	Flavour	Promo Price
SAN505	11060100-OR	Orange	37.99/Bag
SAN506	11060102-FP	Fruit Punch	37.99/Bag
SEI282	11060453-SL	Strawberry Lemonade	37.99/Bag
SAP496	11060101-MB	Mixed Berry	37.99/Bag

SQWINCHER® SQWEEZE FREEZER POPS

- Freeze the Squeeze and enjoy the refreshing taste of flavoured ice while replenishing your electrolytes
- Contains an assortment of orange, grape, lemon-lime, cherry and mixed berry flavours
- 150 assorted 3-oz. individual packages per box



Model No.	MFG No.	Promo Price
SAM804	11130	96.00/Box

SQWINCHER® FAST PACK®

- Packet can be used as a drinking cup; simply open it and add water to fill
- Handy, portable size lets you take Sqwincher® almost anywhere
- Fifty 0.6-oz. packets per box

SAF874



Model No.	MFG No.	Flavour	Promo Price
SAF872	11080	Lemonade	32.99/Box
SAF873	11081	Fruit Punch	32.99/Box
SAF874	11082	Lemon-Lime	32.99/Box
SAF878	11086	Orange	32.99/Box



SAN533

SQWINCHER ZERO® LIQUID CONCENTRATE

- Get the same electrolyte content as regular Sqwincher® without any calories or sugar
 - Mixes instantly when water is added - no stirring required
- Screw-on cap allows you to reseal the bottle
 - 64-oz. bottle size yields 5 gallons



Model No.	MFG No.	Flavour	Promo Price
SAN533	11050502-FP	Fruit Punch	19.39
SAN534	11050504-LL	Lemon-Lime	19.39
SAN535	11050505-LEM	Lemonade	19.39
SAN536	11050507-OR	Orange	19.39

SQWINCHER® LIQUID CONCENTRATE

- Specially formulated no-stir formula
- Screw-on cap allows you to reseal and store the bottle
- 64-oz. bottle size yields 5 gallons



SR933

Model No.	MFG No.	Flavour	Promo Price
SAF862	11025	Grape	20.99
SAP552	11027	Mixed Berry	20.99
SR933	11020	Lemonade	20.99
SR934	11021	Orange	20.99
SR935	11022	Fruit Punch	20.99
SR936	11023	Lemon-Lime	20.99
SR937	11024	Tropical Cooler	20.99

SQWINCHER® PUMP SPOUT

- Dispenses Sqwincher® liquid concentrate
- One pump yields one 12 oz. cup of Sqwincher® when mixed with water
- For use with 64-oz. concentrate bottles
- Yield: 1 oz.



Model No.	MFG No.	Promo Price
SAF901	11302	7.49

Z2200 SERIES EYEWEAR

- Distortion-free
- Flexible temples provide superior comfort and fit
- Modern design with extended wrap around coverage
- Scratch-resistant polycarbonate clear lens with UV protection
- Standard(s) Met: CSA Z94.3



ZENITH®
Safety Products

Model No.	Promo Price
SEK293	1.55

Z1100 SERIES GOGGLE

- Wrap-around style provides excellent 180° panoramic vision
- Extremely flexible soft PVC goggle body for greater comfort
- Impact resistant polycarbonate lens
- Anti-fog lens is ideal for high humidity applications
- Indirect vent increases air flow and protects against dust, fumes and chemical splash
- Adjustable elastic headband
- Compliant with CSA standard Z94.3



ZENITH®
Safety Products

Model No.	Promo Price
SEK294	6.05

3M™ PELTOR™ HIGH VISIBILITY OVER-THE-HEAD EARMUFFS

- High visibility, international orange colour for easy identification
- Comfortable for continuous use
- Broad ear cushions with combined liquid and foam filling gives the sealing advantages of the liquid ring and good comfort of the foam ring in warm and cold conditions
- Especially suitable for forestry and airport environments
- CSA Class A



SC170



SC169

PELTOR™ 3M

Model No.	MFG No.	Style	NRR dB	Promo Price
SC169	H31A	Headband	24	33.40
SC170	H31P3E	Cap Mount	23	38.50

N95 PARTICULATE FLAT FOLD RESPIRATORS

- Low breathing resistance for increased wearer comfort
- Adjustable plastic nose clip and soft foam nosepiece provide a custom fit
- Exhalation valve reduces hot air build up to facilitate breathing in humid environments
- Medium/Large
- Certification(s): NIOSH



SDN711



SDN712

ZENITH®
Safety Products

Model No.	Description	Qty /Pkg	Promo Price
SDN712	With valve	12	14.10/Pkg.
SDN711	Without valve	20	14.90/Pkg.

E-A-RSOFT™ FX™ SHAPED EARPLUGS

- Made of a custom polyurethane formulation for slow recovery and increased softness in the ear canal
 - NRR 33 dB
 - CSA Class AL
 - 200 pairs per box



SAH584



SAH585

3M E-A-R

Model No.	MFG No.	Style	Promo Price
SAH584	312-1260	Corded	47.45/Box
SAH585	312-1261	Uncorded	24.55/Box

BUMP CAPS

- Ideal for protecting head from lacerations, minor bumps and bruises
- Molded from high density polyethylene for maximum comfort and protection
 - Perforated sides allow cross ventilation for maximum air circulation
- Cushioned brow pad absorbs moisture and is removable and washable
 - Suspension Type: Pinlock



SAX877

SAX879

E2B
Safety Products for LIFE.

Model No.	MFG No.	Colour	Promo Price
SAX874	14B19112-YEL	Yellow	7.95
SAX876	14B19111-WHT	White	7.95
SAX877	14B19114-RED	Red	7.95
SAX879	14B19161-DBL	Dark Blue	7.95

10-PC. INSULATED TOOL SET

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- **Included:**
 - Slotted Screwdriver 7/32" x 5"
 - Slotted Screwdriver 5/32" x 4"
 - Slotted Screwdriver 3/32" x 3"
 - Phillips® Screwdriver #1 x 3-1/8"
 - Phillips® Screwdriver #2 x 4"
 - Pozidriv® Screwdriver #1 x 3-1/8"
 - Pozidriv® Screwdriver #2 x 4"
 - Lineman Plier, 6"
 - Long Nose Plier, 6"
 - Side Cutting Pliers, 6"

Model No.	Promo Price
TYP305	86.50



19-PC. ALL PURPOSE PLIER SET

- Meets ANSI Standards
- **Pliers included:**
 - 6" L Slip joint
 - 8" and 10" L Groove joint
 - 5", 6" and 7" L Diagonal cutting
 - 5", 6" and 8" L Long nose cut
 - 7" and 8" L Linesman cutting
- **Locking Pliers included:**
 - 4", 5", 7" and 10" L
 - Curved jaw w/wire cutter
 - 4" and 6" L Long nose w/wire cutter
 - 6" and 11" L C-clamps w/swivel pads



aurora tools®


Model No.	Promo Price
TLZ794	175.00

PRY BAR SET

- Forged from premium alloy steel
- Corrosion resistant black oxide finish
- Heat-treated for maximum durability
- High visibility, oil and solvent resistant acetate handle
- Limited lifetime warranty
- No. of Pieces: 3
- Contains: 13", 18-1/4" & 24-1/4" pry bars
- Overall dim.: 27" L x 5-1/2" W x 1-1/2" H
- Weight: 3.8 lbs.



Model No.	MFG No.	Promo Price
TYP506	73903	114.30



FOLDING HEX KEY SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit
- Set folds securely into convenient storage compartment



TJZ056


aurora tools®

Model No.	No. of Keys	Drive Type	Key Sizes	Promo Price
TNB733	9	Imperial	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	6.05
TNB734	8	Metric	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm	6.35
TJZ056*	9	Imperial	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	7.35

* Ball end

COLD CHISELS W/GRIP GUARD

- Individually forged from high quality alloy steel
- Manufactured to the highest safety standards
- Precisely ground cutting edge is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use



TYB511

aurora tools®

Model No.	Width Cut"	Stock Size"	O.A. Length"	Promo Price
TYB510	3/4	5/8	12	17.95
TYB511	1	7/8	10	20.95
TYB512	1	7/8	12	21.95

PIPE WRENCHES

- Drop-forged alloy steel jaws
- Durable ductile steel body provides the ultimate in performance
- Precision-milled sure gripping teeth
- Spring action ensures sure grip and quick release



aurora tools®

Model No.	Length"	Pipe Capacity"	Promo Price
TJZ106	8	1	8.95
TJZ107	10	1-1/2	11.80
TJZ108	12	2	14.60
TJZ109	14	2	18.00
TJZ110	18	2-1/2	22.70



5-PC. FILE SET W/ERGONOMIC HANDLES

- Rubber-coated ergonomic handles for better comfort and control
- General purpose selection for home and professional use
 - Includes:
 - 6"/150 mm slim taper file
 - 8"/200 mm flat bastard file
 - 8"/200 mm mill bastard file
 - 10"/250 mm mill bastard file
 - 10"/250 mm half-round bastard file

Nicholson®

Model No.	MFG No.	Promo Price
TBH218	22040HNN	59.95

BALL PEIN HAMMER - FIBREGLASS

- Rust-resistant, forged black head with polished poles and peins
- Professional quality fibreglass handle
- Permabond® construction between head and handle
- Comfortable black cushion grip
- Head Weight: 16 oz.
- Overall Length: 12-3/4"



Plumb®

Model No.	MFG No.	Promo Price
TJ594	11426N	23.50

DUAL TEMPERATURE HEAT GUN

- Air temperatures: 570°F/1000°F
- Air volume: 14.8 CFM



Model No.	MFG No.	Promo Price
TF714	8975-6	105.00

HACKSAW FRAME

- Adjustable crank handle for tension up to 30000 PSI
- Blade can be positioned for 45° or 90° cutting
- Spare blades can be stored inside frame
- End of frame can be used as a jab saw



Nicholson®

Model No.	MFG No.	Promo Price
TJ557	80956	27.95

LUFKIN® CONTROL SERIES

- New design gives users maximum control when extending and retracting the tape blade
- The Drag Strip™ access opening on the bottom of the tape allows users to regulate blade feed and return with their fingertip for greater control
- 10' stand-out capacity and extra-wide end hook make this tape perfect for the toughest jobs
- Stud Markings: 16/19.2"



Lufkin®

Model No.	MFG No.	Dimensions	Graduation	Promo Price
TLV745	CS8516	16' x 3/4"	in/ft.	17.95
TLV746	CS8525	25' x 1-3/16"	in/ft.	24.95
TLV747	CS8525CME	26' x 1-3/16"	in/cm	24.95

UTILITY WORKSHOP VISES

- Durable, versatile, all-around vises
- Handles a variety of applications
- Perfect for use in utility and light duty applications



TD677

WILTON

Model No.	MFG No.	Jaw Width"	Jaw Opening"	Throat Depth"	Promo Price
TD677	11126	4-1/4	4	2-5/8	189.00
TD680	191	6	6	4-3/16	425.00

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- HP: 3/4
- Max. CFM: 20945
- Fully enclosed motor
- All-metal construction
- 12' power cord
- Diameter: 42"
- No. of Speeds: 2



Model No.	Promo Price
EA662	699.00

HIGH VELOCITY FLOOR FAN

- HP: 1/5
- All-metal construction
- Vertical pivot fan head
- Copper motor for longer lifetime
- Diameter: 20"
- No. of Speeds: 3



Model No.	Promo Price
EA661	115.00

HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- Sliding switch at front of base
- Rotating or fixed air direction
 - Diameter: 20"
- No. of Speeds: 3
- Max. CFM: 4800
- Mid. CFM: 4500
- Min. CFM: 4000
- Voltage: 120 V



Model No.	Promo Price
EA660	139.00



20" HIGH VELOCITY PEDESTAL FAN

- 120 V/60 Hz, 1/5 HP, 3-speed motor
 - All-metal construction, chrome grill, black painted base
 - Adjustable pedestal base
 - 6' SJT power cord
 - CFM: 5950/4550/3850
- Head tilting capability of 360°



Model No.	Promo Price
EA289	175.00

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- CFM: 10760/7770/7040
- 9.8' SJT power cord



Model No.	Promo Price
EA476	279.00

LIGHT INDUSTRIAL AIR CIRCULATING OSCILLATING FANS

- 2-speed, 120 V motor
- All-metal construction, with densely chrome-plated guard
- Wall mounted
- 6' SJT type power cord



EA284



Model No.	Diameter	HP	CFM High	CFM Low	Promo Price
EA284	26"	1/4	7525	4050	209.00
EA654	30"	1/3	8775	6780	229.00

Pricing in effect until June 28, 2019 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW219042NA