



Équipements Industriels Joliette inc.

1295, De Lanaudière
Joliette, Qc J6E 3N9

Tél.: 450 756.0564

800 567.5247

Fax : 450 756.8859

info@eij.ca

www.eij.ca

SHOP ESSENTIALS PROMOTION!

HEAVY-DUTY AIR COMPOSITE IMPACT WRENCH

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch and high-low speed regulator
- 1/2" square drive
- Free speed: 10000 RPM
- Hose diameter: 3/8" (9.5 mm)
- Air inlet: 1/4" - 18 NPT
- Air Consumption: 13.7 CFM
- Torque Range: 400-1000 ft.-lbs.



Model No.	Promo Price
TLZ138	307.75

CONTRACTOR HEATERS

- 240 V
- 6' heavy-duty cord
- Built-in handle/cord storage
- Built-in thermostat
- Permanently lubricated motor
- Safety high temperature limit
- Steel spiral fin brazed to metal sheath elements for maximum heat transfer
- Plug Type: #6-30P



EB100



EA477

Model No.	Watts	BTU/h Rating	Amps	Promo Price
EA477	5600	19 100	23.34	175.00
EB100*	4800	16 380	20	129.00

* Enclosed motor

LOW PROFILE HYDRAULIC PALLET TRUCK

- 1-1/2" exit ramp facilitates exit of pallets
 - 6" (152 mm) wide forks
- Fork dim.: 48" L x 27" W
 - Raised height: 5-1/2"
 - Lowered height: 2"
 - Capacity: 5500 lbs.
- 2-year limited warranty



KLETON

Model No.	Promo Price
MN061	529.00



KLETON

CONVERTIBLE HAND TRUCK

- Converts easily from a 2-wheel hand truck to a 4-wheel platform truck
- Lightweight aluminum construction
 - 5" polyurethane casters and 10" pneumatic tires
- Handle Type: Continuous
- Wheel Size: 10" H x 2" W
- 18" W x 7-1/2" D nose plate

Model No.	Hand Truck Cap. lbs.	Hand Truck Height"	Platform Truck Cap. lbs.	L" x W"	Promo Price
MO068	550	62	800	56 x 20	289.00

Pricing in effect until April 10, 2020 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW220012NA



GRAIN COWHIDE LEATHER FLEECE-LINED GLOVES



- Standard quality
- Superior abrasion resistance
- Excellent comfort and durability
 - Resists oil and water well
 - Full leather-tipped fingers and knuckle strap
 - 2-1/2" elastic cuff eliminates dirt and debris from entering the glove

Model No.	Size	Promo Price
SEH145	Medium	6.10/Pair
SEB613	Large	6.39/Pair

GRAIN COWHIDE FITTERS LINED GLOVES

- Standard quality
- Superior abrasion resistance
- Provides moderate warmth
- Excellent comfort and durability
- Resists oil and water well
- Patch palm design
- Rubberized safety cuff
- Lining: Cotton Fleece



Model No.	Size	Promo Price
SR521	Large	4.79/Pair
SAM023	X-Large	5.10/Pair
SDL881	2X-Large	5.19/Pair

GRAIN COWHIDE FITTERS LINED GLOVES

- Standard quality
- Full fleece-covered foam lining provides excellent warmth
- Superior abrasion resistance
- Resists oil and water well
- Rubberized cuff for ultimate protection
- Thumb Style: Wing



Model No.	Size	Promo Price
SM611	Large	6.69/Pair
SDL891	X-Large	7.15/Pair

HAND WARMERS

- Fits easily inside your pocket, mitt or gloves
- Long lasting heat
- Single use
- Qty/Pkg.: 2



Model No.

SGO961

Promo Price

0.69/Package

GRAIN PIGSKIN FITTERS LINED GLOVES

- Premium quality
- Full acrylic Boa lining provides superior warmth
- Performs better in wet applications than cowhide grain or split leather
- Rubberized cuff for ultimate protection
- Thumb Style: Wing



Model No.	Size	Promo Price
SAP300	Large	6.90/Pair
SDL888	X-Large	7.25/Pair
SDL889	2X-Large	7.65/Pair

GRAIN PIGSKIN FITTERS LINED GLOVES

- Standard quality
- Full cotton white fleece lining provides moderate warmth
- Superior comfort and breathability
- Performs better in wet applications than cowhide grain or split leather
- Safety cuff provides good protection
- Full leather-tipped fingers and knuckle strap provide increased protection
- Large



Model No.	Promo Price
SAP295	5.10/Pair

ANTI-SLIP SPARK-PROOF ICE CLEATS

- Non-slip studs offer excellent traction on ice and snow
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Includes 10 durable brass spikes



Model No.	Size	Promo Price
SGO246	Medium (5-8)	21.49/Pair
SGO247	Large (8-11)	21.49/Pair
SGO248	X-Large (11-13)	21.49/Pair

HEAVY DUTY ANTI-SLIP ICE CLEATS

- Made from thermoplastic elastomer
- Hexagonal, non-slip studs offer excellent traction on ice and snow
- Non-slip heavy duty flexible rubber boot
- Flexible up to -40°C
- Includes 12 durable spikes



Model No.	Size	Promo Price
SDN085	Medium (5-8)	19.29/Pair
SDN086	Large (8-11)	19.29/Pair
SDN087	X-Large (11-13)	19.29/Pair

ANTI-SLIP ICE CLEATS

Boot not included



- Made from flexible thermoplastic elastomer
- Non-slip studs for excellent traction on snow and ice
 - Flexible up to -40°C
- Includes 10 durable spikes



Model No.	Size	Promo Price
SEA004	Medium (5-8)	16.29/Pair
SEA005	Large (8-11)	16.29/Pair
SEA006	X-Large (11-13)	16.29/Pair

K1 SERIES MID-SOLE ICE CLEATS

- A one-size-fits-all, convenient solution for adding traction in icy and snowy work conditions
- Constructed of industrial quality, high-wear rubber while the spark-resistant studs are made from long-lasting tungsten carbide to resist wear and tear
- Designed to fit a variety of industrial footwear
- Adjustable strap to keep ice cleat in place

Boot not included



Model No.	MFG No.	Promo Price
NJM116	K1MID	32.99

KNIT HAT W/SILVER REFLECTIVE STRIPE

- One size fits all
- Material: Acrylic

SGI135

SGJ105



Model No.	Colour	Promo Price
SGI135	High Visibility Orange	5.89
SGJ105	Black	5.49

FLEECE BALACLAVA

- Can be used under hardhats
- Protects the head, face & neck from the harsh elements of winter
- Versatile; can be worn as a balaclava, neck warmer or as a dust mask
 - Machine wash & air dry
 - Color: Black
 - One Size



Model No.	Promo Price
SGJ655	5.69

C-CLAMPS

- Manufactured from SG iron with over 60,000 PSI of tensile strength
- Swiveling pad adapts to the correct angle to apply even pressure on the work piece
- Textured powder coat finish on frame and black oxide finish on spindle increases corrosion resistance



aurora tools®

Model No.	Clamping Capacity"	Throat Depth"	Promo Price
TYB504	4	2-11/32	17.75
TYB505	6	3	22.75
TYB506	8	3-1/8	29.95
TYB507	10	3-1/2	38.80

INDUSTRIAL USE STRAIGHT PATTERN SNIP

- Used for straight cuts and wide curves (on light gauge stock)
- Blades individually hand edged for maximum cutting efficiency
- Flat face guides tool along straight line
- Rust resistant blades
- Cut Length: 4"
- Cutting capacity: 18-Gauge Steel
- O.A. length: 14-1/2"



CRESCENT
Wiss

Model No.	MFG No.	Promo Price
TBH849	W7N	69.95

7-PC. MACHINIST FILE SET

- General purpose file kit for machine shop
- Roll-up holder protects files
- Includes:
 - 10"/250 mm flat bastard file
 - 10"/250 mm flat smooth file
 - 10"/250 mm half-round bastard file
 - 10"/250 mm mill bastard file
 - 10"/250 mm round bastard file
 - 10"/250 mm square bastard file
 - 7"/175 mm slim taper file



CRESCENT
NICHOLSON

Model No.	MFG No.	Promo Price
TBG943	22024NN	92.50

TUNGSTEN CARBIDE SCRIBE

- Durable tungsten carbide point makes precise marks to 1/100"
- End cap magnet picks up stray metal shavings
- The point can be reversed for safe storage in pocket or toolbox

GENERAL®



Model No.	MFG No.	Description	Promo Price
TV178	88	6" Scribe	11.59
TV177	88P	Replacement Point	6.50

HIGH TENSION HACKSAW FRAME

- Heavy-duty adjustable closed grip hacksaw frame
- Professional quality high tension frame provides easy to use an efficient adjustment lever
- 4 angled mounting pins allow for both straight and angle cutting, also keeps the blade in place when tension is relieved
- Min. Blade Length: 7-87/100"
- Max. Blade Length: 11-81/100"
- Handle Type: Ergonomic
- Throat Depth: 3-3/4" (95mm)



Model No.	MFG No.	Promo Price
TBD490	60134	33.50

BI-METAL HACKSAW BLADES

- Precision ground, high speed steel cutting teeth
- Super-efficient tooth shape
- With 170% more high speed steel weld area and a precision ground tooth profile, blade fracture and breakage is greatly reduced
- Single Blade Pack
- Length: 12" (300 mm)
- Width: 1/2" (13 mm)
- Thickness: 0.025" (0.65 mm)

Starrett®



WJ501



WJ502

Model No.	MFG No.	TPI	Promo Price
WJ500	40330	18	1.89
WJ501	40331	24	1.89
WJ502	40332	32	1.89

10-PC. INSULATED TOOL SET

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- **Included:**
 - Slotted Screwdriver 7/32" x 5"
 - Slotted Screwdriver 5/32" x 4"
 - Slotted Screwdriver 3/32" x 3"
 - Phillips® Screwdriver #1 x 3-1/8"
 - Phillips® Screwdriver #2 x 4"
 - Pozidriv® Screwdriver #1 x 3-1/8"
 - Pozidriv® Screwdriver #2 x 4"
 - Lineman Plier, 6"
 - Long Nose Plier, 6"
 - Side Cutting Pliers, 6"



aurora tools®

Model No.	Promo Price
TYP305	105.00

BALL PEIN HAMMERS

- Rust-resistant, forged black head with polished poles and peins
- Professional quality fibreglass handle
- Permabond® construction between head and handle
- Comfortable black cushion grip



TJ597

Plumb®

Model No.	MFG No.	Head Weight	Overall Length"	Promo Price
TJ594	11426N	16 oz.	12-3/4	23.50
TJ596	11428	24 oz.	15	26.50
TJ597	T11429	32 oz.	15	26.50

AUTOLOCK MEASURING TAPES

- High visibility with rubber comfort grip
 - Automatic blade lock
 - Recessed lock release
 - TLZ075 comes with magnetic end hook



TLZ075

CRESCENT Lufkin

Model No.	MFG No.	Blade	Graduations	Promo Price
TJZ389	AL725	1" x 25'	in/ft.	11.95
TJZ388	AL748CMEN	1" x 26 7/8 m	in/cm	11.95
TLZ075	AL725MAG	1" x 25'	in/ft.	16.95

STANDARD-DUTY BAR CLAMPS

- Widely used in welding and fabricating shops
- Throat depth: 4"
- Clamping force: 660 lbs.



TKZ890



Model No.	MFG No.	Clamping Capacity"	Promo Price
TKZ890	660-S8	8	65.95
TKZ891	660-S12	12	66.95
TKZ892	660-S18	18	69.95

MEGAPRO® 15-IN-1 ORIGINAL BIT LOADERS

- Pullout bit cartridge makes it easy to find, change and store bits
- Loaded with 7 double end professional quality bits: Phillips #0, #1, #2, #3; Square #0, #1, #2, #3; Star #10, #15, #20, #25; Slotted #4, #6
 - Shaft opening serves as a 1/4" hex nut driver
- Handle is made from engineered nylon/ABS resin
 - Alloy steel shaft

MEGAPRO®
Every bit better.



Model No.	MFG No.	Promo Price
TNB478	151NAS	28.95

4550 SERIES TORCOFIX K ADJUSTABLE TORQUE WRENCHES

- For controlled bi-directional tightening
- Sturdy, varnished tubular steel construction, with zinc-plated ratchet head and top-grade plastic parts
- Ergonomically shaped black plastic handgrip with calibration aid
- Dual scale Nm and ft-lbs. below a window with a magnifying glass effect
- Working Accuracy: +/- 3%
- Classification: DIN EN ISO 6789:2003 Type II Class A



UAF523

GEDORE

Model No.	MFG No.	Overall Length"	Torque Range	Increments Nm	Promo Price
UAF523	7601530	15-1/2	15 - 75 ft-lbs.	5	339.00
UAF524	7601610	19	30 - 150 ft-lbs.	10	369.00
UAF525	7601880	22-3/4	45 - 220 ft-lbs.	10	419.00

MODULAR FILTERS, REGULATORS & LUBRICATORS (GAUGE INCLUDED)

- Components are attached in series using spacers and piping adapters, which make the individual components easily removable and mountable without disturbing the pipe line
- Comes complete with wall mounting bracket
- Air filter, regulator and lubricator come with NPT threads and gauge
- Operating Pressure: 7-145 PSI

aurora tools



Model No.	Connection Size	Max Air Flow	Bowl Capacity	Filter Bowl Capacity	Promo Price
POLYCARBONATE BOWL WITH STEEL BOWL GUARD					
TTY181	1/4" NPT	18 SCFM @ 105 PSI	0.68 fl. oz	0.30 oz	99.95
TTY182	3/8" NPT	71 SCFM @ 105 PSI	1.93 fl. oz	1.08 oz	135.00
TTY183	1/2" NPT	123 SCFM @ 105 PSI	5.17 fl. oz	1.50 oz	189.00
METAL BOWL					
TTY184	3/4" NPT	123 SCFM @ 105 PSI	6.8 fl. oz	5.60 oz	369.00
TTY185	1" NPT	175 SCFM @ 105 PSI	6.8 fl. oz	5.60 oz	369.00

1/4" PNEUMATIC DIE GRINDERS

- Twin bearing spindle
- 1/4"-18 NPT air inlet
- 3/8" hose size

THZ679



THZ678



aurora tools

Model No.	Description	RPM	HP	Promo Price
THZ678	Mini	25000	0.35	59.95
THZ679	Angle	18000	0.45	72.50

HOSE REELS

- Hose Length: 50'
- Working Pressure: 300 PSI
- Reel Height: 20.25"
- Reel Width: 19.75"
- Reel Depth: 7"
- Reel Inlet (F) NPT: 1/2"
- Drive Type: Spring

TN318



Model No.	MFG No.	Hose I.D."	NPT (M)"	Promo Price
TN318	7650 OLP	3/8	1/4	509.00
TN319	7850 OLP	1/2	3/8	529.00

CARBIDE BURR PRODUCTION SET

- Made from highest grade tungsten carbide
- Manufactured to ensure perfect concentricity and balance
- Includes: 01-V 002, 006, 011, 015, 018
- No. of Pieces: 5
- Trade No.: SA-3/SC-3/SD-6/SF-5/SM-5



Model No.	MFG No.	Promo Price
UE268	01V990	245.00



2115TIMAX IMPACT WRENCH

- Titanium hammer case and composite housing
- 7-vane motor delivers added power with less weight
- Finely tuned twin hammer impact mechanism and motor deliver more torque, durability, and efficiency
- Feather-touch trigger provides maximum control
- Air Consumption: 4 CFM
- Air Inlet: 1/4" NPTF
- Sound Level (dBA): 107.6
- Drive: 3/8"
- No Load RPM: 15000
- Max. Torque in Reverse: 300 ft.-lbs.
- Drive Type: Square Hog-Ring



Model No.	MFG No.	Promo Price
BW352	2115TIMAX	359.00

44-PC. IMPACT SAE/METRIC STANDARD & DEEP SOCKET SET, 3/8" DRIVE

- Chrome molybdenum alloy steel (CR-MO) for exceptional strength and long lasting durability
 - High visibility laser-etched markings
- Reinforced molded case with sizes marked for quick identification and storage
- 6-point 5/16" to 3/4" standard and deep sockets
 - 6-point 8 mm to 19 mm standard and deep sockets and a 21 mm deep socket
 - 3 extensions (3", 6" and 10")



Model No.	MFG No.	Promo Price
TLV390	84916N	125.00

WELDER'S BOX & SMALL CHEST

- Compact and portable
- Heavily reinforced 16-gauge steel construction with staked and welded steel hinges
- Overall Depth: 16"
- Overall Height: 12"
- Overall Width: 30"
- Capacity: 3.3 Cubic Feet
- **TEP348** is a welder's box that offers a notched upper side for storing tools connected to supply hoses

**CRESCENT
JOBBOX**



TEP348

Model No.	MFG No.	Description	Promo Price
TEP348	650990D	Welder's Box	219.00
TEP349	659990	Chest w/Hasp Lock	259.00

SHOCKWAVE™ DRILL & DRIVE SET

- Bits are engineered for extreme durability and up to 10x longer life
- Geometric design provides shock-absorption
- Proprietary steel and heat-treat process provides maximum strength and durability
- Forged tips for maximum grip
- No. of Pieces: 40
- Material: Steel



Model No.	MFG No.	Promo Price
TTY155	48-32-4006	45.00

M18™ CORDLESS LITHIUM-ION 6-TOOL COMBO KIT

- Includes:
 - 1 M18™ Cordless 1/2" Hammer Drill/Driver (2602-20)
 - 1 M18™ SAWZALL® Reciprocating Saw (2620-20)
 - 1 M18™ 6-1/2" Circular Saw (2630-20)
 - 1 M18™ 1/4" Hex Compact Impact Driver (2650-20)
 - 1 M18™ Cordless 4-1/2" Cut-off/Grinder (2680-20)
 - 2 M18™ REDLITHIUM™ XC Extended Capacity Battery (48-11-1828)
 - 1 M18™ & M12™ Multi-Voltage Charger (48-59-1812)
 - 1 M18™ Work Light (49-24-0171)
 - 1 Contractor Bag



Model No.	MFG No.	Voltage	Battery Type	Promo Price
TMB508	2696-26	18 V	Lithium-Ion	769.00



TEP092



TEP159

HEAVY-DUTY JOBSITE CHESTS

- Site-Vault™ security system
 - Ez-Loader® 7-gauge skid bolsters allow fork lift from any side
 - Grip-Rite™ recessed lifting channel
- Heavily reinforced lid and body
- Textured powder paint finish

**CRESCENT
JOBBOX**

Model No.	MFG No.	W"	x	Dim. D"	x	H"	Usable Cu. Ft.	Promo Price
TEP092	1-652990	36	x	20	x	23-3/4	8.3	535.00
TEP136	1-653990	42	x	20	x	23-3/4	9.3	585.00
TEP137	1-654990	48	x	24	x	27-3/4	15.4	679.00
TEP156	1-655990D	60	x	24	x	27-3/4	19.3	855.00
TEP157	1-656990	48	x	30	x	33-3/8	24.3	865.00
TEP159*	1-680990	60	x	30	x	39-1/2	32.7	1099.00

* Slope lid

JOBSITE SHELF CABINETS

- Site-Vault™ security system
 - Ez-Loader® anti-tip skid bolsters
- Heavy-duty doors with Grip-Rite™ channel
- Hand or foot-operated latch release system
 - Heavy-duty high strength shelves
 - Three 5/8" steel locking pins per door
 - 60-1/8" L x 24-1/4" W x 60-3/4" H
- Usable cu. ft.: 47.5

**CRESCENT
JOBBOX**

Tools sold separately



TEP168



TEP170

Model No.	MFG No.	Description	Promo Price
TEP168	1-694990	2 Doors, 24" Deep	1859.00
TEP170	1-697990	2 Doors, Tall Closet on Right Side	2099.00

3/4" IMPACT WRENCHES

- Rocker switch for quick selection of forward and reverse
- Friction ring socket retention
- Light weight with balanced feel and cushioned grip
- Torque: 380 ft.-lbs.
- No Load RPM: 1750
- Voltage: 120 V
- Amps: 7 A
- No load IPM: 2500



Model No.	MFG No.	Promo Price
TEA202	9075-20	459.00

CRIMPED WIRE WHEEL BRUSHES

- Highly flexible, ideal for light to medium-duty surface preparation on irregular surfaces
- Uniform, dense fill
- Can be used by hand or on a drill press for internal and external cleaning and deburring
- 1/4" shank dia.
- Max. RPM: 25000



Model No.	MFG No.	Brush Dia."	Wire Gauge"	Trim. Length"	Promo Price
STEEL					
BW737	0001646300	1-1/2	0.008	0.281	10.49
BW743	0001647500	2	0.014	0.438	11.99
BW753	0001649600	3	0.014	0.750	12.29
STAINLESS STEEL					
BW741	0001655400	1-1/2	0.012	0.281	13.99
BW746	0001655900	2	0.014	0.438	19.29
BW756	0001656900	3	0.014	0.750	23.39

DEPRESSED CENTER GRINDING WHEELS - CUBITRON™ II

- Produce very high cut rates on a wide variety of metals
- Used for heavy weld removal and many other grinding applications
- 3M™ precision-shaped grain for ultra fast cut and long life
- Specially formulated for use on stainless and mild steel
- Thickness: 1/4"
- Type: 27
- Qty/Pkg.: 20 wheels



Model No.	MFG No.	Dia."	Arbor Size"	Max. RPM	Promo Price
NU208	78466-Q	4-1/2	7/8	13300	8.29/Wheel
NU205	78467-Q	5	7/8	12250	9.58/Wheel
NU209	64314-Q	6	7/8	10200	11.29/Wheel

SAWZALL® GENERAL PURPOSE RECIPROCATING BLADE SET

- Offers an assortment of wood and metal cutting Sawzall® blades for a wide range of applications
 - Feature an optimized tooth design that provide a longer life over standard bi-metal blades and are ideal for fast, flexible cuts
- Also includes an innovative job site durable case for convenient blade storage
- Set includes (3) 6" 14 TPI Metal The Torch™ Sawzall® Blades, (3) 6" 24 TPI Metal Sawzall® Blades, (2) 6" 5 TPI Sawzall® Blades, (1) 9" 18 TPI Metal The Torch™ Sawzall® Blade and (1) 9" 5 TPI Wood The Ax™ Sawzall® Blade



Model No.	MFG No.	Promo Price
TCR455	49-22-1110	29.95

HAND PADS

- Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal
- May be used with water or chemical solvents
- 6" x 9"




NU022



Model No.	Description	Finish	Qty /Box	Promo Price
NU023	Green Industrial	Scouring	20	0.67/Pad
NU024	Maroon General Purpose	Medium	20	0.67/Pad
NU025	Grey Ultra Fine	Ultra-Fine	20	0.79/Pad
NU022	Tan Heavy-Duty	Coarse	10	1.35/Pad

314D PROFESSIONAL CLOTH SHEETS

- Cleaning metal prior to soldering or welding
- Repairing and blending metal finishes and removing stamping marks
- Fine sanding and polishing
- Removing rust, scale and other contaminants
- 9" x 11"
- Qty/Pkg.: 250 sheets



Model No.	MFG No.	Grit	Promo Price
BP664	AB19771	100J	0.87/Sheet
BP665	AB19770	120J	0.87/Sheet
BP666	AB19769	150J	0.87/Sheet
BP667	AB19768	180J	0.87/Sheet
BP668	AB19767	220J	0.87/Sheet
BP669	AB19766	240J	0.87/Sheet
BP670	AB19764	280J	0.87/Sheet
BP671	AB19772	80J	0.91/Sheet
BP673	AB19773	60X	0.99/Sheet

JOBBER LENGTH HIGH SPEED STEEL DRILL SET

- 29-piece set
 - 1/16" to 1/2" by 64ths
- Industrial duty, fractional sets
 - Right hand 135° split point eliminates walking
- General purpose used on steels, cast iron, and most non-ferrous metals
- 2-tone black oxide and bronze finish provides ideal chip flow and resistance to abrasion
 - Includes steel case



Model No.	MFG No.	Promo Price
WJ188	DR06228	179.00

UTILITY GRADE DUCT TAPE

- Ideal for a wide variety of projects and applications
- Water resistant
- Easy to tear
- Width: 50 mm (2")
- Colour: Silver



PF688



Model No.	Length	Thickness mils	Promo Price
PF689	45 m (150')	6	3.69
PF688	55 m (180')	9	5.49

201+ GENERAL USE MASKING TAPE

- Easy to handle, apply and remove in one piece
 - General indoor use
- Ideal for bundling, labeling and identifying
 - Light-to-medium duty applications
 - Smooth and conformable
 - Sticks with confidence to a wide variety of surfaces
- The tough tape for everyday jobs
 - Length: 55 m (180')
 - Colour: Tan



Model No.	MFG No.	Width	Rolls /Case	Promo Price
PF504	201+12X55	12 mm (1/2")	72	0.99/Roll
PF505	201+18X55	18 mm (3/4")	48	1.39/Roll
PF506	201+24X55	24 mm (1")	36	1.69/Roll
PF507	201+36X55	36 mm (1 1/2")	24	2.59/Roll
PF508	201+48X55	48 mm (2")	24	3.49/Roll
PF509	201+72X55	72 mm (3")	12	4.99/Roll

MAGIC OIL™ LOCK LUBE & DE-ICER

- Graphite formula lubricates seized and frozen locks for long-lasting, smooth operation
 - Nozzle allows for easy application directly in keyhole
 - Format: 42.5 g
 - Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AF440	74119	7.49



LU204 DRY FILM GRAPHITE LUBRICANT

- Ideal where a dry lubricant is or where petroleum products must be avoided
- Adheres with minimum pre-treatment
 - Effective up to 850°F constant and 1000°F intermittent
- Dries rapidly at room temperature
 - Format: 16 oz.
- Container Type: Aerosol Can

Model No.	MFG No.	Promo Price
AA107	SC0204000	9.49



SUPER 77 AEROSOL ADHESIVE SPRAY

- For permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt, and cloth to painted or unpainted metals, wood and hardboard
 - Format: 24 oz.
- Temperature Resist: 110°F
 - Net Volume: 16.5 oz.
 - Coverage: 163 sq. ft.

Model No.	MFG No.	Promo Price
PA003	77-24OZ-IND	14.55

WD-40® SMART STRAW


- Loosens rusted parts
- Displaces moisture
- Non-conductor, dries out electrical and electronic equipment
- Operating temperature: -50°F to 300°F
- Flip Smart Straw up for stream, down for spray
- Format: 325 g



Model No.	MFG No.	Promo Price
AF166	02432	8.79

AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals
 - Length: 12"
- Sold per package



Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	21.50/Pkg.
NT633	3/16	50	12.95/Pkg.
NT634	1/4	50	16.25/Pkg.
NT635	5/16	50	19.60/Pkg.
NT636	3/8	50	28.95/Pkg.
NT637	1/2	50	53.75/Pkg.

TUNGSTEN ELECTRODES

- 7" standard length
- Sold per package of 10

2% THORIATED

- Generally ground to a point, used on DCEN

2% CERIATED

- Operate successfully with AC or DC current
- Non-radioactive

1.5% LANTHANATED

- Lowest erosion rate
- Best DC arc starts and stability

PURE

- Generally used on AC with high frequency

2% LANTHANATED

- Good arc starts and stability, low erosion rate, medium to high current range
- Non-radioactive



NP544

Model No.	MFG No.	Diameter"	Colour	Promo Price
2% THORIATED, EWTH-2				
NP544	T1167GT2	1/16	Red	14.25/Pkg.
NP545	T3327GT2	3/32	Red	32.50/Pkg.
NP543	T187GT2	1/8	Red	60.75/Pkg.
2% CERIATED, EWCE-2				
NP549	T1167GC2	1/16	Grey	13.75/Pkg.
NP550	T3327GC2	3/32	Grey	31.60/Pkg.
NP551	T187GC2	1/8	Grey	58.50/Pkg.
1.5% LANTHANATED, EWLA-1.5				
714-1200	T1167GL	1/16	Gold	14.25/Pkg.
714-1205	T3327GL	3/32	Gold	32.50/Pkg.
PURE, EWP				
NP540	T1167G	1/16	Green	13.75/Pkg.
NP542	T3327G	3/32	Green	31.60/Pkg.
2% LANTHANATED, EWLA-2				
TTV119	T1167GL2	1/16	Blue	14.50/Pkg.
TTV120	T3327GL2	3/32	Blue	32.50/Pkg.

FLINT LIGHTERS

- Choice of single or tri-flint lighters
- Additional flints sold separately



TTU071



TTU072



NT663

Model No.	Description	Promo Price
NT642	Single Flint Lighter	2.65
NT663	Flints, 5 per Holder	1.75
TTU071	Tri-Flint Lighter	3.24
TTU072	Flints - Each	0.85

SOAPSTONES & HOLDERS

- All-metal construction holders
- Positive lock adjustment
- Each holder comes with one soapstone
- 144 white soapstones per box



NT638



NT639



Model No.	Description	Promo Price
NT639	Flat Soapstone Holder	2.79/Ea.
NT225	Flat Soapstone - 144 Pieces	25.25/Box
NT638	Round Soapstone Holder	2.95/Ea.
NT226	Round Soapstone - 144 Pieces	22.75/Box

SHOE HANDLE INDUSTRIAL-DUTY WIRE SCRATCH BRUSHES

NT609



- Wood handle

Model No.	Bristles	Rows	Promo Price
NT609	Carbon Steel	3 x 16	2.35
NT610	Carbon Steel	4 x 16	2.45
NT613	Stainless Steel	3 x 16	4.35
NT614	Stainless Steel	4 x 16	4.59

CHIPPING HAMMER

- Cone and chisel head
- Spring steel handle
- Handle Type: Solid Steel
- Overall Length: 10-1/2"
- Head Length: 6-1/4"



Model No.	Promo Price
NP532	4.75

ER70S6 CARBON STEEL WELDING WIRE

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO₂ gas shielding
- Can also be applied with ArCO₂
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
- Certified by CWB to CSA class W48 for ER49S-6
- Certified by AWS to class A5.18 for ER70S6



Model No.	Wire Diameter"	Spool Wt.	Spools per Master Box	Promo Price
NT549	0.023	2 lbs./0.9 kg	18	5.99/Spool
NT550	0.030	2 lbs./0.9 kg	18	3.99/Spool
NT551	0.035	2 lbs./0.9 kg	18	3.99/Spool
NT552	0.045	2 lbs./0.9 kg	18	3.85/Spool
NT553	0.023	11 lbs./5 kg	4	25.90/Spool
NT554	0.030	11 lbs./5 kg	4	17.50/Spool
NT555	0.035	11 lbs./5 kg	4	16.90/Spool
NT556	0.023	33 lbs./15 kg	1	69.50/Spool
NT557	0.030	33 lbs./15 kg	1	47.90/Spool
NT560	0.035	44 lbs./20 kg	1	59.90/Spool
NT561	0.045	44 lbs./20 kg	1	56.90/Spool

MAGNETIC HOLDERS

- Multi-purpose holders for assembly and positioning
- Adheres to any metal object
- Ideal for welding, soldering, assembly and pipe installation



Model No.	Description	Dimensions"	Promo Price
NT626	Medium	5 x 3-1/4 x 1/2	2.75
NT627	Large	6-1/4 x 4 x 3/4	4.75
NT628	X-Large	8 x 5 x 1	6.75

HEAVY-DUTY GROUND CLAMPS


- Manufactured from heavy-duty nickel-plated steel with forged brass conductors and braided copper strap to carry current to upper jaw
- Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
- Allen-type wrench included



Model No.	Amps	Promo Price
NT668	300	13.50
NT669	500	15.75

MULTI-PURPOSE MIG PLIERS

- Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses
- Nickel-plated finish



Model No.	Description	Promo Price
NP537	8-way pliers	9.95
TYX128	Premium welding pliers	15.25
NT666	Holster Only	3.99

CENTERING HEADS

#6 STANDARD MODEL


- Used on pipe 1/2" to 4" diameter or larger
- Fitted with an adjustable dial bubble protractor (DSL), manually operated centering pin



430-2050

#7 JUMBO MODEL

- For pipe 1" diameter and up
- Includes DSL
- Spring-loaded hardened centering pin eliminates the need for a hammer



430-2070

CURV-O-MARK®

Model No.	MFG No.	Type	Head Type	Head Width"	Promo Price
430-2050	14775	Standard	Y	4	69.00
430-2070	14776	Jumbo	Y	8	110.00

E-WELD 3 WELD SPATTER RELEASE SOLUTION

- Best for general purpose welding
- Contains temporary corrosion inhibitors
 - Prevents weld spatter from sticking
 - Can be used on all weldable metals
 - Green colour for a better view on work piece



AC300

AA903



Model No.	MFG No.	Size	Container Type	Promo Price
AA903	53F002	400 ml/13.5 oz.	Aerosol	11.99
AC300	53F203	500 ml/16.9 oz.	Trigger spray	13.49

PROBAN WELDING JACKETS

- 30" length jacket made of black 9-oz. Proban FR-7A flame retardant cotton sateen for safety and cool comfort
- Select cowhide sleeves provide superior flame, heat and abrasion resistance for heavy-duty protection
- Five-snap closure front minimizes hot shooting spatter from entering
- Black



Model No.	Size	Chest Measurements"	Promo Price
TTV013	Medium	40-42	58.99
TTV014	Large	44-46	58.99
TTV015	X-Large	48-50	58.99
TTV016	2X-Large	52-54	62.99
TTV017	3X-Large	56-58	69.99
TTV018	5X-Large	64-66	80.99

FLEXIBLE FRAME GOGGLES

- Soft PVC frame seals out light leaks
- Choice of 2" x 4-1/4" fixed front or flip front design
- Comes complete with shade 5 lens



Model No.	Description	Promo Price
NT646	Fixed Front	5.20
NT647	Flip Front	6.35

WH40* ELEMENT WELDING HELMET

- Variable ADF, 4.33" x 3.54"
- Lightweight shell weighs only 6 oz.
- Two independent arc sensors
- Solar powered unit
- Meets ANSI Z87.1 and compliant with CSA standard Z94.3



Model No.	MFG No.	Promo Price
SEA769	23282	92.00

STANDARD QUALITY WELDING GLOVES & MITTS

- Rugged split cowhide leather construction
 - Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Welted seams at all critical points
 - Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
 - Size: Large
- Thumb Style: Wing



Model No.	Description	Cut Pattern	Promo Price
SAO130	Gloves	Gunn	4.75/Pair
SAO131	One-Finger Mitts	Clute	4.99/Pair

WELDERS' COWHIDE TIG GLOVES

- Premium quality grain cowhide leather construction
 - Unparalleled fit and dexterity with exceptional durability
 - Welted seams and straight thumb for expert control
 - 4" gauntlet cuff provides superior protection
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
 - Lining: Unlined



Model No.	Size	Promo Price
SDL992	Medium	8.99/Pair
SDL993	Large	9.30/Pair
SDL994	X-Large	9.65/Pair

LAVASHIELD™ WELDING BLANKETS

- 18-oz. sahara brown silica fabric
- Double-locked stitched Kevlar® thread hemmed on all sides
- Large brass grommets for extra durability and easy handling
- Temperature resistant: 2192°F (1200°C)



Model No.	Dimensions'	Promo Price
NT824	3 x 3	49.00
NT825	6 x 6	179.00

FREE-STANDING CROWD CONTROL BARRIERS

- Specially designed locking mechanism prevents accidental release
- Slow retracting tape cassette insures tape will retract safely
- 4-way connection permits all posts to receive up to three tapes from any direction
- Material: Steel
- Finish/Colour: Stainless
- Tape Length: 7'
- Recommended post spacing: 6'6"
- Height: 35"



Model No.	Tape Colour	Promo Price
SAS226	Red	131.00
SEA794	Black	131.00
SDN298	Yellow	131.00
RECEIVER POST ONLY (SOLD SEPARATELY)		
SAS230	-	108.00

ON-SITE® GRAVITY-FED EYEWASH STATION

- Hinged eyewash tray activates in one quick motion
- Ideal for locations where a plumbed water source is not available
- Transparent tank allows solution level to be checked easily
- High-visibility yellow, moulded pedestal and tank
- Standard(s) Met: ANSI Z358.1
- Capacity: 7 gallons



Model No.	MFG No.	Description	Promo Price
SAK609	S19-921	Eyewash	319.00
SAK611	S19-399	Waste Cart	385.00
SAK613*	S19-865	Eyewash Preservative	27.99/Box

* Four 8 oz. bottles per box

Padlocks not included



PORTABLE LOCK BOX

- Latch Tight™ locking mechanism
- Accepts 12 padlocks or lockout hasps

Master Lock

Model No.	MFG No.	Promo Price
SAL519	498A	83.99

DOME MIRRORS - HALF DOME 180°

- Removes blind spots reducing the chance of accidents caused by blind corners
- Durable heavy-duty acrylic construction
- Ideal for 3-way intersections
- Type: Closed Top



ZENITH®
Safety Products

Model No.	Mirror Diameter*	Promo Price
SDP524	18"	86.00
SDP525	26"	119.00
SDP526	32"	168.00
SDP527	48"	336.00

* The dimensions listed are that of a full dome

TRACTION CLEATS

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Pre-cut sizes with rounded corners offer a finished look and prevent the corners from lifting
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant



SDN107



SDS936



SDN112



SDN111

ZENITH®
Safety Products

Model No.	Description	Dimensions W" x L"	Qty /Pkg.	Promo Price
BLACK				
SDN107	Rounded edge strip	3/4 x 24	50	22.99/Pkg.
SDN111	Square	5-1/2 x 5-1/2	50	42.85/Pkg.
SDN108	Strip	3 x 24	50	76.50/Pkg.
SDN109	Strip	6 x 24	50	149.00/Pkg.
SDN110	Strip	6 x 30	50	191.00/Pkg.
SDN112*	Strip	6 x 24	10	135.00/Pkg.

BLACK/YELLOW

SDS936	Strip	6 x 24	1	4.59/Pkg.
--------	-------	--------	---	-----------

* With reflective band

OUTDOOR PROTECTION PADLOCKS

- 1-9/16" laminated steel body construction for superior strength
- High-tech thermoplastic shell designed to protect and withstand the elements
- Hardened steel shackle
- Locks come with two keys
- Key type: different
- Blue



SN706

Master Lock

Model No.	MFG No.	Shackle Diameter"	Shackle Height"	Clearance Width"	Promo Price
SN706	312	3/8	1	1/2	14.50
SEJ518	312D	9/32	1-1/16	5/8	14.50

INDUSTRIAL-DUTY WORKBENCHES

- Features adjustable steel legs
- Capacity: 1000 lbs
- Laminated Hardwood Top Overall Thickness: 1-1/4"
- Nose Type: Bullnose



FN279



FN269

KLETON

Model No.	Configuration	W"	x	Dim. D"	x	H"	Promo Price
FN269	Top & Legs Only	60	x	24	x	34	264.00
FN270	Top & Legs Only	60	x	30	x	34	304.00
FN271	Top & Legs Only	72	x	30	x	34	348.00
FN272	Top & Legs Only	60	x	36	x	34	348.00
FN273	Top & Legs Only	72	x	36	x	34	396.00
FN279	Drawers/Shelf	60	x	24	x	34	456.00
FN280	Drawers/Shelf	60	x	30	x	34	500.00
FN281	Drawers/Shelf	72	x	30	x	34	540.00
FN282	Drawers/Shelf	60	x	36	x	34	540.00
FN283	Drawers/Shelf	72	x	36	x	34	591.00

500 SERIES STATIONARY STOOLS

- Frame consists of 7/8" 18 gauge tubular steel, with rubber cushioned metal glides to protect floors
- Durable, baked-on epoxy powder coat finish
- The stable, 3/4" diameter 18 gauge foot ring is welded to the base
- Seat consists of 1/8" tempered Masonite insert on steel
- FC655 & FC656: Die formed metal backs have 2-1/2" vertical and 4-1/2" horizontal adjustment
- Weight Capacity: 250 lbs.
- Grey



FC653



FC655



FC656


M MUR-VAN MANUFACTURING

Model No.	MFG No.	Overall Dimensions W" x D" x H"	Adjustable Height Range"	Promo Price
FC653	C511T	14 x 14 x 33	25 - 33	89.00
FC655	C513T	14 x 14 x 33	25 - 33	153.00
FC656	C515S	14 x 15-1/2 x 26	18 - 26	163.00

WHITE BOARDS

- White writing surface provides clean, colourful display
- Effortless erasing, wipes clean with cloth or felt brush
- Aluminum frame
- Plastic corners for board and wall protection
- Features a removable marker tray
- Can be hung vertically or horizontally
- Style: Non-Magnetic

ON530



KLETON

Model No.	Height"	Width"	Promo Price
ON530	18	24	17.80
ON531	24	36	28.25
ON532	36	48	49.55
ON533	48	72	99.99
ON534	48	96	129.00

JUMBO DIGITAL WALL CLOCK

- Large 17" display
- Visibility from 30' away
- Displays (indoor) temperature in Celsius or Fahrenheit
- Calendar displays month, date and day of the week
- Includes three C batteries

M MARATHON



Model No.	MFG No.	Promo Price
XD075	CL030025	99.00

HEAVY-DUTY ERGONOMIC SEATING

- Pneumatic seat height adjustment
- Self-skinned polyurethane seating offers stain and puncture resistance
- Sturdy 5-leg, glass reinforced, nylon black base
 - Waterfall edge seat design for greater comfort
- Manual vertical back adjustment with built-in lumbar support
 - 3 lever, tilt seat, tilt back
- Ergonomic seating with glides
 - Black



OJ967

M MUR-VAN MANUFACTURING

Model No.	MFG No.	Adjustable Height"	Promo Price
OJ967	C1402-GL-TP	20 - 28	310.00
OJ968	C1403-GL-TP	23 - 33	323.00

SLANTED WIRE SHELVING UNITS

- Slanted shelving allows for better visibility of stored items
- NSF certified
- Shelf Capacity: 400 lbs.
- Overall Capacity: 1000 lbs.

RN589



KLETON

Model No.	W"	x	D"	x	H"	Promo Price
3 SLANTED SHELVES & 2 FLAT SHELVES						
RN589	36	x	18	x	63	214.00
RN590	48	x	18	x	63	248.00
RN591	48	x	24	x	63	304.00
5 SLANTED SHELVES & 2 FLAT SHELVES						
RN592	36	x	18	x	74	285.00
RN593	48	x	18	x	74	354.00
RN594	48	x	24	x	74	439.00

SLANTED SHELF CARTS

- Slanted shelving allows for better visibility of stored items
- NSF certified
- Shelf Capacity: 400 lbs.
- Overall Capacity: 1000 lbs.
- Includes: (2) swivel casters, (2) rigid casters

RN598



KLETON

Model No.	W"	x	D"	x	H"	Promo Price
3 SLANTED SHELVES & 2 FLAT SHELVES						
RN595	36	x	18	x	69	274.00
RN596	48	x	18	x	69	319.00
RN597	48	x	24	x	69	375.00
5 SLANTED SHELVES & 2 FLAT SHELVES						
RN598	36	x	18	x	80	356.00
RN599	48	x	18	x	80	428.00
RN600	48	x	24	x	80	510.00

WIRE BASKET SHELVING UNITS

- Basket shelves help to keep items organized and visible, while preventing items from falling off the shelves
- Open wire provides optimal airflow and helps to reduce dust
 - Additional baskets available
 - NSF certified
 - Shelf Capacity: 400 lbs.
- Overall Capacity: 1000 lbs.
 - No. of Shelves: 5

RN609



KLETON

Model No.	W"	x	D"	x	H"	Promo Price
RN609	36	x	18	x	74	401.00
RN610	48	x	24	x	74	488.00
RN611	48	x	24	x	74	593.00

WIRE BASKET SHELVING CARTS

- Basket shelves help to keep items organized and visible, while preventing items from falling off the shelves
- Open wire provides optimal airflow and helps to reduce dust
 - Includes (4) 5" casters
- Additional baskets available
 - Shelf Capacity: 400 lbs.
- Overall Capacity: 800 lbs.
 - No. of Shelves: 5

RN612




KLETON

Model No.	W"	x	D"	x	H"	Promo Price
RN612	36	x	18	x	80	473.00
RN613	48	x	18	x	80	559.00
RN614	48	x	24	x	80	668.00

ENCLOSED WIRE SHELF CARTS

- High quality chromate shelves and posts prevent corrosion
- Enclosed sides keeps items from falling out
- Shelves can be adjusted quickly and easily
- Strong and versatile
- Includes: (2) 5" swivel resilient casters, (2) 5" rubber caster with brakes
- NSF certified
- No. of Shelves: 4
- Capacity: 800 lbs. evenly distributed
- Cart Material: Chrome Plated

RN562



KLETON

Model No.	W"	x	D"	x	H"	Promo Price
RN562	24	x	36	x	69	443.00
RN563	24	x	48	x	69	458.00
RN564	24	x	60	x	69	473.00

WIRE MESH UTILITY CARTS

- Highly rigid construction that is easily adjustable at 1" increments
- Two handles allow for easy maneuverability
- One-year limited warranty
- Includes: 5" resilient rubber casters (two swivel, two with brake)
- Capacity: 800 lbs. evenly distributed
- Cart Material: Chrome Plated
- No. of Shelves: 2

MK782



Model No.	W"	x	D"	x	H"	Promo Price
MK781	30	x	18	x	45	156.00
MK782	36	x	18	x	45	159.00
MK783	48	x	18	x	45	167.00
MK784	60	x	18	x	45	207.00
MK785	36	x	24	x	45	179.00
MK786	48	x	24	x	45	196.00
MK787	60	x	24	x	45	217.00



KLETON

GAS CYLINDER CABINETS

- 2" x 2" 10-gauge formed steel angle posts
- 9-gauge wire mesh doors and walls for venting
- 14-gauge checker plate shelves and roof
- Padlock hasp for added security
- Innovative door design allows for left or right opening installation
- English and French warning labels included

KLETON

Constructed to meet or exceed strict
CSA International B149.2-00
Propane Storage and Handling Code.

Cylinders must be stored
vertically at all times.

SAF847

SAF837



Model No.	Dimensions W" x D" x H"	Cylinder Capacity	Promo Price
FOR 35-LB. LIQUID PROPANE CYLINDERS			
SEB837**	30 x 17 x 37	2	401.00
SEB838**	17 x 17 x 69	2	479.00
SAF836	44 x 30 x 37	6	819.00
SAF847	44 x 30 x 74	12	999.00
FOR 9" DIAMETER GAS CYLINDER BOTTLES			
SAF837	44 x 30 x 74	10	909.00
SAF848*	88 x 30 x 74	20	1555.00

*Consists of two units of the SAF837

**All-welded, fully assembled

ND337

HEAVY-DUTY OUTDOOR STORAGE CONTAINERS



JK232



- Thick-walled, durable polyethylene construction
- Double-walled reinforced lid
- Molded forklift channels and recessed hand holes
- Capacity: 5.5 cu. Ft.
- Dimensions: 30" L x 24" W x 24" H

Model No.	Description	Colour	Promo Price
ND337	Container	Yellow	159.00
ND202	Container	Grey	159.00
JK232	Scoop, 2 Litres	Yellow	5.99

PORTABLE SALAMANDER HEATER

- 240 V, 34121 BTU/h, 10080 W
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Fan Motor Type:
Enclosed air over, ball bearing
- Over heat protection
- One heat setting, fan forced



MATRIX
INDUSTRIAL PRODUCTS

Model No.

Promo Price

EA786

999.00

HEAVY-DUTY TILTED HEATER

- 240 V, 23.3 A, 19107 BTU/h, 5600 W
- Industrial finger proof steel intake/discharge grills
- Durable metal construction with enclosed motor
 - One-speed fan only function
 - Adjustable thermostat
- Built-in over heating protection
 - Type: Ceramic
- Power Cord Length: 6'
- Max. Temperature: 100°F



MATRIX
INDUSTRIAL PRODUCTS

Model No.

Promo Price

EB021

199.00

HEAVY-DUTY CEILING MOUNT HEATERS

- 240 V
- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- Rugged heavy-duty industrial heater
- Ideal for use in storage rooms, workshops, garages, warehousing

EA532



MATRIX
INDUSTRIAL PRODUCTS

Model No.	Motor	Rating (BTU/h) Min. Max.	Promo Price
EA532	Open	8530 17060	199.00
EA652	Enclosed	8530 25600	299.00

Pricing in effect until April 10, 2020 or while quantities last. Taxes and freight extra.
Prices are subject to change, and may vary without prior notice. Issue #SDW220012NA