Think KING when RENOVATING

THIS SPRING & SUMMER
2020 Proudly Car Proudly Canadian





Équipements Industriels Joliette inc.

1295, De Lanaudière Joliette, Qc. J6E 3N9

Tél.: 450 756.0564 800 567.5247 Fax : 450 756.8859

info@eij.ca



ASER GUIDE SYSTEM



5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

AVR system and electronic ignition
 Low oil shut-off with indicator light protects the engine

Duplex outlet: 120V/20 Amp. AC

Twist lock outlet: 120V/240V/30 Amp. AC

 AC double throw circuit breaker and resets for safe operation CSA & EPA approved



cooled OHV engine



K-X7500

Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

K-L1430-25-EXT

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C) 579.99

MEM

MEM

Female receptacle with lighted end

RETRAGIABLEAIRHOSE REELWITH IMBRID POLYMERAIR HOSE K-5038FRL 50 ft. x 3/8" All-Weather Flexibility (-40°C to 65°C) Comes with wall mounting hardware

MANUALAIR HOSE REELWITH IMBRID POLYMERAIR HOSE K-10014FRL

LED WORKLIGHT

10W Work light emits 1200 lumens

KC-1201LED

100 ft. x 1/4"

All-Weather Flexibility (-40°C to 65°C)

• 360° swivel base

HYBRID POLYMER INDUSTRIAL AIR HOSES







300 PSI MAXIMUM PRESSURE





K-5058GH $5/8" \times 50 \text{ ft.}$

K-10058GH $5/8" \times 100 \text{ ft.}$

Extreme All-Weather Flexibility Kink resistant



KC-5015C

Blade tilts 0° to 45° with dete for versatile angle cutting

Complete under-table storage stores the rip fence, anti-kickback pawls, blade guard, miter gauge, push stick and wrenches under thetable for maximum protectionduring transport and storage



SS-5015C

Sturdy all steel construction

Can also be used with Bosch® 10" Portable Jobsite Table Saw model GTS1031

Tool-free system secures table saw to stand quickly and ea

10" SLIDING TILE SAW

KC-3310TS

Powerful heavy duty 2.5 HP, 15 Amp. motor with GFCI protected power cordd

 Full coverage wrap around splash guards 24" rip capacity at 90°

Head tilts 0°-45° for bevel cuts

 Plunge head allows controlled cuts for electrical outlets. drains and AC registers

> 25IP Folding stand with quick release latch system

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-2020A

 2 HP (peak) motor, 60 decibels • 125 PSI maximum tank pressure

• 3.8 CFM @ 40 PSI

2 GALLON

• 2.35 CFM @ 90 PSI Durable oil-free pump with minimal maintenance

\$229.99

VARIABLE SPEED RECIPROCATING **SAW KIT** Variable speed 0-2900 SPM

8354N

Tool-less blade clamp system
Accepts standard 1/2" shank blades

 Comes with a wood cutting blade, metal cutting blade and



7 1/4" 12 AMP. **CIRCULAR SAW**

Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45° Comes with 24 tooth carbide

tipped blade, arbor hex. key and adjustable edge guide



9^TLAMINATE FLOORING CUTTER KC-9LCT Cuts up to 3/8" on standard 8-1/2" wide planks or up to 5/8" on narrower planks Two position angle guide for 90° and 45° angled cuts Comes with a durable tungsten blade, support arm and "V" support Replacement ____ blade KW-149



KC-13LCT

materials, up to 13"

wide and

Cuts a variety of

19/32" thick Table miter





Digital LCD display

(0.05° resolution)

indicates precise degree



2"TRIPLE-TA

K-212-3T-RD

1 second cycle time

With no hydraulic oil or pump, kinetic flywheel

Hardened steel pinion gear

Splits logs up to 21" long with a diameter up to 12"

transfers energy from the

log splitters are much easier to maintain

· Automatic ram retraction leaving your

flywheels

hands free to load the next loa

13" PROFESSIONAL LAMINATE FLOORING CUTTER



KW-160

Color

YELLOW

RED

ORANGE

YELLOW

RFD

ORANGE

GREEN

RED

12/3

12/3

12/3

12/3

12/3

12/3

12/3

EXTENSION CORD







30 PC VARIABLE SPEED OSCILLATING **MULTI-TOOL KIT & ACCESSORIES**





KW-4808

\$6.99

KW-4816

KW-4801 KW-4802

KW-4810

\$6,99

KW-4817





KW-4811

\$6.99

KW-4818

\$11.99



KW-4804

KW-4812

\$6.⁹⁹

KW-4819

\$6.99



KW-4813

\$6.99

KW-4820

\$11.99



KW-4805 \$1**7.**99

KW-4806





POWER TOOLS

PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

Variable speed dial for 0-420 SFPM

Cutting capacity of 5" x 5"

Blade tension lever for quick adjustments

Comes with standard 44-7/8" x 1/2" x 0.025" 14 TPI metal cutting blade

Optional

Miter Stand turns this Bandsaw into a Cut-off Saw SS-8377





3/8" VARIABLE SPEED **DUAL TEMPERATURE** RIGHT ANGLE DRILL **HEAT GUN**

- 8310ADN • 3.5 Amp. motor
- 0-1600 RPM
- Forward/reverse switch
- Non-Slip soft grip

8300N

• Powerful 1,500 watt motor

BM-1418 44 7/8" 11

 Comes complete with heat gun, 4 nozzles, 5pc. paint scraper kit



3/8" ELECTRIC **DRILL**

8302N

- 3.3 Amp. motor
- 3/8" Keyless chuck
- Forward/reverse switch

3/8" ELECTRIC

Forward/reverse switch

1/2" HAMMER DRILL

Non-Slip soft Grip

· Non-Slip soft grip

DRILL

8304N

8309N

Forward/

reverse switch

Drill or hammer

mode switch

Depth stop gauge

for depth drilling

• 5 Amp. motor 3/8" Keyless chuck




WRENCH

8311N

- 7 Amp. motor
- Impacts 2700 BPM
- Maximum Torque 230 /ft.-lbs
 Comes with 4 sockets 11/16",
- 3/4", 13/16", and 7/8"





1/4 SHEET PALM SANDER

8351N

- · Powerful 1.5 Amp. motor operates at 14,000 opm
- Comes with 60, 100 grit sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate





8352

- Powerful 1.6 Amp. motor operates at 24,000 opm
- Comes with 12 pieces of abrasives, dust port adapter and sandpape punch plate



SANDING **PAPER KIT**

1/3 SHEET





DETAIL PALM SANDER

8303N

- 1.2 Amp motor
- 1 Dust port adapter
- 4 80 Grit sandpaper
- 4 120 Grit sandpaper
- · 4 180 Grit sandpaper





5" RANDOM ORBIT SANDER

8305

- 1.5 Amp motor
- 1 Dust collection bag
- 1 replacement hook & loop pad
- 2 80 Grit 5" sanding discs
- 2 120 Grit 5" sanding discs
 2 180 Grit 5" sanding discs







3" X 21" BELT SANDER

8356VS

- Belt speed 390-1250 FPM
- Highly efficient dust collection system
- Comes with sanding belt and dust bag

3"x 21" SANDING BELT KITS								
	Model	Belt Size	Grit	Units/Kits	Price			
	SB-321-40	3"x21"	40	1	\$1.99			
	SB-321-60	3"x21"	60	1	\$1.99			
	SB-321-80	3"x21"	80	1	\$1.99			
	SB-321-120	3"x21"	120	1	\$1.99			



VARIABLE SPEED ORBITAL JIG

Powerful 7.2 Amp. motor

6.5 Amp. motor

and hex. kevs

8353N

Tool-less quick release

SAW WITH LASER

blade change system Comes with jig saw blades, edge guide, dust chute,

135 PC VARIABLE SPEED

ROTARY TOOL KIT

8,000 - 30,000 RPM

Comes with 40" Flex

accessories &

adiustable

Shaft, 135 PC. assorted

180 PC. ROTARY TOO!

ACCESSORY KIT

III/Amp.

NEVER LOOSE A SCREWDRIVER BIT AGAIN

SCREWDRIVER KIT

1 x 3.6V Li-ion Screwdriver

The two 6 magnetized bit cartridges

keep your most popular bits at hand 3 1/4 HP VARIABLE SPEED

16 PCS. 3.6V QUICK SELECT

2 x Magnetized bit holders 12 x 1/4" Hex.

shank bits ($2 \times PH1$, $2 \times PH2$, $2 \times PH3$, $2 \times S1$, $2 \times S2$, 2×6 mm Flat)

PLÚNGE ROUTER

8367

9136 KIT COMES WITH

1 x Charger

- Plunge Depth Capacity 0 to 2-3/8" Variable Speeds 9,000 - 22,000 RPM
- Comes with 1/4" & 3/8" collet sleeves, 1/2" collet cone, 1/2" straight router bit, edge guide, edge guide holder, trim guide, chip deflector, template guide, wrench, depth stop



15PC. ANTI-KICKBACK **CARBIDE ROUTER BIT SETS**

K-1514 \$49.99 ea. 1/4" SHANK



ORBIT POLISHER

8301

- Ball Bearing constructio
 10" Tapered foam
- applicator pad

REPLACEMENT **APPLICATOR & BUFFING BONNETS KIT**

7" POLISHER/

SANDER KIT

8369N

KM-030

INFRARED DIGITAL THERMOMETER WITH LASER POINTER

K-550

Temperature range (-50°C~550°C (-58°F~ 1022°F)

K-1512

1/2" SHANK

REPLACEMENT

WOOL BONNE

Variable speed dial
(1,000 - 3,000 RPM)
Comes with 7" polishing backing
7" and inc.

pad, wool bonnet, 7" sanding hook-and loop backing pad, 7" hook-and loop 80 grit sanding paper and wrench

REPLACEMENT 7"

SANDING

PAPER KIT





1/4" LAMINATE TRIMMER 8362N • 3 Amp., 110 V, 26,000 RPM

no load speed

Comes complete with 1/4" collet cone, 1/4" x 3/8" straight bit, straight edge guide, trimmer base and roller

guide, #10 and #17 open end wrenches



12 PC. 4 1/2" ANGLE GRINDER & **MULTI-PURPOSE DISC KIT**

8208AG 12 pc. kit includes 4-1/2" angle grinder, 2 grinding wheels (1/8" & 1/4"), 5 sanding discs



5" ANGLE DISC GRINDER KIT

8364N 8 Amp. motor • 11,000 RPM 6 PC Double Insulation

ELECTRIC HVLP SPRAY GUN

8199 Designed with noise reducing turbine. HVLP high volume

KW-145

low pressure





$m{2}''$ MINI PLUNGE SAW KIT

Compact hand held plunge saw can cut wood, plastic, ceramic tile, aluminum and even sheet metal

- Make plunge cuts up to 1-1/8" Worm-drive power transmission system for greater cutting power
- Comes complete with 3 blade set (24 tooth carbide tipped blade, segmented diamond blade and 80 tooth HSS blade), dust extraction hose, edge guide and

blade changing hex. key



KW-3501 REPLACEMENT TCT BLADE \$1



KW-3503 HSS BLADE \$1 REPLACEMENT





8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.





KM-090





Includes 10" carbide blade

8390N

nhanced

win Laser

15 Amp. motor

drive motor

3.600 RPM belt

Dual compound

cuts (miter and

45°left & right

Comes with dust

bag, extension

Includes 12"

carbide blade

bars and table vise

bevel) up to

12" SLIDING DUAL COMPOUND MITER SAW

WITH TWIN LASER

Includes 8 1/4"

8385N

• 15 Amp. motor,

• Dual compound

up to 45° left

extension winas

vertical hold down

vise, and dust baa

and right

Comes with

retractable

Includes 10" carbide blade

cuts miter and bevel

5000 RPM

10" SLIDING DUAL

COMPOUND MITER SAW WITH TWIN LASER



Twin Laser

Effect

COMBINATION 4"x 36" BELT AND

6" DISC SANDER



BENCH TOP TOOLS **6" BENCHTOP JOINTER WITH WOODWORKINGJOINTER HELICAL CUTTERHEAD** • 29 1/2" x 4 1/2" fence size 6" x46" Powerful 1 HP motor **Table Size** • Built-in 4" dust chute · Helical cutterhead with 12 cutter inserts • Adjustable fence • 2-1/2" dust chute for dust collector hook-up at 45° & 90° • Comes 2 safety push blocks, cutter insert adjustment Torx key and adjustment hex. keys (15 Amp @ 110V) (7.5 Amp @ 220V)







EXTENDABLE UNIVERSAL

MOBILE BASE

KMB-1250





KBB-1038-6 67 1/2" 3/8" 6 .020" KBB-1012-6 67 1/2" 1/2" 6 .020"







AIR COMPRESSORS

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1410A

- 125 PSI maximum tank
- ASME safety valve
- 1/4" universal "one touch" quick connect coupler
- Air pressure regulator and large easy to read pressure gauges

Powerful 2.5 HP, **Ultra-quiet motor** only 60 decibels

KING

ASME safety valve

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- Light weight aluminum tanks
- 3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure
- ASME safety valve

4:6 GALLON (2 X 2:3) 2HP(PEAK)(60 Decibels)



ASME safety valve

10 GALLON **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

KC-10020SQ

- Ultra-quiet, 3 HP (peak) motor, 75 db
- 125 PSI maximum tank pressure
- 150 PSI max pressure
- 5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI
- Durable oil-free pump with minimal

6.5 HP GAS WHEELBARROW AIR COMPRESSOR

KC-6510G1

- 150 PSI max pressure
- 14.1 CFM @ 40 PSI
- 11.2 CFM @ 100 PSI

10 GALLON TWIN TANKS (2X5 GALLONS)



3 GALLON **AIR COMPRESSOR**

8438

- Durable oil lubricated pump1.0 CFM @ 40 PSI
- 0.60 CFM @ 90 PSI
- Air pressure regulator and e asy to read pressure gauges
- Convenient reset feature

3 GALLON OIL FREE **AIR COMPRESSOR &** 2" BRAD NAILER KIT

8438/8200B Kit includes:

Kit comes with powerful 18 ga. x 2" brad nailer (70-100 PSI) which drives standard 18 ga. brad nails from 5/8" to 2", 1/4" x 25ft. coil air hose, two 1/4" female couplers, 1/4" male fitting, tire inflator, air blower, air blower adaptor, inflating nozzle, inflating needle, oil bottle and hex. keys

2 GALLON

ASME safety valve

8449C

- Durable oil lubricated pump2.70 SCFM @ 40 PSI
- 2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read
- pressure gauges

2 Gallon tank

2 GALLON AIR COMPRESSOR AIR COMPRESSOR **COMBO KIT**

8449C/8200NH25 Kit includes

- 1- 1.5 HP air compressor (8449C)
- 1- 18 gauge x 2" brad nailer kit (8200B)
- 1- 3/8" x 25' air hose 300 PSI (KAH-3825)

5 GALLON TWIN TANK **AIR COMPRESSOR**

8488C

- 3,400 RPM, 13 Amp. motor
- 5.0 CFM @ 40 PSI
 4.0 CFM @ 90 PSI
- Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to



5 GALLON TWIN TANK AIR COMPRESSOR & BRAD NAILER **COMBO KIT**

5 PEAK HP AIR COMPRESSOR

· Durable oil lubricated pump

Air Pressure Regulator and

• 20 gallon tank • 7.4 SCFM @ 40 PSI

• 5.7 SCFM @ 90 PSI

easy to read

Pressure

Gauges

8488C/8200NH25

kit includes; 1-5 gallon air compressor 1-18 gauge x 2" brad nailer kit (8200B)

- 1- 3/8" x 25' air hose 300 PSI (KAH-3825)



ASME safety valve

00 99

COMPRESSOR ONLY

COMBO KIT

COMPRESSOR ONLY

COMBO KIT



ASME safety valve

COMPRESSOR ONLY

COMBO KIT

NAILERS & STAPLERS



18 GA. NAILER/STAPLER KIT 8210NS

- 18 Ga. x 1/4" (3/8" to 1 5/8") stapler 18 Ga. x 1/4" (3/4" to 2") nailer Comes with 1/4" air inlet, oiler, hex. keys



18GA. X 2" BRAD NAILER KIT 8201N

3/4" to 2" Nail range Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case



23GA. X 2" HEADLESS PIN **NAILER KIT**

8251PN

• 1/2" to 2" Pin range • Comes with 1/4" Air inlet, 2 removable



23GA. X 1 3/8" HEADLESS PIN NAILER KIT

8223PN

1/2" to 1-3/8" Pin range Comes with 1/4" Air inlet, 2 removable non-marring tips, oiler, hex. keys and



16GA. X 2 1/2" BRAD

3/2/31NL • 3/4" to 2 1/2" Nail range • Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy

ADTUSTABLE AIR DEFLECTOR

NAILER KIT

carrying case

8185



SPRAY GUN KITS

for fine detailing or total coverage

Separate adjustable fluid and spray pattern knobs

\$59.99





Comes with 1/2" Impact, Wrench, 3/8" Ratchet, Wrench, Air Hammer and 1/4" Die Grinder



- with lever style chuck, rubber protected • 2-1/2" diameter
- Quick connect 1/4" NPT air inlet







COMPRESSOR

8180

8190 **HVLP**



100 L KIIT



TIRE INFLATION GUN WITH PRESSURE GAUGE

K-1630

- 15" flexible rubber hose
- pressure gauge pressure range of 10- 170 PSI)

20 PC. PNEUMATIC





18GA. X 1" - 1/4" NARROW **CROWN STAPLER KIT**

- 3/8" to 1" Staple range
 Comes with 1/4" air inlet, oiler, hex. keys,
- & sturdy carrying case ADMISTABLE AIRDEFLEGIOR



21 GA. X 5/8" -1/2" CROWN **UPHOLSTERY STAPLER KIT**

1/4" to 5/8" Staple range Comes with 1/4" air inlet, oiler, hex. keys,



16 GA. X 2" - 7/16" MEDIUM CROWN STAPLER KIT

- 8216S-2 3/4" to 2" Staple range
- Comes with 1/4" air inlet, oiler, hex. keys, safety glasses & sturdy carrying case




PALM NAILER

8120P Powerful palm nailer drives bulk, framing, timber and finishing nails up to 4-1/2" (120mm) in length

• Magnetic nail holder for fast and

easy nailing





7/8" to 1 3/4" (11 Ga.)
Comes with 1/4" air inlet, debris shield, safety glasses, oiler, hex. keys and sturdy



Kit Includes:
• 3/4" to 2 " Nailer
• 3/8" to 1" Stapler Comes with 1/4" air inlet, oiler, hex. keys and sturdy carrying case

8201N/8101SK



18 GA. 2" BRAD NAILER /1" NARROW CROWN STAPLER



CLIPPED HEAD FRAMING NAILER KITS

8228N

• Shoots standard 2 3/16" - 3 9/16" • Shoots standard 2 3/16" - 3 9/16"

349

8234N

DUST COLLECTORS & ACCESSORIES



Fits 12 1/2" planer

OPTIONAL PORTABLE

PLANER STAND

SS-426 **S45**.99

• Unit includes 1/2" aluminum template



KVAC-1145 Fits: 8520LP, 8530LP

8531LP-B, 8540LST

JUMP STARTER / INSPECTION **PERSONAL POWER SUPPLY**

PX-500

- Charge or power all electronic devices, USB 5V electronics, 12V accessories and 16V/ 19V laptops.
- This 13,600 mAh portable jump starter & power supply is able to jumpstart a V8 engine (5L) up to 15 times.



KC-9050 Kit includes:

- 39" x 9mm flexible-obedient
- camera probe • 2.4" diagonal TFT-LCD

CAMERA WITH

LCD MONITOR

color monitor, Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

KC-9200 Kit includes:

39" x 9mm flexible-obedient camera probe probe, 39" x 10mm camera probe

CAMERA WITH

RECORDABLE LCD MONITOR

extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 45° mirror, magnetic pick-up, pick-up hook, USB and Video cables, 4GB SD

WIRELESS INSPECTION



DRILL PRESSES & accessories

8" DRILL **PRESS**

- KC-108N

- 1/2" chuck



10" DRILL **PRESS WITH DUAL LASER GUIDE SYSTEM**

2.5 Amp. motor5 speeds (570-3050 R.P.M

Laser Effect

- 10" swing 2 3/8" stroke 1/2" chuck



GUITING BANDSAW

- 3 speeds (80-120-200 FPM)
- Automatic shut-off switch
- · Can be used horizontally or vertically





H.S.S. & BI-METAL BLADES										
- Control	Model	Length	Width	Blade Material	TPI	Thickness				
Delining by	KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025"	\$14.99			
A management	KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$14.99			
-	KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$14.99			
100	KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$14.99			
TOWNS TO SERVICE STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUM	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$34.99			
1	KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$34.99			
	KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$34.99			

PRESSURE ABRASIVE SANDBLASTERS

KING

- · Heavy-duty all steel construction
- Safety pressure relief valve
- · Loading abrasive is made simple using the concave funnel top of the tank
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), Protective water separator blast

filter, protective blast hood and teflon tape

10 GALLON KSB-10

KSB-20

20 GALLON





WOOD MORTISING **ATTACHMENT**

MA-511

 Kit comes with chisel holder, holddown arms, holddown bracket,fence, ring bushing adapters, 4 pc. 1/2" shank mortising chisels & bits and carrying

25 PC. RUBBER **SANDING DRUM**

KW-019



KCV-6N **\$99**,99

Drill Press VISES

3"-KPV-3

\$15.99

4" -KPV-4 5" -KPV-5 6" -KPV-6 \$19.99 \$29.99



longitudinal

adjustments simple

14" CUT-OFF SAW

8342LN

- Standard 14" abrasive wheel
- Spark deflector for safe operation Quick release vise for
- holding workpiece, allows cuts up to a 45° angle Onboard abrasive wheel

wrench storage



DRILL PRESS WITH DUAL LASER GUIDE **SYSTEM**

KC-116FN

\$19.99

- 7.5 Amp. moto
- 16 speeds (220-3600 R.P.M.) 13" Swing 3 1/8" Stroke 5/8" Chuck









K-1450P-2 Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)

GENERATOR EXTENSION CORDS Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles



- 92' Total head lift (total height at sea level, to which can be raised above original water level)
- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 4 hose adaptors,

4 rubber gaskets, strainer basket and strainer

Easy start NEW NEW KCG-3WPG KCG-2WPG

WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor





KW-502 2" X 50 ft 3" X 50 ft

FLAT PVC DISCHARGE HOSES

4 stroke air

cooled OHV engine

We reserve the right to limit quantities. We reserve the right to correct any typographical and pictorial errors without notice. Articles may vary from illustration shown. Some retailers may not stock all products due to space restrictions and product availability.